

Franzén, R., & Kronberg, L. (1994). Determination of chlorinated 5-methyl-5-hydroxyfuranones in drinking water, in chlorinated humic water, and in pulp bleaching liquor. *Environmental Science and Technology*, 28(12), 2222-2227. <https://doi.org/10.1021/es00061a035>

Smeds, A., Franzen, R., & Kronberg, L. (1995). Occurrence of some chlorinated enol lactones and cyclopentene-1,3-diones in chlorine-treated waters. *Environmental Science and Technology*, 29(7), 1839-1844. <https://doi.org/10.1021/es00007a022>

Jokela, J. P. Y., & Rintala, J. A. (2003). Anaerobic solubilisation of nitrogen from municipal solid waste (MSW). *Reviews in Environmental Science and Bio-Technology*, 2(1), 67-77. <https://doi.org/10.1023/B:RESB.0000022830.62176.36>

Suvilampi, J., & Rintala, J. (2003). Thermophilic aerobic wastewater treatment, process performance, biomass characteristics, and effluent quality. *Reviews in Environmental Science and Bio-Technology*, 2(1), 35-51. <https://doi.org/10.1023/B:RESB.0000022959.46025.9a>

Seppälä, M., Paavola, T., Lehtomäki, A., Pakarinen, O., & Rintala, J. (2008). Biogas from energy crops - Optimal pre-treatments and storage, co-digestion and energy balance in boreal conditions. *Water Science and Technology*, 58(9), 1857-1863. <https://doi.org/10.2166/wst.2008.503>

Kaparaju, P. L. N., & Rintala, J. A. (2008). Effects of solid-liquid separation on recovering residual methane and nitrogen from digested dairy cow manure. *Bioresource Technology*, 99(1), 120-127. <https://doi.org/10.1016/j.biortech.2006.11.046>

Paavola, T., & Rintala, J. (2008). Effects of storage on characteristics and hygienic quality of digestates from four co-digestion concepts of manure and biowaste. *Bioresource Technology*, 99(15), 7041-7050. <https://doi.org/10.1016/j.biortech.2008.01.005>

Pakarinen, O., Lehtomäki, A., Rissanen, S., & Rintala, J. (2008). Storing energy crops for methane production: Effects of solids content and biological additive. *Bioresource Technology*, 99(15), 7074-7082. <https://doi.org/10.1016/j.biortech.2008.01.007>

Einola, J-K. M., Sormunen, K. M., & Rintala, J. A. (2008). Methane oxidation in a boreal climate in an experimental landfill cover composed from mechanically-biologically treated waste. *Science of the Total Environment*, 407(1), 67-83. <https://doi.org/10.1016/j.scitotenv.2008.08.016>

Sormunen, K., Ettala, M., & Rintala, J. (2008). Internal leachate quality in a municipal solid waste landfill: Vertical, horizontal and temporal variation and impacts of leachate recirculation. *Journal of Hazardous Materials*, 160(2-3), 601-607. <https://doi.org/10.1016/j.jhazmat.2008.03.081>

Wang, H., Lehtomäki, A., Tolvanen, K., Puhakka, J., & Rintala, J. (2009). Impact of crop species on bacterial community structure during anaerobic co-digestion of crops and cow manure. *Bioresource Technology*, 100(7), 2311-2315. <https://doi.org/10.1016/j.biortech.2008.10.040>

Seppälä, M., Paavola, T., Lehtomäki, A., & Rintala, J. (2009). Biogas production from boreal herbaceous grasses - Specific methane yield and methane yield per hectare. *Bioresource Technology*, 100(12), 2952-2958. <https://doi.org/10.1016/j.biortech.2009.01.044>

Sivula, L., Ilander, A., Väisänen, A., & Rintala, J. (2010). Weathering of gasification and grate bottom ash in anaerobic conditions. *Journal of Hazardous Materials*, 174(1-3), 344-351. <https://doi.org/10.1016/j.jhazmat.2009.09.056>

Jagadabhi, P. S., Kaparaju, P., & Rintala, J. (2010). Effect of micro-aeration and leachate replacement on COD solubilization and VFA production during mono-digestion of grass-silage in one-stage leach-bed reactors. *Bioresource Technology*, 101(8), 2818-2824. <https://doi.org/10.1016/j.biortech.2009.10.083>

Jagadabhi, P. S., Kaparaju, P., & Rintala, J. (2011). Two-stage anaerobic digestion of tomato, cucumber, common reed and grass silage in leach-bed reactors and upflow anaerobic sludge blanket reactors. *Bioresource Technology*, 102(7), 4726-4733. <https://doi.org/10.1016/j.biortech.2011.01.052>

Pakarinen, O., Kaparaju, P., & Rintala, J. (2011). The effect of organic loading rate and retention time on hydrogen production from a methanogenic CSTR. *Bioresource Technology*, 102(19), 8952-8957. <https://doi.org/10.1016/j.biortech.2011.07.020>

Lee, K., Lee, S. Y., Na, J. G., Jeon, S. G., Praveenkumar, R., Kim, D. M., ... Oh, Y. K. (2013). Magnetophoretic harvesting of oleaginous Chlorella sp. by using biocompatible chitosan/magnetic nanoparticle composites. *Bioresource Technology*, 149, 575-578. <https://doi.org/10.1016/j.biortech.2013.09.074>

Lee, K., Lee, S. Y., Praveenkumar, R., Kim, B., Seo, J. Y., Jeon, S. G., ... Oh, Y. K. (2014). Repeated use of stable magnetic flocculant for efficient harvest of oleaginous Chlorella sp. *Bioresource Technology*, 167, 284-290. <https://doi.org/10.1016/j.biortech.2014.06.055>

Nikhil, Puhakka, J. A., Visa, A., & Yli-Harja, O. (2014). Software design for simulating microbial bioprocesses in bioreactor . In 6th International Conference on Environmental Informatics, ISEIS 2007 [60700018] International Society for Environmental Information Sciences.

Praveenkumar, R., Kim, B., Choi, E., Lee, K., Park, J. Y., Lee, J. S., ... Oh, Y. K. (2014). Improved biomass and lipid production in a mixotrophic culture of Chlorella sp. KR-1 with addition of coal-fired flue-gas. *Bioresource Technology*, 171, 500-505. <https://doi.org/10.1016/j.biortech.2014.08.112>

Taskan, E., Özkaya, B., & Hasar, H. (2015). Combination of a novel electrode material and artificial mediators to enhance power generation in an MFC. *Water Science and Technology*, 71(3), 320-328. <https://doi.org/10.2166/wst.2014.487>

Palmroth, M. R. T., Mönkäre, T. J., & Steffen, K. T. (2015). Fungal treatment of landfill mining fine fraction to increase its stability and end-use potential. In N. Kalogerakis, F. Fava, & E. Manousaki (Eds.), *Book of abstracts of the 6th European Bioremediation Conference* (pp. 47). [169]

Nancharaiah, Y. V., Venkata Mohan, S., & Lens, P. N. L. (2015). Metals removal and recovery in bioelectrochemical systems: A review. *Bioresource Technology*, 195, 102-114. <https://doi.org/10.1016/j.biortech.2015.06.058>

Taddeo, R., & Lepistö, R. (2015). Struvite precipitation in raw and co-digested swine slurries for nutrients recovery in batch reactors. *Water Science and Technology*, 71(6), 892-897. <https://doi.org/10.2166/wst.2015.045>

Zou, G., Papirio, S., van Hullebusch, E. D., & Puhakka, J. A. (2015). Fluidized-bed denitrification of mining water tolerates high nickel concentrations. *Bioresource Technology*, 179, 284-290. <https://doi.org/10.1016/j.biortech.2014.12.044>

Marjakangas, J. M., Lakanen, A. M., Koskinen, P. E. P., Chang, J. S., & Puhakka, J. A. (2015). Lipid production by eukaryotic microorganisms isolated from palm oil mill effluent. *Biochemical Engineering Journal*, 99, 48-54. <https://doi.org/10.1016/j.bej.2015.03.006>

Kokko, M. E., Mäkinen, A. E., Sulonen, M. L. K., & Puhakka, J. A. (2015). Effects of anode potentials on bioelectrogenic conversion of xylose and microbial community compositions. *Biochemical Engineering Journal*, 101, 248-252. <https://doi.org/10.1016/j.bej.2015.06.007>

Polishchuk, A., Valev, D., Tarvainen, M., Mishra, S., Kinnunen, V., Antal, T., ... Tyystjärvi, E. (2015). Cultivation of Nannochloropsis for eicosapentaenoic acid production in wastewaters of pulp and paper industry. *Bioresource Technology* , 193, 469-476. <https://doi.org/10.1016/j.biortech.2015.06.135>

Vinha, J., Manelius, E., Korpi, M., Salminen, K., Kurnitski, J., Kivistö, M., & Laukkarinen, A. (2015). Airtightness of residential buildings in Finland. *Building and Environment*, 93(P2), 128-140. <https://doi.org/10.1016/j.buildenv.2015.06.011>

Marjakangas, J. M., Chen, C. Y., Lakaniemi, A. M., Puhakka, J. A., Whang, L. M., & Chang, J. S. (2015). Simultaneous nutrient removal and lipid production with Chlorella vulgaris on sterilized and non-sterilized anaerobically pretreated piggery wastewater. *Biochemical Engineering Journal*, 103, 177-184. <https://doi.org/10.1016/j.bej.2015.07.011>

Kim, D. Y., Vijayan, D., Praveenkumar, R., Han, J. I., Lee, K., Park, J. Y., ... Oh, Y. K. (2016). Cell-wall disruption and lipid/astaxanthin extraction from microalgae: Chlorella and Haematococcus. *Bioresource Technology*, 199, 300-310. <https://doi.org/10.1016/j.biortech.2015.08.107>

Solala, I., Koistinen, A., Siljander, S., Vuorinen, J., & Vuorinen, T. (2016). Composites of high-temperature thermomechanical pulps and polylactic acid. *BioResources*, 11(1), 1125-1140. <https://doi.org/10.15376/biores.11.1.1125-1140>

Tukiainen, A., Aho, A., Polojärvi, V., Ahorinta, R., & Guina, M. (2016). High efficiency dilute nitride solar cells: Simulations meet experiments. *Journal of Green Engineering*, 5(3-4), 113-132. [8]. <https://doi.org/10.13052/jge1904-4720.5348>

Tampio, E., Salo, T., & Rintala, J. (2016). Agronomic characteristics of five different urban waste digestates. *Journal of Environmental Management*, 169, 293-302. <https://doi.org/10.1016/j.jenvman.2016.01.001>

Mensah-Attipoe, J., Saari, S., Veijalainen, A. M., Pasanen, P., Keskinen, J., Leskinen, J. T. T., & Reponen, T. (2016). Release and characteristics of fungal fragments in various conditions. *Science of the Total Environment*, 547, 234-243. <https://doi.org/10.1016/j.scitotenv.2015.12.095>

Mal, J., Nanchariah, Y. V., van Hullebusch, E. D., & Lens, P. N. L. (2016). Effect of heavy metal co-contaminants on selenite bioreduction by anaerobic granular sludge. *Bioresource Technology*, 206, 1-8. <https://doi.org/10.1016/j.biortech.2016.01.064>

Nykänen, L., & Liimatainen, H. (2016). Possible impacts of increasing maximum truck weight: Finland case study. In C. Blanquart, U. Clausen, & B. Jacob (Eds.), *Towards innovative freight and logistics: Research for innovative transports set* (Vol. 2, pp. 121-133). Great Britain: Wiley-ISTE.

Wikberg, H., Ohra-aho, T., Honkanen, M., Kanerva, H., Harlin, A., Vippola, M., & Laine, C. (2016). Hydrothermal carbonization of pulp mill streams. *Bioresource Technology*, 212, 236-244. <https://doi.org/10.1016/j.biortech.2016.04.061>

van Hullebusch, E. D., Guibaud, G., Simon, S., Lenz, M., Yekta, S. S., Fermoso, F. G., ... Collins, G. (2016). Methodological approaches for fractionation and speciation to estimate trace element bioavailability in engineered anaerobic digestion ecosystems: An overview. *Critical Reviews in Environmental Science and Technology*, 46(16), 1324-1366. <https://doi.org/10.1080/10643389.2016.1235943>

Nanchariah, Y. V., Venkata Mohan, S., & Lens, P. N. L. (2016). Recent advances in nutrient removal and recovery in biological and bioelectrochemical systems. *Bioresource Technology*, 215, 173-185. <https://doi.org/10.1016/j.biortech.2016.03.129>

Sulonen, M. L. K., Lakaniemi, A. M., Kokko, M. E., & Puhakka, J. A. (2016). Long-term stability of bioelectricity generation coupled with tetrathionate disproportionation. *Bioresource Technology*, 216, 876-882. <https://doi.org/10.1016/j.biortech.2016.06.024>

Palmroth, M. R. T., Pispa, L., Kettunen, R. H., Hänninen, T., & Rintala, J. A. (2016). *Mitigation of propylene glycol emissions to groundwater and soil*. 191. Paper presented at Nordrocs 2016, 6th Joint Nordic Meeting on Remediation of Contaminated Sites, Espoo, Finland.

Taddeo, R., Kolppo, K., & Lepistö, R. (2016). Sustainable nutrients recovery and recycling by optimizing the chemical addition sequence for struvite precipitation from raw swine slurries. *Journal of Environmental Management*, 180, 52-58. <https://doi.org/10.1016/j.jenvman.2016.05.009>

Laitinen, A., & Keskinen, J. (2016). Performance of a sonic jet-type charger in high dust load. *Journal of Electrostatics*, 83, 1-6. <https://doi.org/10.1016/j.elstat.2016.06.002>

Kim, B., Praveenkumar, R., Lee, J., Nam, B., Kim, D. M., Lee, K., ... Oh, Y. K. (2016). Magnesium aminoclay enhances lipid production of mixotrophic Chlorella sp. KR-1 while reducing bacterial populations. *Bioresource Technology*, 219, 608-613. <https://doi.org/10.1016/j.biortech.2016.08.034>

Ramasamy, P., Kim, B., Lee, J., Vijayan, D., Lee, K., Nam, B., ... Oh, Y. K. (2016). Mild pressure induces rapid accumulation of neutral lipid (triacylglycerol) in Chlorella spp. *Bioresource Technology*, 220, 661-665. <https://doi.org/10.1016/j.biortech.2016.09.025>

Kinnunen, V., & Rintala, J. (2016). The effect of low-temperature pretreatment on the solubilization and biomethane potential of microalgae biomass grown in synthetic and wastewater media. *Bioresource Technology*, 221, 78-84. <https://doi.org/10.1016/j.biortech.2016.09.017>

Mal, J., Nanchariah, Y. V., van Hullebusch, E. D., & Lens, P. N. L. (2017). Biological removal of selenate and ammonium by activated sludge in a sequencing batch reactor. *Bioresource Technology*, 229, 11-19. <https://doi.org/10.1016/j.biortech.2016.12.112>

Tao, R., Lakaniami, A-M., & Rintala, J. A. (2017). Cultivation of Scenedesmus acuminatus in different liquid digestates from anaerobic digestion of pulp and paper industry biosludge. *Bioresource Technology*, 245(A), 706-713. <https://doi.org/10.1016/j.biortech.2017.08.218>

Auvinen, H., Gagnon, V., Rousseau, D. P. L., & du Laing, G. (2017). Fate of metallic engineered nanomaterials in constructed wetlands: prospection and future research perspectives. *Reviews in Environmental Science and Bio-Technology*, 16(2), 207-222. <https://doi.org/10.1007/s11157-017-9427-0>

Di Capua, F., Milone, I., Lakaniami, A-M., Hullebusch, E. D. V., Lens, P. N. L., & Esposito, G. (2017). Effects of different nickel species on autotrophic denitrification driven by thiosulfate in batch tests and a fluidized-bed reactor. *Bioresource Technology*, 238, 534-541. <https://doi.org/10.1016/j.biortech.2017.04.082>

Leivo, V., Prasauskas, T., Du, L., Turunen, M., Kivistö, M., Aaltonen, A., ... Haverinen-Shaughnessy, U. (2018). Indoor thermal environment, air exchange rates, and carbon dioxide concentrations before and after energy retro fits in Finnish and Lithuanian multi-family buildings. *Science of the Total Environment*, 621, 398-406. <https://doi.org/10.1016/j.scitotenv.2017.11.227>

Taddeo, R., Honkanen, M., Kolppo, K., & Lepistö, R. (2018). Nutrient management via struvite precipitation and recovery from various agroindustrial wastewaters: Process feasibility and struvite quality. *Journal of Environmental Management*, 212, 433-439. <https://doi.org/10.1016/j.jenvman.2018.02.027>

Kokko, M., Epple, S., Gescher, J., & Kerzenmacher, S. (2018). Effects of wastewater constituents and operational conditions on the composition and dynamics of anodic microbial communities in bioelectrochemical systems. *Bioresource Technology*, 258, 376-389. <https://doi.org/10.1016/j.biortech.2018.01.090>

Keskikuru, T., Salo, J., Huttunen, P., Kokotti, H., Hyttinen, M., Halonen, R., & Vinha, J. (2018). Radon, fungal spores and MVOCs reduction in crawl space house: A case study and crawl space development by hygrothermal modelling. *Building and Environment*, 138, 1-10. <https://doi.org/10.1016/j.buildenv.2018.04.026>

Eregowda, T., Matanhike, L., Rene, E. R., & Lens, P. N. L. (2018). Performance of a biotrickling filter for the anaerobic utilization of gas-phase methanol coupled to thiosulphate reduction and resource recovery through volatile fatty acids production. *Bioresource Technology*, 263, 591-600. <https://doi.org/10.1016/j.biortech.2018.04.095>

Dessì, P., Porca, E., Lakaniemi, A-M., Collins, G., & Lens, P. N. L. (2018). Temperature control as key factor for optimal biohydrogen production from thermomechanical pulping wastewater. *Biochemical Engineering Journal*, 137, 214-221. <https://doi.org/10.1016/j.bej.2018.05.027>

Tan, L. C., Nancharaiah, Y. V., Lu, S., van Hullebusch, E. D., Gerlach, R., & Lens, P. N. L. (2018). Biological treatment of selenium-laden wastewater containing nitrate and sulfate in an upflow anaerobic sludge bed reactor at pH 5.0. *Chemosphere*, 211, 684-693. <https://doi.org/10.1016/j.chemosphere.2018.07.079>

Länsivaara, T. (2018). Editorial. *Environmental Geotechnics*, 5(6). <https://doi.org/10.1680/jenge.2018.5.6.309>

El-Qelish, M., Chatterjee, P., Dessì, P., Kokko, M., El-Gohary, F., Abo-Aly, M., & Rintala, J. (2019). Bio-hydrogen Production from Sewage Sludge: Screening for Pretreatments and Semi-continuous Reactor Operation. *Waste and Biomass Valorization*. <https://doi.org/10.1007/s12649-019-00743-5>

Pastor-Poquet, V., Papirio, S., Trably, E., Rintala, J., Escudié, R., & Esposito, G. (2019). High-solids anaerobic digestion requires a trade-off between total solids, inoculum-to-substrate ratio and ammonia inhibition. *INTERNATIONAL JOURNAL OF ENVIRONMENTAL SCIENCE AND TECHNOLOGY*. <https://doi.org/10.1007/s13762-019-02264-z>

Schönborn, G., Berlin, C., Pinzone, M., Hanisch, C., Georgoulias, K., & Lanz, M. (2019). Why social sustainability counts: The impact of corporate social sustainability culture on financial success. *Sustainable Production and Consumption*, 17, 1-10. <https://doi.org/10.1016/j.spc.2018.08.008>

Pastor-Poquet, V., Papirio, S., Trably, E., Rintala, J., Escudié, R., & Esposito, G. (2019). Semi-continuous mono-digestion of OFMSW and Co-digestion of OFMSW with beech sawdust: Assessment of the maximum operational total solid content. *Journal of Environmental Management*, 231, 1293-1302. <https://doi.org/10.1016/j.jenvman.2018.10.002>

Du, L., Leivo, V., Prasauskas, T., Täubel, M., Martuzevicius, D., & Haverinen-Shaughnessy, U. (2019). Effects of energy retrofits on Indoor Air Quality in multifamily buildings. *Indoor Air*. <https://doi.org/10.1111/ina.12555>

Hajdu-Rahkama, R., Ahoranta, S., Lakaniemi, A-M., & Puhakka, J. A. (2019). Effects of elevated pressures on the activity of acidophilic bioleaching microorganisms. *Biochemical Engineering Journal*, 150, [107286]. <https://doi.org/10.1016/j.bej.2019.107286>

Singh, S., Rinta-Kanto, J. M., Kettunen, R., Tolvanen, H., Lens, P., Collins, G., ... Rintala, J. (2019). Anaerobic treatment of LCFA-containing synthetic dairy wastewater at 20°C: Process performance and microbial community dynamics. *Science of the Total Environment*, 691, 960-968. <https://doi.org/10.1016/j.scitotenv.2019.07.136>

Dessì, P., Chatterjee, P., Mills, S., Kokko, M., Lakaniemi, A-M., Collins, G., & Lens, P. N. L. (2019). Power production and microbial community composition in thermophilic acetate-fed up-flow and flow-through microbial fuel cells. *Bioresource Technology*, 294, [122115]. <https://doi.org/10.1016/j.biortech.2019.122115>