

Salminen, A. V., Manconi, M., Rimpilä, V., Luoto, T. M., Koskinen, E., Ferri, R., ... Polo, O. (2013). Disconnection between periodic leg movements and cortical arousals in spinal cord injury. *JOURNAL OF CLINICAL SLEEP MEDICINE*, 9(11), 1207-1209. <https://doi.org/10.5664/jcsm.3174>

Munck, C., Mordon, S. R., Scherpereel, A., Porte, H., Dhalluin, X., & Betrouni, N. (2015). Intrapleural photodynamic therapy for mesothelioma: What place and which future? *Annals of Thoracic Surgery*, 99(6), 2237-2245. <https://doi.org/10.1016/j.athoracsur.2014.12.077>

Tenhunen, M., Hasan, J., & Himanen, S. L. (2015). Assessment of respiratory effort during sleep with noninvasive techniques. *Sleep Medicine Reviews*, 24, 103-104. <https://doi.org/10.1016/j.smrv.2015.08.010>

Seppä, V-P., Pelkonen, A. S., Kotaniemi-Syrjänen, A., Viik, J., Mäkelä, M. J., & Malmberg, L. P. (2016). Tidal flow variability measured by impedance pneumography relates to childhood asthma risk. *European Respiratory Journal*, 47(6), 1687-1696. <https://doi.org/10.1183/13993003.00989-2015>

Taylor, J. G., Yates, T. A., Mthethwa, M., Tanser, F., Abubakar, I., & Altamirano, H. (2016). Measuring ventilation and modelling M. Tuberculosis transmission in indoor congregate settings, rural KwaZulu-Natal. *INTERNATIONAL JOURNAL OF TUBERCULOSIS AND LUNG DISEASE*, 20(9). <https://doi.org/10.5588/ijtld.16.0085>

Hautalahti, J., Joutsen, A., Goebeler, S., Luukkaala, T., Khan, J., Hyttinen, J., & Laurikka, J. (2019). Vibration transmittance measures sternotomy stability - a preliminary study in human cadavers. *JOURNAL OF CARDIOTHORACIC SURGERY*, 14(1), [2]. <https://doi.org/10.1186/s13019-018-0823-5>

Gracia-Tabuenca, J., Seppä, V-P., Jauhiainen, M., Paasilta, M., Viik, J., & Karjalainen, J. (2020). Tidal breathing flow profiles during sleep in wheezing children measured by impedance pneumography. *Respiratory Physiology and Neurobiology*, 271, [103312]. <https://doi.org/10.1016/j.resp.2019.103312>

Ormiskangas, J., Valtonen, O., Kivekäs, I., Dean, M., Poe, D., Järnstedt, J., ... Rautiainen, M. (2020). Assessment of PIV performance in validating CFD models from nasal cavity CBCT scans. *Respiratory Physiology and Neurobiology*, 282, [103508]. <https://doi.org/10.1016/j.resp.2020.103508>