

- Grigonytė-Lopez Rodriguez, J., Suhonen, H., Laitinen, A., Tissari, J., Kortelainen, M., Tiitta, P., ... Sippula, O. (2020). A novel electrical charging condensing heat exchanger for efficient particle emission reduction in small wood boilers. *Renewable Energy*, 145, 521-529. <https://doi.org/10.1016/j.renene.2019.06.052>
- Dessi, P., Chatterjee, P., Mills, S., Kokko, M., Lakaniemi, A-M., Collins, G., & Lens, P. N. L. (2019). Power production and microbial community composition in thermophilic acetate-fed up-flow and flow-through microbial fuel cells. *Bioresource Technology*, 294, [122115]. <https://doi.org/10.1016/j.biortech.2019.122115>
- Cai, Y., Ferrer, B. R., & Lastra, J. L. M. (2019). Building university-industry co-innovation networks in transnational innovation ecosystems: Towards a transdisciplinary approach of integrating social sciences and artificial intelligence. *Sustainability*, 11(17), [4633]. <https://doi.org/10.3390/su11174633>
- Pääkkönen, A., Aro, K., Aalto, P., Konttinen, J., & Kojo, M. (2019). The potential of biomethane in replacing fossil fuels in heavy transport-a case study on Finland. *Sustainability*, 11(17), [4750]. <https://doi.org/10.3390/su11174750>
- Tura, N., & Ahola, T. (2019). Towards a circular economy by leveraging hazardous resources: A case study of Fortum HorsePower. *Journal of Cleaner Production*, 230, 518-526. <https://doi.org/10.1016/j.jclepro.2019.05.121>
- Isoaho, R., Aho, A., Tukiainen, A., Aho, T., Raappana, M., Salminen, T., ... Guina, M. (2019). Photovoltaic properties of low-bandgap (0.7–0.9eV) lattice-matched GaInNAsSb solar junctions grown by molecular beam epitaxy on GaAs. *Solar Energy Materials and Solar Cells*, 195, 198-203. <https://doi.org/10.1016/j.solmat.2019.02.030>
- Asp, A., Hentilä, T., Valkama, M., Pikkuvirta, J., Hujanen, A., & Huhtinen, I. (2019). Impact of Different Concrete Types on Radio Propagation: Fundamentals and Practical RF Measurements. In J. J. P. C. Rodrigues, P. Solic, T. Perkovic, K. Vukojevic, J. J. P. C. Rodrigues, L. Patrono, & S. Nizetic (Eds.), *2019 4th International Conference on Smart and Sustainable Technologies, SpliTech 2019* IEEE. <https://doi.org/10.23919/SpliTech.2019.8783022>
- Rostami, S., Heiska, K., Puchko, O., Leppanen, K., & Valkama, M. (2019). Pre-Grant Signaling for Energy-Efficient 5G and Beyond Mobile Devices: Method and Analysis. *IEEE Transactions on Green Communications and Networking*, 3(2), 418-432. [8616818]. <https://doi.org/10.1109/TGCN.2019.2893504>
- Laasasenaho, K., Lensu, A., Lauhanen, R., & Rintala, J. (2019). GIS-data related route optimization, hierarchical clustering, location optimization, and kernel density methods are useful for promoting distributed bioenergy plant planning in rural areas. *Sustainable Energy Technologies and Assessments*, 32, 47-57. <https://doi.org/10.1016/j.seta.2019.01.006>
- Yoo, S. K., Cotton, S. L., Sofotasios, P. C., Muhaidat, S., Badarneh, O. S., & Karagiannidis, G. K. (2019). Energy Detection-Based Spectrum Sensing over Fisher-Snedecor F Fading Channels. In *2018 IEEE Global Communications Conference [8647778]* IEEE. <https://doi.org/10.1109/GLOCOM.2018.8647778>
- Kovalchukov, R., Moltchanov, D., Begishev, V., Samuylov, A., Andreev, S., Koucheryavy, Y., & Samouylov, K. (2019). Improved Session Continuity in 5G NR with Joint Use of Multi-Connectivity and Guard Bandwidth. In *2018 IEEE Global Communications Conference, GLOBECOM 2018* IEEE. <https://doi.org/10.1109/GLOCOM.2018.8647608>
- Suntio, T., Messo, T., Berg, M., Alenius, H., Reinikka, T., Luhtala, R., & Zenger, K. (2019). Impedance-based interactions in grid-tied three-phase inverters in renewable energy applications. *Energies*, 12(3), [464]. <https://doi.org/10.3390/en12030464>
- Amer, E., Kuperman, A., & Suntio, T. (2019). Direct fixed-step maximum power point tracking algorithms with adaptive perturbation frequency. *Energies*, 12(3), [399]. <https://doi.org/10.3390/en12030399>
- Pääkkönen, A., Tolvanen, H., & Kokko, L. (2019). The economics of renewable CaC<sub>2</sub> and C<sub>2</sub>H<sub>2</sub> production from biomass and CaO. *Biomass and Bioenergy*, 120, 40-48. <https://doi.org/10.1016/j.biombioe.2018.10.020>

Schönborn, G., Berlin, C., Pinzone, M., Hanisch, C., Georgoulas, K., & Lanz, M. (2019). Why social sustainability counts: The impact of corporate social sustainability culture on financial success. *Sustainable Production and Consumption*, 17, 1-10. <https://doi.org/10.1016/j.spc.2018.08.008>

Ruoko, T-P., Hiltunen, A., Iivonen, T., Ulkuniemi, R., Lahtonen, K., Ali-Löytty, H., ... Tkachenko, N. V. (2019). Charge carrier dynamics in tantalum oxide overlayers and tantalum doped hematite photoanodes. *Journal of Materials Chemistry A*, 7(7), 3206-3215. <https://doi.org/10.1039/C8TA09501A>

El-Qelish, M., Chatterjee, P., Dessì, P., Kokko, M., El-Gohary, F., Abo-Aly, M., & Rintala, J. (2019). Bio-hydrogen Production from Sewage Sludge: Screening for Pretreatments and Semi-continuous Reactor Operation. *Waste and Biomass Valorization*. <https://doi.org/10.1007/s12649-019-00743-5>

Gonçalves, L. P. L., Wang, J., Vinati, S., Barborini, E., Wei, X. K., Heggen, M., ... Kolen'ko, Y. V. (2019). Combined experimental and theoretical study of acetylene semi-hydrogenation over Pd/Al<sub>2</sub>O<sub>3</sub>. *International Journal of Hydrogen Energy*. <https://doi.org/10.1016/j.ijhydene.2019.04.086>

Sankelo, P., Jokisalo, J., Nyman, J., Vinha, J., & Sirén, K. (2019). Cost-optimal energy performance measures in a new daycare building in cold climate. *International Journal of Sustainable Energy*, 38(2), 104-122. <https://doi.org/10.1080/14786451.2018.1448398>

Hirvonen, J., Jokisalo, J., Heljo, J., & Kosonen, R. (2019). Effect of apartment building energy renovation on hourly power demand. *International Journal of Sustainable Energy*. <https://doi.org/10.1080/14786451.2019.1613992>

Luhtala, R., Messo, T., Roinila, T., Alenius, H., Jong, E. D., Burstein, A., & Fabian, A. (2019). Identification of three-phase grid impedance in the presence of parallel converters. *Energies*, 12(14), [2674]. <https://doi.org/10.3390/en12142674>

Suntio, T., & Messo, T. (2019). Power electronics in renewable energy systems. *Energies*, 12(10), [en12101852]. <https://doi.org/10.3390/en12101852>

Vakkilainen, E., Kontinen, J., Orasuo, V., & Aalto, P. (2019). Sustainability of bioenergy in Finland and globally – fact check. In *27th European Biomass Conference and Exhibition, EUBCE 2019* (pp. 1634-1635). (European Biomass Conference and Exhibition Proceedings). ETA-Florence Renewable Energies.

Mämmelä, J., Juuti, T., & Julkunen, P. (2019). Technology valuation method for supporting knowledge management in technology decisions to gain sustainability. *Sustainability (Switzerland)*, 11(12), [3410]. <https://doi.org/10.3390/su11123410>

Hirvonen, J., Jokisalo, J., Heljo, J., & Kosonen, R. (2019). Towards the EU emissions targets of 2050: optimal energy renovation measures of Finnish apartment buildings. *International Journal of Sustainable Energy*, 38(7). <https://doi.org/10.1080/14786451.2018.1559164>

Rasa, K., Heikkinen, J., Hannula, M., Arstila, K., Kulju, S., & Hyväluoma, J. (2018). How and why does willow biochar increase a clay soil water retention capacity? *Biomass and Bioenergy*, 119, 346-353. <https://doi.org/10.1016/j.biombioe.2018.10.004>

Moisio, M., Kaasalainen, T., Lehtinen, T., & Hedman, M. (2018). *Energiatohokkaan arkkitehtisuunnittelun ohjekortisto*. (Tampereen teknillinen yliopisto. Arkkitehtuurin laboratorio. Asuntosuunnittelu. Julkaisu; Vol. 32). Tampereen teknillinen yliopisto. Arkkitehtuurin laboratorio.

Lehtinen, T., Papinsaari, A-K., Kaasalainen, T., Moisio, M., & Hedman, M. (2018). *Peruskoulut ja energiatohokkuus: Tilallisista ja toiminnallisista suunnitteluperiaatteista*. (Tampereen teknillinen yliopisto. Arkkitehtuurin laboratorio. Asuntosuunnittelu. Julkaisu; Vol. 34). Tampereen teknillinen yliopisto. Arkkitehtuurin laboratorio.

- Ranta, V., Aarikka-Stenroos, L., & Mäkinen, S. J. (2018). Creating value in the circular economy: A structured multiple-case analysis of business models. *Journal of Cleaner Production*, 201, 988-1000. <https://doi.org/10.1016/j.jclepro.2018.08.072>
- Heijne, A. T., Liu, D., Sulonen, M., Sleutels, T., & Fabregat-Santiago, F. (2018). Quantification of bio-anode capacitance in bioelectrochemical systems using Electrochemical Impedance Spectroscopy. *Journal of Power Sources*, 400, 533-538. <https://doi.org/10.1016/j.jpowsour.2018.08.003>
- Lummi, K., Rautiainen, A., Jarventausta, P., Heine, P., Lehtinen, J., Hyvarinen, M., & Salo, J. (2018). Alternative Power-Based Pricing Schemes for Distribution Network Tariff of Small Customers. In *International Conference on Innovative Smart Grid Technologies, ISGT Asia 2018* (pp. 581-586). Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/ISGT-Asia.2018.8467793>
- Eregowda, T., Matanhike, L., Rene, E. R., & Lens, P. N. L. (2018). Performance of a biotrickling filter for the anaerobic utilization of gas-phase methanol coupled to thiosulphate reduction and resource recovery through volatile fatty acids production. *Bioresource Technology*, 263, 591-600. <https://doi.org/10.1016/j.biortech.2018.04.095>
- Angioni, A., Lu, S., Hooshyar, H., Cairo, I., Repo, S., Ponci, F., ... Garcia, C. C. (2018). A distributed automation architecture for distribution networks, from design to implementation. *Sustainable Energy, Grids and Networks*, 15, 3-13. <https://doi.org/10.1016/j.segan.2017.04.001>
- Aho, A., Isoaho, R., Tukiainen, A., Gori, G., Campesato, R., & Guina, M. (2018). Dilute nitride triple junction solar cells for space applications: Progress towards highest AM0 efficiency. *Progress in Photovoltaics: Research and Applications*, 26 (19), 740-744. <https://doi.org/10.1002/ppp.3011>
- Barbato, A., Dedè, A., Della Giustina, D., Massa, G., Angioni, A., Lipari, G., ... Repo, S. (2018). Lessons learnt from real-time monitoring of the low voltage distribution network. *Sustainable Energy, Grids and Networks*, 15, 76-85. <https://doi.org/10.1016/j.segan.2017.05.002>
- Lehtinen, T., Virtanen, H., Santala, S., & Santala, V. (2018). Production of alkanes from CO<sub>2</sub> by engineered bacteria. *Biotechnology for Biofuels*, 11, [228]. <https://doi.org/10.1186/s13068-018-1229-2>
- Tan, L. C., Espinosa-Ortiz, E. J., Nancharaiah, Y. V., van Hullebusch, E. D., Gerlach, R., & Lens, P. N. (2018). Selenate removal in biofilm systems: Effect of nitrate and sulfate on selenium removal efficiency, biofilm structure and microbial community. *Journal of Chemical Technology and Biotechnology*, 93(8), 2380-2389. <https://doi.org/10.1002/jctb.5586>
- Hiltunen, A., Ruoko, T-P., Iivonen, T., Lahtonen, K., Ali-Löytty, H., Sarlin, E., ... Tkachenko, N. (2018). Design aspects of all atomic layer deposited TiO<sub>2</sub>-Fe<sub>2</sub>O<sub>3</sub> scaffold-absorber photoanodes for water splitting. *Sustainable Energy & Fuels*, 2 (9), 2124-2130. <https://doi.org/10.1039/C8SE00252E>
- Salmela, M., Lehtinen, T., Efimova, E., Santala, S., & Mangayil, R. (2018). Metabolic pairing of aerobic and anaerobic production in a one-pot batch cultivation. *Biotechnology for Biofuels*, 11(1), [187]. <https://doi.org/10.1186/s13068-018-1186-9>
- Sitbon, M., Lineykin, S., Schacham, S., Suntio, T., & Kuperman, A. (2018). Online dynamic conductance estimation based maximum power point tracking of photovoltaic generators. *Energy Conversion and Management*, 166, 687-696. <https://doi.org/10.1016/j.enconman.2018.04.053>
- Kokko, M., Epple, S., Gescher, J., & Kerzenmacher, S. (2018). Effects of wastewater constituents and operational conditions on the composition and dynamics of anodic microbial communities in bioelectrochemical systems. *Bioresource Technology*, 258, 376-389. <https://doi.org/10.1016/j.biortech.2018.01.090>
- Saari, J., Ali-Löytty, H., & Valden, M. (2018). *Role of Oxide Defects in ALD grown TiO<sub>2</sub> Coatings on Performance as Photoanode Protection Layer*. Paper presented at Optics & Photonics Days 2018, Jyväskylä, Finland.

Dessi, P., Porca, E., Frunzo, L., Lakaniemi, A.-M., Collins, G., Esposito, G., & Lens, P. N. L. (2018). Inoculum pretreatment differentially affects the active microbial community performing mesophilic and thermophilic dark fermentation of xylose. *International Journal of Hydrogen Energy*, 43(19), 9233-9245. <https://doi.org/10.1016/j.ijhydene.2018.03.117>

Suntio, T. (2018). Dynamic modeling and analysis of PCM-controlled DCM-operating buck converters-A reexamination. *Energies*, 11(5), 1-18. [en11051267]. <https://doi.org/10.3390/en11051267>

Elsehrawy, F., Aho, T., Niemi, T., Guina, M., & Cappelluti, F. (2018). Improved Light Trapping in Quantum Dot Solar Cells Using Double-sided Nanostructuring. In *Optics and Photonics for Energy and the Environment 2018 OSA - The Optical Society*. <https://doi.org/10.1364/EE.2018.JM4A.5>

Cappelluti, F., Kim, D., van Eerden, M., Cédola, A. P., Aho, T., Bissels, G., ... Guina, M. (2018). Light-trapping enhanced thin-film III-V quantum dot solar cells fabricated by epitaxial lift-off. *Solar Energy Materials and Solar Cells*, 181, 83-92. <https://doi.org/10.1016/j.solmat.2017.12.014>

Dessi, P., Porca, E., Waters, N. R., Lakaniemi, A.-M., Collins, G., & Lens, P. N. L. (2018). Thermophilic versus mesophilic dark fermentation in xylose-fed fluidised bed reactors: Biohydrogen production and active microbial community. *International Journal of Hydrogen Energy*, 43(11), 5473-5485. <https://doi.org/10.1016/j.ijhydene.2018.01.158>

Haavisto, J. M., Kokko, M. E., Lay, C.-H., & Puhakka, J. A. (2017). Effect of hydraulic retention time on continuous electricity production from xylose in up-flow microbial fuel cell. *International Journal of Hydrogen Energy*, 42, 27494-27502. <https://doi.org/10.1016/j.ijhydene.2017.05.068>

Tampio, E., Lehtonen, E., Kinnunen, V., Mönkäre, T., Ervasti, S., Kettunen, R., ... Rintala, J. (2017). A demand-based nutrient utilization approach to urban biogas plant investment based on regional crop fertilization. *Journal of Cleaner Production*, 164, 19-29. <https://doi.org/10.1016/j.jclepro.2017.06.172>

Saari, J. (2017). *Atomikerroskasvatusmenetelmällä kasvatetun titaanidioksidikalvon ominaisuudet valosähkökemiallisessa veden hajottamisessa.*

Suominen, M., Lehtimäki, S., Yewale, R., Damlin, P., Tuukkanen, S., & Kvarnström, C. (2017). Electropolymerized polyazulene as active material in flexible supercapacitors. *Journal of Power Sources*, 356, 181-190. <https://doi.org/10.1016/j.jpowsour.2017.04.082>

Kotilainen, M., Krumpolec, R., Franta, D., Souček, P., Homola, T., Cameron, D. C., & Vuoristo, P. (2017). Hafnium oxide thin films as a barrier against copper diffusion in solar absorbers. *Solar Energy Materials and Solar Cells*, 166, 140-146. <https://doi.org/10.1016/j.solmat.2017.02.033>

Garcia, N., & Acha, E. (2017). On the Efficient Calculation of the Periodic Steady-State Response of Grid-Connected Wind Parks - Part I. *IEEE Transactions on Sustainable Energy*, 8(2), 458-467. <https://doi.org/10.1109/TSTE.2016.2606352>

Lappalainen, K., & Valkealahti, S. (2017). Effects of PV array layout, electrical configuration and geographic orientation on mismatch losses caused by moving clouds. *Solar Energy*, 144, 548-555. <https://doi.org/10.1016/j.solener.2017.01.066>

Tao, R., Lakaniemi, A.-M., & Rintala, J. A. (2017). Cultivation of *Scenedesmus acuminatus* in different liquid digestates from anaerobic digestion of pulp and paper industry biosludge. *Bioresour Technol*, 245(A), 706-713. <https://doi.org/10.1016/j.biortech.2017.08.218>

Kordmahaleh, A. A., Naghashzadegan, M., Javaherdeh, K., & Khoshgoftar, M. (2017). Design of a 25 MWe Solar Thermal Power Plant in Iran with Using Parabolic Trough Collectors and a Two-Tank Molten Salt Storage System. *International Journal of Photoenergy*, 2017, [4210184]. <https://doi.org/10.1155/2017/4210184>

- Hannula, M. K., Lahtonen, K. T., Isotalo, T. J., Saari, J. S., & Valden, M. O. (2016). *Thermal Modification of ALD Grown Titanium Oxide Ultra Thin Film for Photoanode Applications*. Paper presented at Symposium on Future Prospects for Photonics, Tampere, Finland.
- Lappalainen, K., & Valkealahti, S. (2016). Apparent velocity of shadow edges caused by moving clouds. *Solar Energy*, *138*, 47-52. <https://doi.org/10.1016/j.solener.2016.09.008>
- Lappalainen, K., & Valkealahti, S. (2016). Analysis of shading periods caused by moving clouds. *Solar Energy*, *135*, 188-196. <https://doi.org/10.1016/j.solener.2016.05.050>
- Laitinen, S., Laitinen, J., Fagernäs, L., Korpijärvi, K., Korpinen, L., Ojanen, K., ... Jokiniemi, J. (2016). Exposure to biological and chemical agents at biomass power plants. *Biomass & Bioenergy*, *93*, 78-86. <https://doi.org/10.1016/j.biombioe.2016.06.025>
- Kolesnik, S., Sitbon, M., Agranovich, G., Kuperman, A., & Suntio, T. (2016). Comparison of photovoltaic and wind generators as dynamic input sources to power processing interfaces. In *2016 2nd International Conference on Intelligent Energy and Power Systems, IEPS 2016 - Conference Proceedings IEEE*. <https://doi.org/10.1109/IEPS.2016.7521859>
- Tampio, E., Martinen, S., & Rintala, J. (2016). Liquid fertilizer products from anaerobic digestion of food waste: Mass, nutrient and energy balance of four digestate liquid treatment systems. *Journal of Cleaner Production*, *125*, 22-32. <https://doi.org/10.1016/j.jclepro.2016.03.127>
- Supponen, A., Rautiainen, A., Markkula, J., Mäkinen, A., Järventausta, P., & Repo, S. (2016). Power quality in distribution networks with electric vehicle charging - A research methodology based on field tests and real data. In *2016 11th International Conference on Ecological Vehicles and Renewable Energies, EVER 2016 IEEE*. <https://doi.org/10.1109/EVER.2016.7476376>
- Polojärvi, V., Aho, A., Tukiainen, A., Raappana, M., Aho, T., Schramm, A., & Guina, M. (2016). Influence of As/group-III flux ratio on defects formation and photovoltaic performance of GaInNAs solar cells. *Solar Energy Materials and Solar Cells*, *149*, 213-220. <https://doi.org/10.1016/j.solmat.2016.01.024>
- Suleimanov, S. K., Berger, P., Dyskin, V. G., Dzhanlich, M. U., Bugakov, A. G., Dudko, O. A., ... Kim, M. (2016). Antireflection composite coatings for organic solar cells. *Applied Solar Energy (English translation of Geliotekhnika)*, *52* (2), 157-158. <https://doi.org/10.3103/S0003701X1602016X>
- Laasasenaho, K., Lensu, A., & Rintala, J. (2016). Planning land use for biogas energy crop production: The potential of cutaway peat production lands. *Biomass & Bioenergy*, *85*, 355-362. <https://doi.org/10.1016/j.biombioe.2015.12.030>
- Butti, S. K., Velvizhi, G., Sulonen, M. L. K., Haavisto, J. M., Oguz Koroglu, E., Yusuf Cetinkaya, A., ... Venkata Mohan, S. (2016). Microbial electrochemical technologies with the perspective of harnessing bioenergy: Maneuvering towards upscaling. *Renewable and Sustainable Energy Reviews*, *53*, 462-476. <https://doi.org/10.1016/j.rser.2015.08.058>
- Kotilainen, M., Honkanen, M., Mizohata, K., & Vuoristo, P. (2016). Influence of temperature-induced copper diffusion on degradation of selective chromium oxy-nitride solar absorber coatings. *Solar Energy Materials and Solar Cells*, *145*, 323-332. <https://doi.org/10.1016/j.solmat.2015.10.034>
- Kannisto, M. S., Mangayil, R. K., Shrivastava-Bhattacharya, A., Pletschke, B. I., Karp, M. T., & Santala, V. P. (2015). Metabolic engineering of *Acinetobacter baylyi* ADP1 for removal of *Clostridium butyricum* growth inhibitors produced from lignocellulosic hydrolysates. *Biotechnology for Biofuels*, *8*(1), [198]. <https://doi.org/10.1186/s13068-015-0389-6>
- Gadelovits, S., Sitbon, M., Suntio, T., & Kuperman, A. (2015). Single-source multibattery solar charger: Case study and implementation issues. *Progress in Photovoltaics: Research and Applications*, *23*(12), 1916-1928. <https://doi.org/10.1002/ppa.2591>

- Ahmed, Z., George, L., Hiltunen, A., Lemmetyinen, H., Hukka, T., & Efimov, A. (2015). Synthesis and study of electrochemical and optical properties of substituted perylenemonoimides in solutions and on solid surfaces. *Journal of Materials Chemistry A*, 3(25), 13332-13339. <https://doi.org/10.1039/c5ta02241j>
- Sitbon, M., Schacham, S., Suntio, T., & Kuperman, A. (2015). Improved adaptive input voltage control of a solar array interfacing current mode controlled boost power stage. *Energy Conversion and Management*, 98, 369-375. <https://doi.org/10.1016/j.enconman.2015.03.100>
- Tampio, E., Ervasti, S., & Rintala, J. (2015). Characteristics and agronomic usability of digestates from laboratory digesters treating food waste and autoclaved food waste. *Journal of Cleaner Production*, 94, 86-92. <https://doi.org/10.1016/j.jclepro.2015.01.086>
- Alaviitala, T., & Mattila, T. J. (2015). Engineered nanomaterials reduce but do not resolve life cycle environmental impacts of power capacitors. *Journal of Cleaner Production*, 93, 347-353. <https://doi.org/10.1016/j.jclepro.2015.01.036>
- Carver, S. M., Nelson, M. C., Yu, Z., & Tuovinen, O. H. (2015). Fermentative metabolism of an anaerobic, thermophilic consortium on plant polymers and commercial paper samples. *Biomass & Bioenergy*, 75, 11-22. <https://doi.org/10.1016/j.biombioe.2015.02.005>
- Mangayil, R., Aho, T., Karp, M., & Santala, V. (2015). Improved bioconversion of crude glycerol to hydrogen by statistical optimization of media components. *Renewable Energy*, 75, 583-589. <https://doi.org/10.1016/j.renene.2014.10.051>
- Liu, Z., Wu, Q., Christensen, L., Rautiainen, A., & Xue, Y. (2015). Driving pattern analysis of Nordic region based on National Travel Surveys for electric vehicle integration. *Journal of Modern Power Systems and Clean Energy*, 3(2), 180-189. <https://doi.org/10.1007/s40565-015-0127-x>
- Kolesnik, S., Sitbon, M., Gadelovits, S., Suntio, T., & Kuperman, A. (2015). Interfacing renewable energy sources for maximum power transfer-Part II: Dynamics. *Renewable and Sustainable Energy Reviews*, 51, 1771-1783. <https://doi.org/10.1016/j.rser.2015.04.043>
- Aho, A., Polojärvi, V., Korpijärvi, V. M., Salmi, J., Tukiainen, A., Laukkanen, P., & Guina, M. (2014). Composition dependent growth dynamics in molecular beam epitaxy of GaInNAs solar cells. *Solar Energy Materials and Solar Cells*, 124, 150-158. <https://doi.org/10.1016/j.solmat.2014.01.044>
- Ciranna, A., Ferrari, R., Santala, V., & Karp, M. (2014). Inhibitory effects of substrate and soluble end products on biohydrogen production of the alkalithermophile *Caloramator celer*: Kinetic, metabolic and transcription analyses. *International Journal of Hydrogen Energy*, 39(12), 6391-6401. <https://doi.org/10.1016/j.ijhydene.2014.02.047>
- Qvintus, P., Kataja, K., Heikkilä, P., Salmela, J., Lehmonen, J., Ketoja, J., ... Vuorinen, T. (2014). Design driven world of cellulose-from bulk to luxury? In *Fibre Value Chain Conference and Expo 2014: Pulp and Paper Bioenergy Bioproducts* (pp. 67-74). Appita Inc..
- Miettunen, K., Vapaavuori, J., Tiihonen, A., Poskela, A., Lahtinen, P., Halme, J., & Lund, P. (2014). Nanocellulose aerogel membranes for optimal electrolyte filling in dye solar cells. *NANO ENERGY*, 8, 95-102. <https://doi.org/10.1016/j.nanoen.2014.05.013>
- Gomes, M., Leroy, C., Lemaire, S., Marmin, C., Mordon, S., & Ernst, O. (2014). Scanner abdominal: Étude comparative de l'exposition patient en routine clinique sur des appareils avec et sans reconstruction itérative. *Radioprotection*, 49(1), 35-41. <https://doi.org/10.1051/radiopro/2013078>
- Nikhil, Puhakka, J. A., Visa, A., & Yli-Harja, O. (2014). Software design for simulating microbial bioprocesses in bioreactor . In *6th International Conference on Environmental Informatics, ISEIS 2007* [60700018] International Society for Environmental Information Sciences.

- Kivistö, A., Santala, V., & Karp, M. (2013). Non-sterile process for biohydrogen and 1,3-propanediol production from raw glycerol. *International Journal of Hydrogen Energy*, *38*(27), 11749-11755. <https://doi.org/10.1016/j.ijhydene.2013.06.119>
- Seppälä, J. J., Larjo, A., Aho, T., Yli-Harja, O., Karp, M. T., & Santala, V. (2013). Prospecting hydrogen production of *Escherichia coli* by metabolic network modeling. *International Journal of Hydrogen Energy*, *38*(27), 11780-11789. <https://doi.org/10.1016/j.ijhydene.2013.07.002>
- Kantola, M., & Saari, A. (2013). Renewable vs. traditional energy management solutions - A Finnish hospital facility case. *Renewable Energy*, *57*, 539-545. <https://doi.org/10.1016/j.renene.2013.02.023>
- Valkila, N., & Saari, A. (2013). Attitude-behaviour gap in energy issues: Case study of three different Finnish residential areas. *ENERGY FOR SUSTAINABLE DEVELOPMENT*, *17*(1), 24-34. <https://doi.org/10.1016/j.esd.2012.10.001>
- Lahtinen, K., Maydannik, P., Kääriäinen, T., Seppänen, T., Cameron, D. C., Johansson, P., ... Kuusipalo, J. (2013). Roll-to-roll atomic layer deposition for flexible substrates. In *TAPPI International Conference on Nanotechnology 2013* (pp. 726-739). TAPPI Press.
- Stepien, M., Chinga-Carrasco, G., Saarinen, J. J., Teisala, H., Tuominen, M., Aromaa, M., ... Toivakka, M. (2013). Wear resistance of nanoparticle coatings on paperboard. In *TAPPI International Conference on Nanotechnology 2013* (pp. 821-829). TAPPI Press.
- Seppälä, M., Pyykkönen, V., Laine, A., & Rintala, J. (2012). Methane production from maize in Finland - Screening for different maize varieties and plant parts. *Biomass & Bioenergy*, *46*(November), 282-290. <https://doi.org/10.1016/j.biombioe.2012.08.016>
- Valkila, N., & Saari, A. (2012). Consumer panel on the readiness of finns to behave in a more pro-environmental manner. *Sustainability*, *4*(7), 1561-1579. <https://doi.org/10.3390/su4071561>
- Praveenkumar, R., Johncy, K., MubarakAli, D., Vijayan, D., Thajuddin, N., & Gunasekaran, M. (2012). Demonstration of increased lipid accumulation potential of *stigeoclonium* sp., Kütz. BUM11007 under nitrogen starved regime: A new source of lipids for biodiesel production. *Journal of Biobased Materials and Bioenergy*, *6*(2), 209-213. <https://doi.org/10.1166/jbmb.2012.1200>
- Praveenkumar, R., Shameera, K., Mahalakshmi, G., Akbarsha, M. A., & Thajuddin, N. (2012). Influence of nutrient deprivations on lipid accumulation in a dominant indigenous microalga *Chlorella* sp., BUM11008: Evaluation for biodiesel production. *Biomass & Bioenergy*, *37*, 60-66. <https://doi.org/10.1016/j.biombioe.2011.12.035>
- Puranen, J., Laakso, J., Hyvärinen, L., Kylmälahti, M., & Vuoristo, P. (2012). High temperature oxidation behaviour of MNCO<sub>2</sub>O<sub>4</sub> coating on crofer 22 APU manufactured by a novel solution precursor plasma spray process (SPPS). In *ASME 2012 10th International Conference on Fuel Cell Science, Engineering and Technology Collocated with the ASME 2012 6th International Conference on Energy Sustainability, FUELCELL 2012* (pp. 213-218). The American Society of Mechanical Engineers ASME. <https://doi.org/10.1115/FuelCell2012-91385>
- Pakarinen, O. M., Kaparaju, P. L. N., & Rintala, J. A. (2011). Hydrogen and methane yields of untreated, water-extracted and acid (HCl) treated maize in one- and two-stage batch assays. *International Journal of Hydrogen Energy*, *36*(22), 14401-14407. <https://doi.org/10.1016/j.ijhydene.2011.08.028>
- Rasi, S., Läntelä, J., & Rintala, J. (2011). Trace compounds affecting biogas energy utilisation - A review. *Energy Conversion and Management*, *52*(12), 3369-3375. <https://doi.org/10.1016/j.enconman.2011.07.005>
- Kaparaju, P., & Rintala, J. (2011). Mitigation of greenhouse gas emissions by adopting anaerobic digestion technology on dairy, sow and pig farms in Finland. *Renewable Energy*, *36*(1), 31-41. <https://doi.org/10.1016/j.renene.2010.05.016>

- Medyna, G., Coatanea, E., & Millet, D. (2011). Environmental and economic evaluation of solar thermal panels using exergy and dimensional analysis. In *Glocalized Solutions for Sustainability in Manufacturing - Proceedings of the 18th CIRP International Conference on Life Cycle Engineering* (pp. 647-651) [https://doi.org/10.1007/978-3-642-19692-8\\_112](https://doi.org/10.1007/978-3-642-19692-8_112)
- Puranen, J., Hyvärinen, L., Lagerbom, J., Kylmälahti, M., Koivuluoto, H., & Vuoristo, P. (2011). Manganese-cobalt spinel coatings for SOFC metallic interconnects manufactured by conventional plasma spraying (PS) and suspension plasma spraying (SPS). In *ASME 2011 9th International Conference on Fuel Cell Science, Engineering and Technology. Collocated with ASME 2011 5th International Conference on Energy Sustainability, FUELCELL 2011* (pp. 237-244) <https://doi.org/10.1115/FuelCell2011-54750>
- Rasi, S., Lehtinen, J., & Rintala, J. (2010). Determination of organic silicon compounds in biogas from wastewater treatments plants, landfills, and co-digestion plants. *Renewable Energy*, 35(12), 2666-2673. <https://doi.org/10.1016/j.renene.2010.04.012>
- Pakarinen, O. M., Tähti, H. P., & Rintala, J. A. (2009). One-stage H<sub>2</sub> and CH<sub>4</sub> and two-stage H<sub>2</sub> + CH<sub>4</sub> production from grass silage and from solid and liquid fractions of NaOH pre-treated grass silage. *Biomass & Bioenergy*, 33(10), 1419-1427. <https://doi.org/10.1016/j.biombioe.2009.06.006>
- Lehtomäki, A., Viinikainen, T. A., & Rintala, J. A. (2008). Screening boreal energy crops and crop residues for methane biofuel production. *Biomass & Bioenergy*, 32(6), 541-550. <https://doi.org/10.1016/j.biombioe.2007.11.013>
- Pakarinen, O., Lehtomäki, A., & Rintala, J. (2008). Batch dark fermentative hydrogen production from grass silage: The effect of inoculum, pH, temperature and VS ratio. *International Journal of Hydrogen Energy*, 33(2), 594-601. <https://doi.org/10.1016/j.ijhydene.2007.10.008>
- Lehtomäki, A., Huttunen, S., & Rintala, J. A. (2007). Laboratory investigations on co-digestion of energy crops and crop residues with cow manure for methane production: Effect of crop to manure ratio. *Resources Conservation and Recycling*, 51(3), 591-609. <https://doi.org/10.1016/j.resconrec.2006.11.004>
- Rasi, S., Veijanen, A., & Rintala, J. (2007). Trace compounds of biogas from different biogas production plants. *Energy*, 32(8), 1375-1380. <https://doi.org/10.1016/j.energy.2006.10.018>
- Kaparaju, P., & Rintala, J. (2005). Anaerobic co-digestion of potato tuber and its industrial by-products with pig manure. *Resources Conservation and Recycling*, 43(2), 175-188. <https://doi.org/10.1016/j.resconrec.2004.06.001>