

- Zhang H, Zeng H, Priimägi A, Ikkala O. **Viewpoint: Pavlovian Materials—Functional Biomimetics Inspired by Classical Conditioning**. *Advanced Materials*. 2020. 1906619. <https://doi.org/10.1002/adma.201906619>
- Zeng H, Wasylczyk P, Wiersma DS, Priimägi A. **Light Robots: Bridging the Gap between Microrobotics and Photomechanics in Soft Materials**. *Advanced Materials*. 2018;30(24). 1703554. <https://doi.org/10.1002/adma.201703554>
- Ylönen M, Franc JP, Miettinen J, Saarenrinne P, Fivel M. **Shedding frequency in cavitation erosion evolution tracking**. *International Journal of Multiphase Flow*. 2019 syys 1;118:141-149. <https://doi.org/10.1016/j.ijmultiphaseflow.2019.06.009>
- Yang D, Feng Y, Behl M, Lendlein A, Zhao H, Khan M et al. **Biomimetic hemo-compatible surfaces of polyurethane by grafting copolymer brushes of poly(ethylene glycol) and poly(phosphorylcholine methacrylate)**. julkaisussa *Multifunctional Polymer-Based Materials*. Vuosikerta 1403. 2012. s. 171-176 <https://doi.org/10.1557/opl.2012.702>
- Wu H, Sariola V, Zhu C, Zhao J, Sitti M, Bettinger CJ. **Transfer printing of metallic microstructures on adhesion-promoting hydrogel substrates**. *Advanced Materials*. 2015 kesä 1;27(22):3398-3404. <https://doi.org/10.1002/adma.201500954>
- Wu D, Coatanea E, Wang GG. **Dimension reduction and decomposition using causal graph and qualitative analysis for aircraft concept design optimization**. julkaisussa 43rd Design Automation Conference. The American Society of Mechanical Engineers ASME. 2017 <https://doi.org/10.1115/DETC201767601>
- Wu D, Coatanea E, Wang GG. **Employing Knowledge on Causal Relationship to Assist Multidisciplinary Design Optimization**. *Journal of Mechanical Design, Transactions of the ASME*. 2019 huhti;141(4). 041402. <https://doi.org/10.1115/1.4042342>
- Wendel S, Karamanakos P, Dietz A, Kennel R. **Operating point dependent variable switching point predictive current control for PMSM drives**. julkaisussa PRECEDE 2019: 2019 IEEE International Symposium on Predictive Control of Electrical Drives and Power Electronics. IEEE. 2019. s. 1-6 <https://doi.org/10.1109/PRECEDE.2019.8753362>
- Wani OM, Verpaalen R, Zeng H, Priimägi A, Schenning APHJ. **An Artificial Nocturnal Flower via Humidity-Gated Photoactuation in Liquid Crystal Networks**. *Advanced Materials*. 2019 tammi;31(2). 1805985. <https://doi.org/10.1002/adma.201805985>
- Wang X, Fagerlund S, Massera J, Södergård B, Hupa L. **Do properties of bioactive glasses exhibit mixed alkali behavior?** *Journal of Materials Science*. 2017;52(15):8986–8997. <https://doi.org/10.1007/s10853-017-0915-y>
- Wang H, Feng Y, Fang Z, Yuan W, Khan M. **Co-electrospun blends of PU and PEG as potential biocompatible scaffolds for small-diameter vascular tissue engineering**. *Materials Science and Engineering C: Materials for Biological Applications*. 2012 joulu 1;32(8):2306-2315. <https://doi.org/10.1016/j.msec.2012.07.001>
- Vuornos K, Ojansivu M, Koivisto JT, Häkkänen H, Belay B, Montonen T et al. **Bioactive glass ions induce efficient osteogenic differentiation of human adipose stem cells encapsulated in gellan gum and collagen type I hydrogels**. *Materials Science and Engineering C*. 2019 kesä 1;99:905-918. <https://doi.org/10.1016/j.msec.2019.02.035>
- Vuorinen E, Heino V, Ojala N, Haiko O, Hedayati A. **Erosive-abrasive wear behavior of carbide-free bainitic and boron steels compared in simulated field conditions**. *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*. 2018;232(1):3-13. <https://doi.org/10.1177/1350650117739125>
- Vitola V, Lahti V, Bite I, Spustaka A, Millers D, Lastusaari M et al. **Low temperature afterglow from SrAl<sub>2</sub>O<sub>4</sub>: Eu, Dy, B containing glass**. *Scripta Materialia*. 2020;190:86-90. <https://doi.org/10.1016/j.scriptamat.2020.08.023>
- Vazquez Fernandez N, Isakov M, Hokka M, Kuokkala VT. **Effects of adiabatic heating estimated from tensile tests with continuous heating**. julkaisussa *Dynamic Behavior of Materials - Proceedings of the 2017 Annual Conference on Experimental and Applied Mechanics*. Vuosikerta 1. Springer New York LLC. 2018. s. 1-7. (Conference Proceedings of the Society for Experimental Mechanics). [https://doi.org/10.1007/978-3-319-62956-8\\_1](https://doi.org/10.1007/978-3-319-62956-8_1)

Valtonen K, Ratia V, Ramakrishnan KR, Apostol M, Terva J, Kuukkala V-T. **Impact wear and mechanical behavior of steels at subzero temperatures.** Tribology International. 2019;129:476-493. <https://doi.org/10.1016/j.triboint.2018.08.016>

Väläkangas T, Karvinen R. **Conjugated Heat Transfer Simulation of a Fin-and-Tube Heat Exchanger.** Heat Transfer Engineering. 2018;39(13-14):1192-1200. <https://doi.org/10.1080/01457632.2017.1363628>

Väläkangas T, Singh S, Sørensen K, Condra T. **Fin-and-tube heat exchanger enhancement with a combined herringbone and vortex generator design.** International Journal of Heat and Mass Transfer. 2018;118:602-616. <https://doi.org/10.1016/j.ijheatmasstransfer.2017.11.006>

Väläkangas T, Hærvig J, Kuuluvainen H, Dal Maso M, Peltonen P, Vuorinen V. **Deposition of dry particles on a fin-and-tube heat exchanger by a coupled soft-sphere DEM and CFD.** International Journal of Heat and Mass Transfer. 2019. 119046. <https://doi.org/10.1016/j.ijheatmasstransfer.2019.119046>

Vähä-Nissi M, Hirvikorpi T, Sievänen J, Salo E, Harlin A, Johansson P et al. **Effect of pre-treatments on barrier properties of layers applied by atomic layer deposition onto polymer-coated substrates.** julkaisussa 13th European PLACE Conference 2011. Vuosikerta 1. 2011. s. 447

Tzounis L, Debnath S, Rooj S, Fischer D, Mäder E, Das A et al. **High performance natural rubber composites with a hierarchical reinforcement structure of carbon nanotube modified natural fibers.** Materials and Design. 2014;58:1-11. <https://doi.org/10.1016/j.matdes.2014.01.071>

Tuurna S, Varis T, Penttilä K, Ruusuvoori K, Holmström S, Yli-Olli S. **Optimised selection of new protective coatings for biofuel boiler applications.** Materials and Corrosion-Werkstoffe und Korrosion. 2011 heinä;62(7):642-649. <https://doi.org/10.1002/maco.201005898>

Thomas K, Mohanty G, Wehrs J, Taylor AA, Pathak S, Casari D et al. **Elevated and cryogenic temperature micropillar compression of magnesium–niobium multilayer films.** Journal of Materials Science. 2019 elo 15;54(15):10884-10901. <https://doi.org/10.1007/s10853-019-03422-x>

Teke B, Lanz M, Kämäräinen J-K, Hietanen A. **Real-time and Robust Collaborative Robot Motion Control with Microsoft Kinect @ v2.** julkaisussa 2018 14th IEEE/ASME International Conference on Mechatronic and Embedded Systems and Applications, MESA 2018. IEEE. 2018. 8449156 <https://doi.org/10.1109/MESA.2018.8449156>

Teisala H, Tuominen M, Kuusipalo J. **Superhydrophobic Coatings on Cellulose-Based Materials: Fabrication, Properties, and Applications.** Advanced Materials Interfaces. 2014 helmi 1;1(1):1-20. 1300026. <https://doi.org/10.1002/admi.201300026>

Teisala H, Tuominen M, Aromaa M, Mäkelä JM, Stepien M, Saarinen JJ et al. **Nanoparticle deposition on packaging materials by the liquid flame spray.** julkaisussa 13th European PLACE Conference 2011. Vuosikerta 1. 2011

Teisala H, Geyer F, Haapanen J, Juuti P, Mäkelä JM, Vollmer D et al. **Ultrafast Processing of Hierarchical Nanotexture for a Transparent Superamphiphobic Coating with Extremely Low Roll-Off Angle and High Impalement Pressure.** Advanced Materials. 2018;30(14). 1706529. <https://doi.org/10.1002/adma.201706529>

Tanskanen JMA, Kapucu FE, Hyttinen JAK. **On the threshold based neuronal spike detection, and an objective criterion for setting the threshold.** julkaisussa International IEEE/EMBS Conference on Neural Engineering, NER. IEEE COMPUTER SOCIETY PRESS. 2015. s. 1016-1019 <https://doi.org/10.1109/NER.2015.7146799>

Taddeo R, Prajapati S, Lepistö R. **Optimizing ammonium adsorption on natural zeolite for wastewaters with high loads of ammonium and solids.** Journal of Porous Materials. 2017;24(6):1545–1554. <https://doi.org/10.1007/s10934-017-0394-1>

Szczodra A, Mardoukhi A, Hokka M, Boetti NG, Petit L. **Fluorine losses in Er<sup>3+</sup> oxyfluoride phosphate glasses and glass-ceramics**. Journal of Alloys and Compounds. 2019 elo 15;797:797-803. <https://doi.org/10.1016/j.jallcom.2019.05.151>

Syrjärinne P, Nummenmaa J, Thanisch P, Kerminen R, Hakulinen E. **Analysing traffic fluency from bus data**. IET Intelligent Transport Systems. 2015 elo 1;9(6):566-572. <https://doi.org/10.1049/iet-its.2014.0192>

Šutka A, Käämbre T, Joost U, Kooser K, Kook M, Duarte RF et al. **Solvothermal synthesis derived Co-Ga codoped ZnO diluted magnetic degenerated semiconductor nanocrystals**. Journal of Alloys and Compounds. 2018 syys 30;763:164-172. <https://doi.org/10.1016/j.jallcom.2018.05.036>

Suokas E. **Effect of air gap on the adhesion of PET layer on cardboard substrate in extrusion coating**. julkaisussa 16th TAPPI European PLACE Conference 2017. TAPPI Press. 2017. s. 529-544

Suokas E. **Effect of polyolefin molecular structure on product properties in extrusion coating**. julkaisussa 17th Biennial TAPPI European PLACE Conference 2019. TAPPI Press. 2019. s. 89-98

Subramaniam NP, Hyttinen J, Hatsopoulos NG, Takahashi K. **Recurrence network analysis of wide band oscillations of local field potentials from the primary motor cortex reveals rich dynamics**. julkaisussa International IEEE/EMBS Conference on Neural Engineering, NER. IEEE COMPUTER SOCIETY PRESS. 2015. s. 960-963 <https://doi.org/10.1109/NER.2015.7146785>

Subramaniam K, Das A, Heinrich G. **Highly conducting polychloroprene composites based on multi-walled carbon nanotubes and 1-butyl 3-methyl imidazolium bis(trifluoromethylsulphonyl)imide**. KGK: KAUTSCHUK GUMMI KUNSTSTOFFE. 2012 heinä;65(7-8):44-46.

Stoykova E, Berberova N, Kim Y, Nazarova D, Ivanov B, Gotchev A et al. **Dynamic speckle analysis with smoothed intensity-based activity maps**. Optics and Lasers in Engineering. 2017 kesä 1;93:55-65. <https://doi.org/10.1016/j.optlaseng.2017.01.012>

Soltani A, Curtze S, Lahti J, Järvelä K, Laurikka J, Hokka M et al. **Digital image correlation study of the deformation and functioning of the human heart during open-heart surgery**. julkaisussa Mechanics of Biological Systems, Materials and other topics in Experimental and Applied Mechanics - Proceedings of the 2017 Annual Conference on Experimental and Applied Mechanics. Vuosikerta 4. Springer New York LLC. 2018. s. 19-27. (Conference Proceedings of the Society for Experimental Mechanics). [https://doi.org/10.1007/978-3-319-63552-1\\_4](https://doi.org/10.1007/978-3-319-63552-1_4)

Sippola P, Kolehmainen J, Ozel A, Liu X, Saarenrinne P, Sundaresan S. **Experimental and numerical study of wall layer development in a tribocharged fluidized bed**. Journal of Fluid Mechanics. 2018 elo 25;849:860-884. <https://doi.org/10.1017/jfm.2018.412>

Singh AK, Ahonen A, Ghabcheloo R, Mueller A. **Introducing Multi-Convexity in Path Constrained Trajectory Optimization for Mobile Manipulators**. julkaisussa European Control Conference 2020, ECC 2020. IEEE. 2020. s. 1178-1185

Shevkunov I, Katkovnik V, Claus D, Pedrini G, Petrov NV, Egiazarian K. **Hyperspectral phase imaging based on denoising in complex-valued eigensubspace**. Optics and Lasers in Engineering. 2020 huhti 1;127. 105973. <https://doi.org/10.1016/j.optlaseng.2019.105973>

Seppälä J, Salmenperä M. **Towards dependable automation**. julkaisussa Cyber Security: Analytics, Technology and Automation: Part IV. Springer International Publishing. 2015. s. 229-249. (Intelligent Systems, Control and Automation: Science and Engineering). [https://doi.org/10.1007/978-3-319-18302-2\\_15](https://doi.org/10.1007/978-3-319-18302-2_15)

Sekki T, Andelin M, Airaksinen M, Saari A. **Consideration of energy consumption, energy costs, and space occupancy in Finnish daycare centres and school buildings**. Energy and Buildings. 2016 loka 1;129:199-206. <https://doi.org/10.1016/j.enbuild.2016.08.015>

Sekki T, Airaksinen M, Saari A. **Impact of building usage and occupancy on energy consumption in Finnish daycare and school buildings.** Energy and Buildings. 2015 elo 18;105:247-257. <https://doi.org/10.1016/j.enbuild.2015.07.036>

Sekki T, Airaksinen M, Saari A. **Measured energy consumption of educational buildings in a Finnish city.** Energy and Buildings. 2015 tammi 1;87:105-115. <https://doi.org/10.1016/j.enbuild.2014.11.032>

Sekki T, Airaksinen M, Saari A. **Effect of energy measures on the values of energy efficiency indicators in Finnish daycare and school buildings.** Energy and Buildings. 2017 maaliskuu 15;139:124-132. <https://doi.org/10.1016/j.enbuild.2017.01.005>

Seidt JD, Kuokkala V-T, Smith JL, Gilat A. **Synchronous Full-Field Strain and Temperature Measurement in Tensile Tests at Low, Intermediate and High Strain Rates.** Experimental Mechanics. 2017 helmikuu;57(2):219-229. <https://doi.org/10.1007/s11340-016-0237-z>

Schoeppner RL, Mohanty G, Polyakov MN, Petho L, Maeder X, Michler J. **An exploratory study on strengthening and thermal stability of magnetron sputtered W nanoparticles at the interface of Cu/Ni multilayer films.** Materials and Design. 2020;195. 108907. <https://doi.org/10.1016/j.matdes.2020.108907>

Sautter JD, Xu L, Miroshnichenko AE, Lysevych M, Volkovskaya I, Smirnova DA et al. **Tailoring Second-Harmonic Emission from (111)-GaAs Nanoantennas.** Nano Letters. 2019 kesä 12;19(6):3905-3911. <https://doi.org/10.1021/acs.nanolett.9b01112>

Sariola V, Sitti M. **Mechanically Switchable Elastomeric Microfibrillar Adhesive Surfaces for Transfer Printing.** Advanced Materials Interfaces. 2014 heinäkuu 1;1(4). 1300159. <https://doi.org/10.1002/admi.201300159>

Santa-aho S, Laitinen A, Sorsa A, Vippola M. **Barkhausen Noise Probes and Modelling: A Review.** Journal of Nondestructive Evaluation. 2019 joulukuu 1;38(4). 94. <https://doi.org/10.1007/s10921-019-0636-z>

Sanchez-Guevara C, Núñez Peiró M, Taylor J, Mavrogianni A, Neila González J. **Assessing population vulnerability towards summer energy poverty: Case studies of Madrid and London.** Energy and Buildings. 2019 touko 1;190:132-143. <https://doi.org/10.1016/j.enbuild.2019.02.024>

Sajna MS, Perumbilavil S, Prakashan VP, Sanu MS, Joseph C, Biju PR et al. **Enhanced resonant nonlinear absorption and optical limiting in Er<sup>3+</sup> ions doped multicomponent tellurite glasses.** Materials Research Bulletin. 2018 elo 1;104:227-235. <https://doi.org/10.1016/j.materresbull.2018.04.026>

Saintsing CD, Cook BS, Tentzeris MM. **An origami inspired reconfigurable spiral antenna.** julkaisussa 38th Mechanisms and Robotics Conference. Vuosikerta 5B. The American Society of Mechanical Engineers ASME. 2014 <https://doi.org/10.1115/DETC201435353>

Saarimaa V, Fuertes N, Persson D, Zavalis T, Kaleva A, Nikkanen J-P et al. **Assessment of pitting corrosion in bare and passivated (wet scCO<sub>2</sub>-induced patination and chemical passivation) hot-dip galvanized steel samples with SVET, FTIR, and SEM (EDS).** Materials and Corrosion. 2020. <https://doi.org/10.1002/maco.202011653>

Ryynänen T, Mzezewa R, Meriläinen E, Hyvärinen T, Lekkala J, Narkilahti S et al. **Transparent microelectrode arrays fabricated by ion beam assisted deposition for neuronal cell in vitro recordings.** Micromachines. 2020 touko 1;11(5). 497. <https://doi.org/10.3390/M11050497>

Rossi M, Liegmann E, Karamanakos P, Castelli-Dezza F, Kennel R. **Direct model predictive power control of a series-connected modular rectifier.** julkaisussa PRECEDE 2019: 2019 IEEE International Symposium on Predictive Control of Electrical Drives and Power Electronics. IEEE. 2019. s. 1-6 <https://doi.org/10.1109/PRECEDE.2019.8753318>

Ronkainen H, Kanerva U, Varis T, Ruusuvoori K, Turunen E, Peräntie J et al. **Materials for electronics by thermal spraying**. julkaisussa Physical and Numerical Simulation of Materials Processing VII. Vuosikerta 762. 2013. s. 451-456. (Materials Science Forum). <https://doi.org/10.4028/www.scientific.net/MSF.762.451>

Roldán Del Cerro P, Salminen T, Lastusaari M, Petit L. **Persistent luminescent borosilicate glasses using direct particles doping method**. Scripta Materialia. 2018 heinä 1;151:38-41. <https://doi.org/10.1016/j.scriptamat.2018.03.034>

Rodríguez Ripoll M, Ojala N, Katsich C, Totolin V, Tomastik C, Hradil K. **The role of niobium in improving toughness and corrosion resistance of high speed steel laser hardfacings**. Materials and Design. 2016 kesä 5;99:509-520. <https://doi.org/10.1016/j.matdes.2016.03.081>

Reshef O, Saad-Bin-Alam M, Huttunen MJ, Carlow G, Sullivan BT, Ménard JM et al. **Multiresonant High-Q Plasmonic Metasurfaces**. Nano Letters. 2019 syys 11;19(9):6429-6434. <https://doi.org/10.1021/acs.nanolett.9b02638>

Ratia V, Rojacz H, Terva J, Valtonen K, Badisch E, Kuokkala VT. **Effect of Multiple Impacts on the Deformation of Wear-Resistant Steels**. Tribology Letters. 2015 tammi 21;57(2). 15. <https://doi.org/10.1007/s11249-014-0460-7>

Rasilo P, Belahcen A, Arkkio A. **Effect of rotor pole-shoe construction on losses of inverter-fed synchronous motors**. julkaisussa Proceedings - 2012 20th International Conference on Electrical Machines, ICEM 2012. 2012. s. 1282-1286 <https://doi.org/10.1109/ICEIMach.2012.6350042>

Rasappa S, Borah D, Faulkner CC, Lutz T, Shaw MT, Holmes JD et al. **Fabrication of a sub-10 nm silicon nanowire based ethanol sensor using block copolymer lithography**. Nanotechnology. 2013 helmi 15;24(6). 065503. <https://doi.org/10.1088/0957-4484/24/6/065503>

Pyrhönen V-P, Koivisto H, Vilkkio M. **A Reduced-Order Two-Degree-of-Freedom Composite Nonlinear Feedback Control for a Rotary DC Servo Motor**. julkaisussa Proceedings of the 56th IEEE Conference on Decision and Control. Melbourne, Australia. 2017. s. 2065-2071 <https://doi.org/10.1109/CDC.2017.8263951>

Pykkänen K, Nurmikolu A, Guthrie WS, Argyle HM. **Measurements and Modeling of Frost Depth in Railway Tracks**. julkaisussa Proceedings of the International Conference on Cold Regions Engineering: 16th International Conference on Cold Regions Engineering 2015. American Society of Civil Engineers ASCE. 2015. s. 123-134 <https://doi.org/10.1061/9780784479315.012>

Priimägi A, (ed.), Hecht S, (ed.). **From Responsive Molecules to Interactive Materials**. Advanced Materials. 2020;32(20). 2000215. <https://doi.org/10.1002/adma.202000215>

Priimägi A, (ed.), Hecht S, (ed.). **Special Issue: From Responsive Materials to Interactive Materials**. Advanced Materials. 2020;32(20).

Pirjola L, Kuuluvainen H, Timonen H, Saarikoski S, Teinilä K, Salo L et al. **Potential of renewable fuel to reduce diesel exhaust particle emissions**. Applied Energy. 2019 marras 15;254. 113636. <https://doi.org/10.1016/j.apenergy.2019.113636>

Philippi PC, Siebert DN, Hegele LA, Mattila KK. **High-order lattice-Boltzmann**. Journal of the Brazilian Society of Mechanical Sciences and Engineering. 2016 kesä 1;38(5):1401-1419. <https://doi.org/10.1007/s40430-015-0441-2>

Perttula A, Nguyen N, Collin J, Jokinen J-P. **Vehicle type detection and passenger satisfaction analysis using smartphone sensors and digital surveys**. IET Intelligent Transport Systems. 2019 loka 1;13(10):1499-1506. <https://doi.org/10.1049/iet-its.2018.5349>

Pekkanen TT, Timonen RS, Lendvay G, Rissanen MP, Eskola AJ. **Kinetics and thermochemistry of the reaction of 3-methylpropargyl radical with molecular oxygen**. PROCEEDINGS OF THE COMBUSTION INSTITUTE. 2019 tammi 1;37(1):299-306. <https://doi.org/10.1016/j.proci.2018.05.050>

Paunonen L, Seifert D. **Asymptotics and approximation of large systems of ordinary differential equations**. Systems and Control Letters. 2020;140: 104703. <https://doi.org/10.1016/j.sysconle.2020.104703>

Paris H, Mokhtarian H, Coatanéa E, Museau M, Ituarte IF. **Comparative environmental impacts of additive and subtractive manufacturing technologies**. CIRP Annals: Manufacturing Technology. 2016;65(1):29-32. <https://doi.org/10.1016/j.cirp.2016.04.036>

Palazzo G, De Tullio D, Magliulo M, Mallardi A, Intranuovo F, Mulla MY et al. **Detection beyond Debye's length with an electrolyte-gated organic field-effect transistor**. Advanced Materials. 2015;27(5):911-916. <https://doi.org/10.1002/adma.201403541>

Palagi S, Mark AG, Melde K, Qiu T, Zeng H, Parmeggiani C et al. **Locomotion of light-driven soft microrobots through a hydrogel via local melting**. julkaisussa International Conference on Manipulation, Automation and Robotics at Small Scales, MARSS 2017 - Proceedings. IEEE. 2017 <https://doi.org/10.1109/MARSS.2017.8001916>

Pajarinen J, Arenz O, Peters J, Neumann G. **Probabilistic approach to physical object disentangling**. IEEE Robotics and Automation Letters. 2020;5(4):5510-5517. <https://doi.org/10.1109/LRA.2020.3006789>

Ottosen NS, Ristinmaa M, Kouhia R. **Enhanced multiaxial fatigue criterion that considers stress gradient effects**. International Journal of Fatigue. 2018 marras 1;116:128-139. <https://doi.org/10.1016/j.ijfatigue.2018.05.024>

Oluoti K, Doddapaneni TRKC, Richards T. **Investigating the kinetics and biofuel properties of *Alstonia congensis* and *Ceiba pentandra* via torrefaction**. Energy. 2018 touko 1;150:134-141. <https://doi.org/10.1016/j.energy.2018.02.086>

Olin M, Dal Maso M. **CFD modeling the diffusional losses of nanocluster-sized particles and condensing vapors in 90° bends of circular tubes**. Journal of Aerosol Science. 2020;150: 105618. <https://doi.org/10.1016/j.jaerosci.2020.105618>

Nurmi V, Hintikka J, Juoksukangas J, Honkanen M, Vippola M, Lehtovaara A et al. **The formation and characterization of fretting-induced degradation layers using quenched and tempered steel**. Tribology International. 2019 maalisk 1;131:258-267. <https://doi.org/10.1016/j.triboint.2018.09.012>

Nommeots-Nomm A, Boetti NG, Salminen T, Massera J, Hokka M, Petit L. **Luminescence of Er<sup>3+</sup> doped oxyfluoride phosphate glasses and glass-ceramics**. Journal of Alloys and Compounds. 2018 kesä 30;751:224-230. <https://doi.org/10.1016/j.jallcom.2018.04.101>

Nommeots-Nomm A, Houaoui A, Pradeepan Packiyathar A, Chen X, Hokka M, Hill R et al. **Phosphate/oxyfluorophosphate glass crystallization and its impact on dissolution and cytotoxicity**. Materials Science and Engineering C. 2020;117: 111269. <https://doi.org/10.1016/j.msec.2020.111269>

Niemelä-Anttonen H, Koivuluoto H, Tuominen M, Teisala H, Juuti P, Haapanen J et al. **Icephobicity of Slippery Liquid Infused Porous Surfaces under Multiple Freeze–Thaw and Ice Accretion–Detachment Cycles**. Advanced Materials Interfaces. 2018 loka;5(20). <https://doi.org/10.1002/admi.201800828>

Netzev M, Angleraud A, Pieters R. **Soft robotic gripper with compliant cell stacks for industrial part handling**. IEEE Robotics and Automation Letters. 2020 loka 1;5(4):6821-6828. <https://doi.org/10.1109/LRA.2020.3020546>

Motlagh HDK, Lotfi F, Taghirad HD, Germi SB. **Position Estimation for Drones based on Visual SLAM and IMU in GPS-denied Environment**. julkaisussa ICRoM 2019 - 7th International Conference on Robotics and Mechatronics. IEEE. 2019. s. 120-124 <https://doi.org/10.1109/ICRoM48714.2019.9071826>

Mokammel F, Coatanéa E, Christophe F, Ba Khouya M, Medyna G. **Towards an approach for evaluating the quality of requirements**. julkaisussa 33rd Computers and Information in Engineering Conference. Vuosikerta 2 B. American Society of Mechanical Engineers. 2013. V02BT02A024 <https://doi.org/10.1115/DETC2013-13708>

Mohammed WM, Ramis Ferrer B, Iarovyi S, Negri E, Fumagalli L, Lobov A et al. **Generic platform for manufacturing execution system functions in knowledge-driven manufacturing systems**. International Journal of Computer Integrated Manufacturing. 2018 maaliskuu 4;1-13. <https://doi.org/10.1080/0951192X.2017.1407874>

Mishra A, Petit L, Pihl M, Andersson M, Salminen T, Rocherullé J et al. **Thermal, structural and in vitro dissolution of antimicrobial copper-doped and slow resorbable iron-doped phosphate glasses**. Journal of Materials Science. 2017;52(15):8957–8972. <https://doi.org/10.1007/s10853-017-0805-3>

Mikkonen A, Karvinen R. **Solar Panel Breakage During Heavy Rain Caused by Thermal Stress**. julkaisussa Engineered Transparency 2016: Glass in Architecture and Structural Engineering. Wiley. 2016

Mikkonen A, Karvinen R. **Heat Transfer of Impinging Jet: Effect of Compressibility and Turbulent Kinetic Energy Production**. julkaisussa IX International Conference on Computational Heat and Mass Transfer (ICCHMT 2016) . 2017

Mettänen M, Hirn U. **A comparison of five optical surface topography measurement methods**. TAPPI Journal. 2015 tammi 1;14(1):27-38.

Mendes MR, Subramaniyam NP, Wendel-Mitoraj K. **Evaluating the electrode measurement sensitivity of subdermal electroencephalography electrodes**. julkaisussa International IEEE/EMBS Conference on Neural Engineering, NER. Vuosikerta 2015-July. IEEE COMPUTER SOCIETY PRESS. 2015. s. 1092-1095 <https://doi.org/10.1109/NER.2015.7146818>

Medyna G, Coatanea E, Millet D. **Evaluation of parts of a boat cabin based on exergy - Focusing on environmental and economic assessments**. julkaisussa ASME 2011 International Mechanical Engineering Congress and Exposition, IMECE 2011. PARTS A AND B toim. Vuosikerta 4. AMER SOC MECHANICAL ENGINEERS. 2011. s. 1083-1092

Matikainen V, Rubio Peregrina S, Ojala N, Koivuluoto H, Schubert J, Houdková et al. **Slurry and dry particle erosion wear properties of WC-10Co4Cr and Cr<sub>3</sub>C<sub>2</sub>-25NiCr hardmetal coatings deposited by HVOF and HVOF spray processes**. Tribologia. 2019;36(1-2):58-61. <https://doi.org/10.30678/FJT.83590>

Mashayekhi M, Winchester L, Laurila M-M, Mäntysalo M, Ogier S, Terés L et al. **Chip-by-chip configurable interconnection using digital printing techniques**. Journal of Micromechanics and Microengineering. 2017 maaliskuu 6;27(4). 045009. <https://doi.org/10.1088/1361-6439/aa5ef3>

Martinez F, Neculqueo G, Vasquez SO, Lemmetyinen H, Efimov A, Vivo P. **Branched thiophene oligomer/polymer bulk heterojunction organic solar cell**. julkaisussa Materials Research Society Symposium Proceedings. Vuosikerta 1737. MATERIALS RESEARCH SOCIETY. 2015. s. 19-25 <https://doi.org/10.1557/opl.2015.529>

Mäntyranta A, Heino V, Isotahdon E, Salminen T, Huttunen-Saarivirta E. **Tribocorrosion behaviour of two low-alloy steel grades in simulated waste solution**. Tribology International. 2019 loka 1;138:250-262. <https://doi.org/10.1016/j.triboint.2019.05.032>

Mäntylä A, Hintikka J, Frondelius T, Vaara J, Lehtovaara A, Juoksukangas J. **Prediction of contact condition and surface damage by simulating variable friction coefficient and wear**. Tribology International. 2019 marras 5. 106054. <https://doi.org/10.1016/j.triboint.2019.106054>

Mäntylä A, Juoksukangas J, Hintikka J, Frondelius T, Lehtovaara A. **FEM-based wear simulation for fretting contacts**. Rakenteiden Mekaniikka. 2020;53(1):20-27. <https://doi.org/10.23998/rm.76261>

Malas A, Das CK, Das A, Heinrich G. **Development of expanded graphite filled natural rubber vulcanizates in presence and absence of carbon black: Mechanical, thermal and morphological properties**. Materials and Design. 2012;39:410-417. <https://doi.org/10.1016/j.matdes.2012.03.007>

Mäkinen J, Fränti K, Korhonen M, Fillion J, Heinisuo M. **End-plate connections in Bi-axial bending - Measurements.** julkaisussa Mazzolani FM, Squillace A, Faggiano B, Bellucci F, toimittajat, 13th International Aluminium Conference, Sustainability, Durability and Structural Advantages, : INALCO 2016; Naples; Italy; 21 September 2016 through 23 September 2016. Vuosikerta 710. Trans Tech Publications Ltd. 2016. s. 275-280. (Key Engineering Materials). <https://doi.org/10.4028/www.scientific.net/KEM.710.275>

Mäkinen P, Mononen T, Mattila J. **Inertial Sensor-Based State Estimation of Flexible Links Subject to Bending and Torsion** . julkaisussa 2018 14th IEEE/ASME International Conference on Mechatronic and Embedded Systems and Applications, MESA 2018. IEEE. 2018. 8449188 <https://doi.org/10.1109/MESA.2018.8449188>

Mäkelä JM, Haapanen J, Aromaa M, Teisala H, Tuominen M, Stepien M et al. **Roll-to-roll coating by liquid flame spray nanoparticle deposition.** julkaisussa Materials Research Society Symposium Proceedings. Vuosikerta 1747. MATERIALS RESEARCH SOCIETY. 2015. s. 37-42 <https://doi.org/10.1557/opl.2015.530>

Mahmoodpour M, Lobov A, Lanz M, Mäkelä P, Rundas N. **Role-based visualization of industrial IoT-based systems.** julkaisussa 2018 14th IEEE/ASME International Conference on Mechatronic and Embedded Systems and Applications, MESA 2018. IEEE. 2018. 8449183 <https://doi.org/10.1109/MESA.2018.8449183>

Magliulo M, Mallardi A, Mulla MY, Cotrone S, Pistillo BR, Favia P et al. **Electrolyte-gated organic field-effect transistor sensors based on supported biotinylated phospholipid bilayer.** Advanced Materials. 2013 huhti 11;25(14):2090-2094. <https://doi.org/10.1002/adma.201203587>

Mäenpää P, Aref MM, Mattila J. **FORMI: A Fast Holonomic Path Planning and Obstacle Representation Method Based on Interval Analysis.** julkaisussa Proceedings of the IEEE 2019 9th International Conference on Cybernetics and Intelligent Systems and Robotics, Automation and Mechatronics, CIS and RAM 2019. IEEE. 2019. s. 398-403. (IEEE International Conference on Cybernetics and Intelligent Systems). <https://doi.org/10.1109/CIS-RAM47153.2019.9095822>

Luna E, Wu M, Hanke M, Puustinen J, Guina M, Trampert A. **Spontaneous formation of three-dimensionally ordered Bi-rich nanostructures within GaAs<sub>1-x</sub>Bi<sub>x</sub>/GaAs quantum wells.** Nanotechnology. 2016 heinä 1;27(32). 325603. <https://doi.org/10.1088/0957-4484/27/32/325603>

Lorimer GW, Dicken R, Peura P, Pilkington R, Younes CM, Allen GC et al. **The effect of phosphorous and arsenic on the fracture behaviour of a 2,25% Cr-1% Mo Steel.** Materials Science Forum. 1996 joulu 1;207-209(PART 2):645-648.

Lisjak D, Lintunen P, Hujanen A, Varis T, Bolelli G, Lusvarghi L et al. **Hexaferrite/polyethylene Composite coatings prepared with flame spraying.** Materials Letters. 2011 helmi 15;65(3):534-536. <https://doi.org/10.1016/j.matlet.2010.10.076>

Linko V, Leppiniemi J, Paasonen ST, Hytönen VP, Jussi Toppari J. **Defined-size DNA triple crossover construct for molecular electronics: Modification, positioning and conductance properties.** Nanotechnology. 2011 heinä 8;22(27). 275610. <https://doi.org/10.1088/0957-4484/22/27/275610>

Linjamaa A, Lehtovaara A, Kallio M, Léger A. **Running-in effects on friction of journal bearings under slow sliding speeds.** Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology. 2019. <https://doi.org/10.1177/1350650119864758>

Linjama M. **Variable speed digital hydraulic transformer-based servo drive.** Proceedings of the Institution of Mechanical Engineers. Part I: Journal of Systems and Control Engineering. 2019. <https://doi.org/10.1177/0959651819869145>

Linjama M. **Variable speed drive with hydraulic boost.** International Journal of Fluid Power. 2019;20(1):99-123. <https://doi.org/10.13052/ijfp1439-9776.2014>

Lindroos M, Apostol M, Kuokkala VT, Laukkanen A, Valtonen K, Holmberg K et al. **Experimental study on the behavior of wear resistant steels under high velocity single particle impacts.** International Journal of Impact Engineering. 2015;78:114-127. <https://doi.org/10.1016/j.ijimpeng.2014.12.002>



Lindroos M, Apostol M, Heino V, Valtonen K, Laukkanen A, Holmberg K et al. **The deformation, strain hardening, and wear behavior of chromium-alloyed hadfield steel in abrasive and impact conditions.** Tribology Letters. 2015;57(3). 24. <https://doi.org/10.1007/s11249-015-0477-6>

Lindroos M, Laukkanen A, Cailletaud G, Kuokkala V-T. **On the effect of deformation twinning and microstructure to strain hardening of high manganese austenitic steel 3D microstructure aggregates at large strains.** International Journal of Solids and Structures. 2017;125:68-76. <https://doi.org/10.1016/j.ijsolstr.2017.07.015>

Lindgren M, Santa-aho S, Vippola M. **Barkhausen noise response of three different welded duplex stainless steels.** Insight . 2016 syys 1;58(9):480-486. <https://doi.org/10.1784/insi.2016.58.9.480>

Liimatainen V, Sariola V, Zhou Q. **Controlling liquid spreading using microfabricated undercut edges.** Advanced Materials. 2013 huhti 24;25(16):2275-2278. <https://doi.org/10.1002/adma.201204696>

Liimatainen H, van Vliet O, Aplyn D. **The potential of electric trucks – An international commodity-level analysis.** Applied Energy. 2019 helmi 15;236:804-814. <https://doi.org/10.1016/j.apenergy.2018.12.017>

Liikanen H, Aref MM, Mattila J. **M-Estimator Application in Real-Time Sensor Fusion for Smooth Position Feedback of Heavy-Duty Field Robots.** julkaisussa Proceedings of the IEEE 2019 9th International Conference on Cybernetics and Intelligent Systems (CIS) and IEEE Conference on Robotics, Automation and Mechatronics (RAM). IEEE. 2019. s. 368-373. (IEEE International Conference on Cybernetics and Intelligent Systems). <https://doi.org/10.1109/CIS-RAM47153.2019.9095821>

Lemougna PN, Yliniemi J, Ismailov A, Levänen E, Tanskanen P, Kinnunen P et al. **Spodumene tailings for porcelain and structural materials: Effect of temperature (1050–1200°C) on the sintering and properties.** Minerals Engineering. 2019. 105843. <https://doi.org/10.1016/j.mineng.2019.105843>

Lehmusto J, Olin M, Viljanen J, Kalliokoski J, Mylläri F, Toivonen J et al. **Detection of gaseous species during KCl-induced high-temperature corrosion by the means of CPFAAS and CI-API-TOF.** Materials and Corrosion. 2019 elo 30. <https://doi.org/10.1002/maco.201910964>

Le T, Lin Z, Wong CP, Tentzeris MM. **Smart Skins: Could they be the ultimate sensing tool? Today's industry and personal medical care both strongly demand accurate, reliable, robust, lo.** IEEE Nanotechnology Magazine. 2015 kesä 1;9(2):4-10. 7080864. <https://doi.org/10.1109/MNANO.2015.2410474>

Layek RK, Uddin ME, Kim NH, Tak Lau AK, Lee JH. **Noncovalent functionalization of reduced graphene oxide with pluronic F127 and its nanocomposites with gum arabic.** Composites Part B : Engineering. 2017 marras 1;128:155-163. <https://doi.org/10.1016/j.compositesb.2017.07.010>

Laurila MM, Khorramdel B, Dastpak A, Mäntysalo M. **Statistical analysis of E-jet print parameter effects on Ag-nanoparticle ink droplet size.** Journal of Micromechanics and Microengineering. 2017 elo 2;27(9). 095005. <https://doi.org/10.1088/1361-6439/aa7a71>

Lauri M, Pajarinen J, Peters J, Frintrop S. **Multi-sensor next-best-view planning as matroid-constrained submodular maximization.** IEEE Robotics and Automation Letters. 2020;5(4):5323-5330. <https://doi.org/10.1109/LRA.2020.3007445>

Lappalainen K, Wang GC, Kleissl J. **Estimation of the largest expected photovoltaic power ramp rates.** Applied Energy. 2020 marras 15;278. 115636. <https://doi.org/10.1016/j.apenergy.2020.115636>

Lanz M, Tuokko R. **Concepts, methods and tools for individualized production.** PRODUCTION ENGINEERING. 2017 huhti 1;11(2):205-212. <https://doi.org/10.1007/s11740-017-0728-5>

Lahtinen K, Kuusipalo J. **Statistical modeling of water vapor transmission rates for extrusion-coated papers**. julkaisussa TAPPI 2008 PLACE Conference: Innovations in Flexible Consumer Packaging. 2008

Lahtinen K, Lahti J, Johansson P, Seppänen T, Cameron DC. **Improving the effect of a nanoscale barrier coating on BOPP film properties by surface pretreatments**. julkaisussa 14th European PLACE Conference 2013. Vuosikerta 1. TAPPI Press. 2013. s. 469-493

Lahti J, Johansson P, Lahtinen K, Cameron DC, Seppänen T. **Improving the effect of nanoscale barrier coating on BOPP film properties: Influence of substrate contamination, web handling and pretreatments**. julkaisussa TAPPI PLACE Conference 2014. Vuosikerta 2. TAPPI Press. 2014. s. 1039-1061

Lahti J. **Nanoscale barrier coating on BOPP packaging film by ALD**. julkaisussa TAPPI PLACE Conference 2016: Exploring New Frontiers. TAPPI Press. 2016. s. 493-505

Lahti J, Tuominen M, Penttinen T, Räsänen JP, Kuusipalo J. **The effects of corona and flame treatment: Part 2. PE-HD and PP coated papers**. julkaisussa TAPPI Press - 12th European PLACE Conference 2009. Vuosikerta 1. 2009. s. 278-314

Lahti J, Kuusipalo J, Auvinen S. **Novel equipment to simulate hot air heat sealability of packaging materials**. julkaisussa 16th TAPPI European PLACE Conference 2017. TAPPI Press. 2017. s. 237-248

Lahti J, Kamppuri T, Kuusipalo J. **Novel bio-based materials for active and intelligent packaging**. julkaisussa 16th TAPPI European PLACE Conference 2017. TAPPI Press. 2017

Lahti J. **Nanocellulose and Polylactic Acid Based Multilayer Coatings for Barrier Applications**. julkaisussa 17th Biennial TAPPI European PLACE Conference 2019. TAPPI Press. 2019. s. 446-455

Lahti J. **Market implementation of active and intelligent packaging-opportunities from a socio-economic perspective**. julkaisussa 17th Biennial TAPPI European PLACE Conference 2019. TAPPI Press. 2019. s. 419-427

Laakkonen P, Quadrat A. **A fractional representation approach to the robust regulation problem for SISO systems**. Systems and Control Letters. 2017 touko 1;103:32-37. <https://doi.org/10.1016/j.sysconle.2017.02.006>

Kuzmin M, Laukkanen P, Mäkelä J, Yasir M, Tuominen M, Dahl J et al. **Toward the Atomically Abrupt Interfaces of SiO<sub>x</sub>/Semiconductor Junctions**. Advanced Materials Interfaces. 2016 kesä;3(11). 1500510. <https://doi.org/10.1002/admi.201500510>

Kuusipalo J, Lahti J. **Tampere University of Technology, laboratory of materials science, paper converting and packaging technology Tampere, Finland**. julkaisussa 16th TAPPI European PLACE Conference 2017: Basel; Switzerland; 22 May 2017 through 24 May 2017. Vuosikerta May-2017. TAPPI Press. 2017

Kurnitski J, Saari A, Kalamees T, Vuolle M, Niemelä J, Tark T. **Cost optimal and nearly zero (nZEB) energy performance calculations for residential buildings with REHVA definition for nZEB national implementation**. Energy and Buildings. 2011 marras;43(11):3279-3288. <https://doi.org/10.1016/j.enbuild.2011.08.033>

Krogerus T, Hyvönen M, Huhtala K. **Analysis of common rail pressure signal of dual-fuel large industrial engine for identification of injection duration of pilot diesel injectors**. Fuel. 2018 maaliskuu;216:1-9. <https://doi.org/10.1016/j.fuel.2017.11.152>

Kreutzer J, Viehrig M, Maki A-J, Kallio P, Rahikainen R, Hytönen V. **Pneumatically actuated elastomeric device for simultaneous mechanobiological studies & live-cell fluorescent microscopy**. julkaisussa International Conference on Manipulation, Automation and Robotics at Small Scales, MARSS 2017 - Proceedings. IEEE. 2017 <https://doi.org/10.1109/MARSS.2017.8001929>

Kreutzer J, Viehrig M, Pölonen RP, Zhao F, Ojala M, Aalto-Setälä K et al. **Pneumatic unidirectional cell stretching device for mechanobiological studies of cardiomyocytes.** BIOMECHANICS AND MODELING IN MECHANOBIOLOGY. 2019 elo 23. <https://doi.org/10.1007/s10237-019-01211-8>

Kravchenko A, Shevchenko A, Ovchinnikov V, Priimagi A, Kaivola M. **Optical interference lithography using azobenzene-functionalized polymers for micro-and nanopatterning of silicon.** Advanced Materials. 2011 syys 22;23(36):4174-4177. <https://doi.org/10.1002/adma.201101888>

Kouhia R, Tüma M, Mäkinen J, Fedoroff A, Marjamäki H. **Implementation of a direct procedure for critical point computations using preconditioned iterative solvers.** Computers & Structures. 2012 loka;108-109:110-117. <https://doi.org/10.1016/j.compstruc.2012.02.009>

Korkiakoski S, Brøndsted P, Sarlin E, Saarela O. **Influence of specimen type and reinforcement on measured tension-tension fatigue life of unidirectional GFRP laminates.** International Journal of Fatigue. 2016 huhti 1;85:114-129. <https://doi.org/10.1016/j.ijfatigue.2015.12.008>

Koivusalo L, Karvinen J, Sorsa E, Jönkkäri I, Väliäho J, Kallio P et al. **Hydrazone crosslinked hyaluronan-based hydrogels for therapeutic delivery of adipose stem cells to treat corneal defects.** Materials Science and Engineering C. 2018 huhti;85:68-78. <https://doi.org/10.1016/j.msec.2017.12.013>

Koivumäki J, Mattila J. **Adaptive and nonlinear control of discharge pressure for variable displacement axial piston pumps.** Journal of Dynamic Systems, Measurement and Control: Transactions of the ASME. 2017 loka 1;139(10). 101008. <https://doi.org/10.1115/1.4036537>

Koivuluoto H, Milanti A, Bolelli G, Latokartano J, Marra F, Pulci G et al. **Structures and properties of laser-assisted cold-sprayed aluminum coatings.** julkaisussa THERMEC 2016. Vuosikerta 879. Trans Tech Publications Ltd. 2017. s. 984-989. (Materials Science Forum). <https://doi.org/10.4028/www.scientific.net/MSF.879.984>

Koivikko A, Sariola V. **Fabrication of soft devices with buried fluid channels by using sacrificial 3D printed molds.** julkaisussa 2019 2nd IEEE International Conference on Soft Robotics (RoboSoft). IEEE. 2019. s. 509-513 <https://doi.org/10.1109/ROBOSOFT.2019.8722741>

Kivioja H, Vinha J. **Hot-box measurements to investigate the internal convection of highly insulated loose-fill insulation roof structures.** Energy and Buildings. 2020 kesä 1;216. 109934. <https://doi.org/10.1016/j.enbuild.2020.109934>

Kivelä T, Mattila J, Puura J, Launis S. **Redundant robotic manipulator path planning for real-time obstacle and self-collision avoidance.** julkaisussa Ferraresi C, Quaglia G, toimittajat, Advances in Service and Industrial Robotics: Proceedings of the 26th International Conference on Robotics in Alpe-Adria-Danube Region, RAAD 2017. Springer International Publishing. 2017. s. 208-216. (Mechanisms and Machine Science). [https://doi.org/10.1007/978-3-319-61276-8\\_24](https://doi.org/10.1007/978-3-319-61276-8_24)

Kezilebieke S, Žitko R, Dvorak M, Ojanen T, Liljeroth P. **Observation of Coexistence of Yu-Shiba-Rusinov States and Spin-Flip Excitations.** Nano Letters. 2019 heinä 10;19(7):4614-4619. <https://doi.org/10.1021/acs.nanolett.9b01583>

Kanerva U, Karhu M, Lagerbom J, Kronlöf A, Honkanen M, Turunen E et al. **Chemical synthesis of WC-Co from water-soluble precursors: The effect of carbon and cobalt additions to WC synthesis.** International Journal of Refractory Metals and Hard Materials. 2016 huhti 1;56:69-75. <https://doi.org/10.1016/j.jrmhm.2015.11.014>

Juoksukangas J, Lehtovaara A, Mäntylä A. **A comparison of relative displacement fields between numerical predictions and experimental results in fretting contact.** Proceedings of the institution of Mechanical Engineers Part J: Journal of Engineering Tribology. 2016 loka 1;230(10):1273-1287. <https://doi.org/10.1177/1350650116633573>

Juoksukangas J, Lehtovaara A, Mäntylä A. **Experimental and numerical investigation of fretting fatigue behavior in bolted joints.** Tribology International. 2016 marras 1;103:440-448. <https://doi.org/10.1016/j.triboint.2016.07.021>

Juoksukangas J, Nurmi V, Hintikka J, Vippola M, Lehtovaara A, Mäntylä A et al. **Characterization of cracks formed in large flat-on-flat fretting contact**. International Journal of Fatigue. 2019 heinä;124:361-370. <https://doi.org/10.1016/j.ijfatigue.2019.03.004>

Juoksukangas J, Hintikka J, Lehtovaara A, Mäntylä A, Vaara J, Frondelius T. **Avoiding the high friction peak in fretting contact**. Rakenteiden Mekaniikka. 2020;53(1):12-19. <https://doi.org/10.23998/rm.76266>

Jowett GM, Norman MDA, Yu TTL, Rosell Arévalo P, Hoogland D, Lust ST et al. **ILC1 drive intestinal epithelial and matrix remodelling**. Nature Materials. 2020. <https://doi.org/10.1038/s41563-020-0783-8>

Javaheri V, Nyyssönen T, Grande B, Porter D. **Computational design of a novel medium-carbon, low-alloy steel microalloyed with niobium**. Journal of Materials Engineering and Performance. 2018 kesä;27(6):2978-2992. <https://doi.org/10.1007/s11665-018-3376-9>

Jaurola M, Hedin A, Tikkanen S, Huhtala K. **TOpti: a flexible framework for optimising energy management for various ship machinery topologies**. Journal of Marine Science and Technology (Japan). 2018. <https://doi.org/10.1007/s00773-018-0617-4>

Jaurola M, Hedin A, Tikkanen S, Huhtala K. **A TOpti simulation for finding fuel saving by optimising propulsion control and power management**. Journal of Marine Science and Technology (Japan). 2019. <https://doi.org/10.1007/s00773-019-00651-2>

Järvinen H, Isakov M, Nyyssönen T, Järvenpää M, Peura P. **The effect of initial microstructure on the final properties of press hardened 22MnB5 steels**. Materials Science and Engineering A: Structural Materials Properties Microstructure and Processing. 2016 loka 31;676:109-120. <https://doi.org/10.1016/j.msea.2016.08.096>

Janka L, Norpoth J, Eicher S, Rodríguez Ripoll M, Vuoristo P. **Improving the toughness of thermally sprayed Cr<sub>3</sub>C<sub>2</sub>-NiCr hardmetal coatings by laser post-treatment**. Materials and Design. 2016 touko 15;98:135-142. <https://doi.org/10.1016/j.matdes.2016.03.007>

Itävuo P, Hulthén E, Vilkkö M. **Feed-hopper level estimation and control in cone crushers**. Minerals Engineering. 2017 elo 15;110:82-95. <https://doi.org/10.1016/j.mineng.2017.04.010>

Itävuo P, Hulthén E, Yahyaei M, Vilkkö M. **Mass balance control of crushing circuits**. Minerals Engineering. 2019 touko;135:37-47. <https://doi.org/10.1016/j.mineng.2019.02.033>

Isotahdon E, Huttunen-Saarivirta E, Heinonen S, Kuokkala VT, Paju M. **Corrosion mechanisms of sintered Nd-Fe-B magnets in the presence of water as vapour, pressurised vapour and liquid**. Journal of Alloys and Compounds. 2015 maaliskuu 25;626:349-359. <https://doi.org/10.1016/j.jallcom.2014.12.048>

Isotahdon E, Huttunen-Saarivirta E, Kuokkala V. **Characterization of the microstructure and corrosion performance of Ce-alloyed Nd-Fe-B magnets**. Journal of Alloys and Compounds. 2017 tammi;692:190-197. <https://doi.org/10.1016/j.jallcom.2016.09.058>

Ihalainen TO, Aires L, Herzog FA, Schwartlander R, Moeller J, Vogel V. **Differential basal-to-apical accessibility of lamin A/C epitopes in the nuclear lamina regulated by changes in cytoskeletal tension**. Nature Materials. 2015 joulu 1;14(12):1252-1261. <https://doi.org/10.1038/nmat4389>

Huttunen-Saarivirta E, Isotahdon E, Metsäjoki J, Salminen T, Ronkainen H, Carpén L. **Behaviour of leaded tin bronze in simulated seawater in the absence and presence of tribological contact with alumina counterbody: Corrosion, wear and tribocorrosion**. Tribology International. 2019;129:257-271. <https://doi.org/10.1016/j.triboint.2018.08.021>

Huttunen-Saarivirta E, Kilpi L, Pasanen AT, Salminen T, Ronkainen H. **Tribocorrosion behaviour of tin bronze CuSn12 under a sliding motion in NaCl containing environment: Contact to inert vs. reactive counterbody.** Tribology International. 2020 marras 1;151. 106389. <https://doi.org/10.1016/j.triboint.2020.106389>

Huova M, Aalto A, Linjama M, Huhtala K, Lantela T, Pietola M. **Digital hydraulic multi-pressure actuator – the concept, simulation study and first experimental results.** International Journal of Fluid Power. 2017;18(3):141-152. <https://doi.org/10.1080/14399776.2017.1302775>

Houaoui A, Lyyra I, Agniel R, Pauthe E, Massera J, Boissière M. **Dissolution, bioactivity and osteogenic properties of composites based on polymer and silicate or borosilicate bioactive glass.** Materials Science and Engineering C. 2019;107. 110340. <https://doi.org/10.1016/j.msec.2019.110340>

Holopainen S. **Käyräviivaiset koordinaatitot kontinuumimekaniikassa.** Rakenteiden Mekaniikka. 2020;53(2):53-66. <https://doi.org/10.23998/rm.83338>

Holmberg K, Kivikytö-Reponen P, Härkisaari P, Valtonen K, Erdemir A. **Global energy consumption due to friction and wear in the mining industry.** Tribology International. 2017 marras 1;115:116-139. <https://doi.org/10.1016/j.triboint.2017.05.010>

Hokka M, Östman K, Rämö J, Kuokkala VT. **High Temperature Tension HSB Device Based on Direct Electrical Heating.** julkaisussa Song B, Casem D, Kimberley J, toimittajat, Dynamic Behavior of Materials, Volume 1: Proceedings of the 2014 Annual Conference on Experimental and Applied Mechanics. Vuosikerta 65. Springer. 2015. s. 227-233. (Conference Proceedings of the Society for Experimental Mechanics Series). [https://doi.org/10.1007/978-3-319-06995-1\\_34](https://doi.org/10.1007/978-3-319-06995-1_34)

Hokka M, Black J, Tkalich D, Fourmeau M, Kane A, Hoang NH et al. **Effects of strain rate and confining pressure on the compressive behavior of Kuru granite.** International Journal of Impact Engineering. 2016 touko 1;91:183-193. <https://doi.org/10.1016/j.ijimpeng.2016.01.010>

Hokka M, Mirow N, Nagel H, Vogt S, Kuokkala V-T. **DIC measurements of the human heart during cardiopulmonary bypass surgery.** julkaisussa Conference Proceedings of the Society for Experimental Mechanics Series. Vuosikerta 6. Springer New York LLC. 2016. s. 51-59 [https://doi.org/10.1007/978-3-319-21455-9\\_6](https://doi.org/10.1007/978-3-319-21455-9_6)

Hintikka J, Lehtovaara A, Mäntylä A. **Fretting-induced friction and wear in large flat-on-flat contact with quenched and tempered steel.** Tribology International. 2015 heinä 2;92:191-202. <https://doi.org/10.1016/j.triboint.2015.06.008>

Hintikka J, Lehtovaara A, Mäntylä A. **Normal displacements in non-Coulomb friction conditions during fretting.** Tribology International. 2016;94:633-639. <https://doi.org/10.1016/j.triboint.2015.10.029>

Hintikka J, Lehtovaara A, Mäntylä A. **Third Particle Ejection Effects on Wear with Quenched and Tempered Steel Fretting Contact.** TRIBOLOGY TRANSACTIONS. 2017;60(1):70-78. <https://doi.org/10.1080/10402004.2016.1146813>

Hintikka J, Mäntylä A, Vaara J, Frondelius T, Lehtovaara A. **Stable and unstable friction in fretting contacts.** Tribology International. 2019 maalisk 1;131:73-82. <https://doi.org/10.1016/j.triboint.2018.10.014>

Hintikka J, Mäntylä A, Vaara J, Frondelius T, Juoksukangas J, Lehtovaara A. **Running-in in fretting, transition from near-stable friction regime to gross sliding.** Tribology International. 2019 marras;143. 106073. <https://doi.org/10.1016/j.triboint.2019.106073>

Hilliaho K, Köliö A, Pakkala T, Lahdensivu J, Vinha J. **Effects of added glazing on Balcony indoor temperatures: Field measurements.** Energy and Buildings. 2016;128:458-472. <https://doi.org/10.1016/j.enbuild.2016.07.025>

Heininen A, Aaltonen J, Koskinen KT. **Simulating the Drag Coefficient of a Spherical Autonomous Underwater Vehicle.** julkaisussa Aaltonen J, Virkkunen R, Koskinen KT, Kuivanen R, toimittajat, Proceedings of the 2nd Annual SMACC Research Seminar 2017. Vuosikerta 2. Tampere: Tampere University of Technology. 2017. s. 53-56. 14

Hartikainen J, Kolari K, Kouhia R. **Development and numerical implementation of an anisotropic continuum damage model for concrete.** julkaisussa Advances in Fracture and Damage Mechanics XV. Trans Tech Publications Ltd. 2016. s. 115-118. (Key Engineering Materials). <https://doi.org/10.4028/www.scientific.net/KEM.713.115>

Hakkarainen TV, Schramm A, Mäkelä J, Laukkanen P, Guina M. **Lithography-free oxide patterns as templates for self-catalyzed growth of highly uniform GaAs nanowires on Si(111).** Nanotechnology. 2015 heinä 18;26(27). 275301. <https://doi.org/10.1088/0957-4484/26/27/275301>

Haiko O, Miettunen I, Porter D, Ojala N, Ratia V, Heino V et al. **Effect of finish rolling and quench stop temperatures on impact-abrasive wear resistance of 0.35 % carbon direct-quenched steel.** Tribologia. 2017;35(1-2):5-21.

Haiko O, Heino V, Porter DA, Uusitalo J, Kömi J. **Effect of microstructure on the abrasive wear resistance of steels with hardness 450 HV.** Tribologia. 2019;36(1):54-57. <https://doi.org/10.30678/FJT.82443>

Haaparanta A-M, Uppstu P, Hannula M, Ellä V, Rosling A, Kellomäki M. **Improved dimensional stability with bioactive glass fibre skeleton in poly(lactide-co-glycolide) porous scaffolds for tissue engineering.** Materials Science and Engineering C: Materials for Biological Applications. 2015 heinä 20;56:457-466. 5584. <https://doi.org/10.1016/j.msec.2015.07.013>

Gusrialdi A, Xu Y, Qu Z, Simaan MA. **Resilient Cooperative Voltage Control for Distribution Network with High Penetration Distributed Energy Resources.** julkaisussa European Control Conference 2020, ECC 2020. IEEE. 2020. s. 1533-1539

Gordon TR, Paik T, Klein DR, Naik GV, Caglayan H, Boltasseva A et al. **Shape-dependent plasmonic response and directed self-assembly in a new semiconductor building block, indium-doped cadmium oxide (ICO).** Nano Letters. 2013 kesä 12;13(6):2857-2863. <https://doi.org/10.1021/nl4012003>

Ghabcheloo R, Siddiqui S. **Complete Odometry Estimation of a Vehicle Using Single Automotive Radar and a Gyroscope.** julkaisussa MED 2018 - 26th Mediterranean Conference on Control and Automation. IEEE. 2018. s. 855-860. 8442474 <https://doi.org/10.1109/MED.2018.8442474>

Gashti EHN, Malaska M, Kujala K. **Analysis of thermo-active pile structures and their performance under groundwater flow conditions.** Energy and Buildings. 2015 elo 11;105:1-8. <https://doi.org/10.1016/j.enbuild.2015.07.026>

Gao Q, Linjama M, Paloniitty M, Zhu Y. **Investigation on positioning control strategy and switching optimization of an equal coded digital valve system.** Proceedings of the Institution of Mechanical Engineers. Part I: Journal of Systems and Control Engineering. 2019. <https://doi.org/10.1177/0959651819884749>

Fedorik F, Malaska M, Hannila R, Haapala A. **Improving the thermal performance of concrete-sandwich envelopes in relation to the moisture behaviour of building structures in boreal conditions.** Energy and Buildings. 2015 marras 15;107:226-233. <https://doi.org/10.1016/j.enbuild.2015.08.020>

Far MF, Mustafa B, Martin F, Rasilo P, Belahcen A. **Flux-Weakening Control for IPMSM Employing Model Order Reduction.** julkaisussa 2018 23rd International Conference on Electrical Machines, ICEM 2018. IEEE. 2018. s. 1510-1516 <https://doi.org/10.1109/ICELMACH.2018.8506693>

Far MF, Mukherjee V, Martin F, Rasilo P, Belahcen A. **Model Order Reduction of Bearingless Reluctance Motor Including Eccentricity.** julkaisussa 2018 23rd International Conference on Electrical Machines, ICEM 2018. IEEE. 2018. s. 2243-2249 <https://doi.org/10.1109/ICELMACH.2018.8506758>

Fafarman AT, Hong SH, Caglayan H, Ye X, Diroll BT, Paik T et al. **Chemically tailored dielectric-to-metal transition for the design of metamaterials from nanoimprinted colloidal nanocrystals**. Nano Letters. 2013 helmi 13;13(2):350-357. <https://doi.org/10.1021/nl303161d>

Evans DM, Holstad TS, Mosberg AB, Småbråten DR, Vullum PE, Dadlani AL et al. **Conductivity control via minimally invasive anti-Frenkel defects in a functional oxide**. Nature Materials. 2020. <https://doi.org/10.1038/s41563-020-0765-x>

Ellman A, Wendrich R, Tiainen T. **Framework and feasibility study for pairwise comparison tool**. julkaisussa Proceedings of the ASME 2016 Computers and Information in Engineering Conference IDETC/CIE 2016. Charlotte, North Carolina: ASME. 2016. DETC2016-59886 <https://doi.org/10.1115/DETC2016-59886>

Doddapaneni TRKC, Praveenkumar R, Tolvanen H, Rintala J, Konttinen J. **Techno-economic evaluation of integrating torrefaction with anaerobic digestion**. Applied Energy. 2018;213:272-284. <https://doi.org/10.1016/j.apenergy.2018.01.045>

Di Vito D, Mosallaei M, Vahed BK, Kanerva M, Mäntysalo M. **Deformability analysis and improvement in stretchable electronics systems through finite element analysis**. julkaisussa Carcaterra A, Graziani G, Paolone A, toimittajat, Proceedings of XXIV AIMETA Conference 2019. Springer. 2020. s. 755-763. (Lecture Notes in Mechanical Engineering). [https://doi.org/10.1007/978-3-030-41057-5\\_61](https://doi.org/10.1007/978-3-030-41057-5_61)

Debnath SC, Das A, Basu D, Heinrich G. **Naturally occurring amino acids: A suitable substitute of N-N-di-phenyl guanidine (DPG) in silica tyre formulation?** KGK: KAUTSCHUK GUMMI KUNSTSTOFFE. 2013 tammi;66(1-2):25-31.

Czaplicki R, Mäkitalo J, Siikanen R, Husu H, Lehtolahti J, Kuittinen M et al. **Second-Harmonic Generation from Metal Nanoparticles: Resonance Enhancement versus Particle Geometry**. Nano Letters. 2015 tammi 14;15(1):530-534. <https://doi.org/10.1021/nl503901e>

Czaplicki R, Kiviniemi A, Huttunen MJ, Zang X, Stolt T, Vartiainen I et al. **Less Is More: Enhancement of Second-Harmonic Generation from Metasurfaces by Reduced Nanoparticle Density**. Nano Letters. 2018 joulu 12;18(12):7709-7714. <https://doi.org/10.1021/acs.nanolett.8b03378>

Colace L, Santoni F, Assanto G. **A near-infrared optoelectronic approach to detection of road conditions**. Optics and Lasers in Engineering. 2013 touko;51(5):633-636. <https://doi.org/10.1016/j.optlaseng.2013.01.003>

Cochrane C, Mordon SR, Lesage JC, Koncar V. **New design of textile light diffusers for photodynamic therapy**. Materials Science and Engineering C: Materials for Biological Applications. 2013 huhti 1;33(3):1170-1175. <https://doi.org/10.1016/j.msec.2012.12.007>

Coatanéa E, Ritola T, Tumer IY, Jensen D. **A framework for building behavioral models for design-stage failure identification using dimensional analysis**. julkaisussa Proceedings of the ASME Design Engineering Technical Conference. Vuosikerta 5. AMER SOC MECHANICAL ENGINEERS. 2010. s. 591-601 <https://doi.org/10.1115/DETC2010-28864>

Coatanéa E, Yannou B, Honkala S, Lajunen A, Saarelainen T, Makkonen P. **Measurement theory and dimensional analysis: Methodological impact on the comparison and evaluation process**. julkaisussa 19th International Conference on Design Theory and Methodology and 1st International Conference on Micro and Nano Systems, presented at - 2007 ASME International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, IDETC/CIE2007. AMER SOC MECHANICAL ENGINEERS. 2008. s. 173-182 <https://doi.org/10.1115/DETC2007-34364>

Coatanéa E, Nonsiri S, Christophe F, Mokammel F. **Graph based representation and analyses for conceptual stages**. julkaisussa 34th Computers and Information in Engineering Conference. Vuosikerta 1A. The American Society of Mechanical Engineers ASME. 2014 <https://doi.org/10.1115/DETC201435652>

Coatanéa E, Wu D, Tsarkov V, Gary Wang G, Modi S, Jafarian H. **Knowledge-based artificial neural network (KB-ANN) in engineering: Associating functional architecture modeling, dimensional analysis and causal graphs to produce optimized topologies for KB-ANNs**. julkaisussa 38th Computers and Information in Engineering Conference. Vuosikerta 1B-2018.

The American Society of Mechanical Engineers ASME. 2018 <https://doi.org/10.1115/DETC201885895>

Claude S, Ginestet S, Bonhomme M, Escadeillas G, Taylor J, Marincioni V et al. **Evaluating retrofit options in a historical city center: Relevance of bio-based insulation and the need to consider complex urban form in decision-making.** Energy and Buildings. 2019 tammi 1;182:196-204. <https://doi.org/10.1016/j.enbuild.2018.10.026>

Chronopoulos A, Thorpe SD, Cortes E, Lachowski D, Rice AJ, Mykuliak VV et al. **Syndecan-4 tunes cell mechanics by activating the kindlin-integrin-RhoA pathway.** Nature Materials. 2020. <https://doi.org/10.1038/s41563-019-0567-1>

Christophe F, Ritola T, Coatanéa E, Bernard A. **Semantic analysis of function-solution duality.** julkaisussa ASME 2011 International Mechanical Engineering Congress and Exposition, IMECE 2011. Vuosikerta 3. 2011. s. 611-619 <https://doi.org/10.1115/IMECE2011-63546>

Cheng YC, Lu HC, Lee X, Zeng H, Priimagi A. **Kirigami-Based Light-Induced Shape-Morphing and Locomotion.** Advanced Materials. 2019. 1906233. <https://doi.org/10.1002/adma.201906233>

Chang B, Routa I, Sariola V, Zhou Q. **Self-alignment of RFID dies on four-pad patterns with water droplet for sparse self-assembly.** Journal of Micromechanics and Microengineering. 2011 syys;21(9). 095024. <https://doi.org/10.1088/0960-1317/21/9/095024>

Chang B, Sariola V, Jääskeläinen M, Zhou Q. **Self-alignment in the stacking of microchips with mist-induced water droplets.** Journal of Micromechanics and Microengineering. 2011 tammi;21(1). 015016. <https://doi.org/10.1088/0960-1317/21/1/015016>

Carfora D, Di Gironimo G, Järvenpää J, Huhtala K, Määttä T, Siuko M. **Divertor remote handling for DEMO: Concept design and preliminary FMECA studies.** Fusion Engineering and Design. 2015 heinä 9;98-99:1437-1441. <https://doi.org/10.1016/j.fusengdes.2015.06.056>

Carfora D, Gironimo GD, Esposito G, Huhtala K, Määttä T, Mäkinen H et al. **Multicriteria selection in concept design of a divertor remote maintenance port in the EU DEMO reactor using an AHP participative approach.** Fusion Engineering and Design. 2016 marras 15;112:324-331. <https://doi.org/10.1016/j.fusengdes.2016.08.023>

Caraffi C, Vojir T, Trefný J, Šochman J, Matas J. **A system for real-time detection and tracking of vehicles from a single car-mounted camera.** julkaisussa 2012 15th International IEEE Conference on Intelligent Transportation Systems, ITSC 2012. 2012. s. 975-982. 6338748 <https://doi.org/10.1109/ITSC.2012.6338748>

Cao X, Aref MM, Mattila J. **Design and Control of a Flexible Joint as a Hydraulic Series Elastic Actuator for Manipulation Applications.** julkaisussa Proceedings of the IEEE 2019 9th International Conference on Cybernetics and Intelligent Systems and Robotics, Automation and Mechatronics, CIS and RAM 2019. IEEE. 2019. s. 553-558. 9095773. (IEEE International Conference on Cybernetics and Intelligent Systems). <https://doi.org/10.1109/CIS-RAM47153.2019.9095773>

Bourhis K, Massera J, Petit L, Koponen J, Fargues A, Cardinal T et al. **Erbium-doped borosilicate glasses containing various amounts of P2O5 and Al2O3: Influence of the silica content on the structure and thermal, physical, optical and luminescence properties.** Materials Research Bulletin. 2015 loka 1;70:47-54. <https://doi.org/10.1016/j.materresbull.2015.04.017>

Borah D, Rasappa S, Senthamaraiannan R, Holmes JD, Morris MA. **Graphoepitaxial Directed Self-Assembly of Polystyrene-Block-Polydimethylsiloxane Block Copolymer on Substrates Functionalized with Hexamethyldisilazane to Fabricate Nanoscale Silicon Patterns.** Advanced Materials Interfaces. 2014 kesä 1;1(3). 1300102. <https://doi.org/10.1002/admi.201300102>

Borah D, Rasappa S, Kosmala B, Holmes JD, Morris MA. **Block copolymer self-assembly on ethylene glycol (EG) self-assembled monolayer (SAM) for nanofabrication.** julkaisussa Nanoscale Materials Modification by Photon, Ion, and Electron Beams. Vuosikerta 1450. 2012. s. 8-13 <https://doi.org/10.1557/opl.2012.1224>



Bolelli G, Milanti A, Lusvarghi L, Trombi L, Koivuluoto H, Vuoristo P. **Wear and impact behaviour of High Velocity Air-Fuel sprayed Fe-Cr-Ni-B-C alloy coatings.** Tribology International. 2016;95:372-390. <https://doi.org/10.1016/j.triboint.2015.11.036>

Boardman AD, Alberucci A, Assanto G, Grimalsky VV, Kibler B, McNiff J et al. **Waves in hyperbolic and double negative metamaterials including rogues and solitons.** Nanotechnology. 2017 loka 9;28(44). 444001. <https://doi.org/10.1088/1361-6528/aa6792>

Björling M, Miettinen J, Marklund P, Lehtovaara A, Larsson R. **The correlation between gear contact friction and ball on disc friction measurements.** Tribology International. 2015;83:114-119. <https://doi.org/10.1016/j.triboint.2014.11.007>

Belardini A, Leahu G, Petronijevic E, Hakkarainen T, Koivusalo E, Piton MR et al. **Circular dichroism in the second harmonic field evidenced by asymmetric Au coated GaAs nanowires.** Micromachines. 2020 helmi 1;11(2):1-8. <https://doi.org/10.3390/mi11020225>

Bautista G, Mäkitalo J, Chen Y, Dhaka V, Grasso M, Karvonen L et al. **Second-harmonic generation imaging of semiconductor nanowires with focused vector beams.** Nano Letters. 2015 helmi 6;15(3):1564-1569. <https://doi.org/10.1021/nl503984b>

Barreca D, Carraro G, Gasparotto A, Maccato C, Warwick MEA, Kaunisto K et al. **Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> Nano-heterostructure Photoanodes for Highly Efficient Solar Water Oxidation.** Advanced Materials Interfaces. 2015;2(17). <https://doi.org/10.1002/admi.201500313>

Barreca D, Carraro G, Gasparotto A, Maccato C, Altantzis T, Sada C et al. **Vapor Phase Fabrication of Nanoheterostructures Based on ZnO for Photoelectrochemical Water Splitting.** Advanced Materials Interfaces. 2017;4(18). 1700161. <https://doi.org/10.1002/admi.201700161>

Banichuk N, Ivanova S, Jeronen J. **Moving Web and Dynamic Problem of Aerothermoelastic Vibrations and Instability.** julkaisussa Indeitsev DA, Krivtsov AM, toimittajat, Advanced Problems in Mechanics: Proceedings of the 47th International Summer School-Conference on Advanced Problems in Mechanics, APM 2019. Springer. 2020. s. 66-71. (Lecture Notes in Mechanical Engineering). [https://doi.org/10.1007/978-3-030-49882-5\\_7](https://doi.org/10.1007/978-3-030-49882-5_7)

Backas J, Ghabcheloo R. **Nonlinear model predictive energy management of hydrostatic drive transmissions.** Proceedings of the Institution of Mechanical Engineers. Part I: Journal of Systems and Control Engineering. 2019 maaliskuu 1;233(3):335-347. <https://doi.org/10.1177/0959651818793454>

Antin KN, Pärnänen T. **Democratizing composites manufacturing -inexpensive tooling empowers new players.** SAMPE Journal. 2017 heinäkuu 1;53(4):6-10.

Andersson P, Kilpi L, Holmberg K, Vaajoki A, Oksanen V. **Static friction measurements on steel against uncoated and coated cast iron.** Tribologia. 2016 tammi 1;34(1-2):5-40.

Alatalo M, Pitkänen H, Ropo M, Kokko K, Vitos L. **Modeling of steels and steel surfaces using quantum mechanical first principles methods.** julkaisussa Physical and Numerical Simulation of Materials Processing VII. Vuosikerta 762. 2013. s. 445-450. (Materials Science Forum). <https://doi.org/10.4028/www.scientific.net/MSF.762.445>

Alanen J, Ruiz Morales E, Muhammad A, Saarinen H, Minkkinen J. **Remote diagnostics application software for remote handling equipment.** Fusion Engineering and Design. 2019. <https://doi.org/10.1016/j.fusengdes.2019.01.125>

Ahonen T, Hanski J, Hyvärinen M, Kortelainen H, Uusitalo T, Vainio H et al. **Enablers and barriers of smart data-based asset management services in industrial business networks.** julkaisussa Lecture Notes in Mechanical Engineering. Pleiades Publishing. 2019. s. 51-60. (Lecture Notes in Mechanical Engineering). [https://doi.org/10.1007/978-3-319-95711-1\\_6](https://doi.org/10.1007/978-3-319-95711-1_6)

Ahmed R, Priimagi A, Faul CFJ, Manners I. **Redox-active, organometallic surface-relief gratings from azobenzene-containing polyferrocenylsilane block copolymers.** *Advanced Materials*. 2012 helmi 14;24(7):926-931.  
<https://doi.org/10.1002/adma.201103793>