

- Aalto, T., Harjanne, M., Offrein, B. J., Caër, C., Neumeyr, C., Malacarne, A., ... Melanen, P. (2016). Integrating III-V, Si, and polymer waveguides for optical interconnects: RAPIDO. teoksessa *Optical Interconnects XVI* [97530D] (Proceedings of SPIE; Vuosikerta 9753). SPIE. <https://doi.org/10.1117/12.2214786>
- Abdallah, Z., Stefszky, M., Ulvila, V., Silberhorn, C., & Vainio, M. (2019). Frequency Comb Generation in a Continuous-Wave Pumped Second-Order Nonlinear Waveguide Resonator. teoksessa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings* IEEE. <https://doi.org/10.23919/CLEO.2019.8750403>
- Acar, E., Peltonen, S., & Ruotsalainen, U. (2016). Adaptive multiresolution method for MAP reconstruction in electron tomography. *Ultramicroscopy*, *170*, 24-34. <https://doi.org/10.1016/j.ultramic.2016.08.002>
- Achimova, E., Abaskin, V., Cazac, V., Meshalkin, A., Pedrini, G., Claus, D., ... Katkovnik, V. (2018). Surface topography studied by off-axis digital holography. teoksessa *Novel Optical Materials and Applications, NOMA 2018* (Vuosikerta Part F107-NOMA 2018). OSA - The Optical Society. <https://doi.org/10.1364/NOMA.2018.NoW1J.7>
- Ahmed, U., Harju, J., Poutala, J., Ruuskanen, P., Rasilo, P., & Kouhia, R. (2017). *Finite element method incorporating coupled magneto-elastic model for magneto-mechanical energy harvester*. Julkaisun esittämispäikka: Compumag 2017, Daejeon, Pohjois-Korea.
- Aho, A., Polojärvi, V., Korpjärvi, V. M., Salmi, J., Tukiainen, A., Laukkanen, P., & Guina, M. (2014). Composition dependent growth dynamics in molecular beam epitaxy of GaInNAs solar cells. *Solar Energy Materials and Solar Cells*, *124*, 150-158. <https://doi.org/10.1016/j.solmat.2014.01.044>
- Aho, A., Isoaho, R., Tukiainen, A., Gori, G., Campesato, R., & Guina, M. (2018). Dilute nitride triple junction solar cells for space applications: Progress towards highest AM0 efficiency. *Progress in Photovoltaics: Research and Applications*, *26* (19), 740-744. <https://doi.org/10.1002/pip.3011>
- Aho, T., Tukiainen, A., Elsehrawy, F., Ranta, S., Raappana, M., Aho, A., ... Guina, M. (2019). Back Reflector with Diffractive Gratings for Light-Trapping in Thin-Film III-V Solar Cells. teoksessa *2019 European Space Power Conference (ESPC)* IEEE. <https://doi.org/10.1109/ESPC47532.2019.9049262>
- Aho, A. T., Viheriälä, J., Koskinen, M., Uusitalo, T., Reuna, J., & Guina, M. (2020). High-Power 1.5  $\mu\text{m}$  Tapered Distributed Bragg Reflector Laser Diodes for Eye-Safe LIDAR. *IEEE Photonics Technology Letters*, *32*(19), 1249-1252. <https://doi.org/10.1109/LPT.2020.3019845>
- Aihara, Y., Kinoshita, M., Wang, J., Mamiya, J. I., Priimagi, A., & Shishido, A. (2013). Polymer stabilization enhances the orientational optical nonlinearity of oligothiophene-doped nematic liquid crystals. *Advanced Optical Materials*, *1*(11), 787-791. <https://doi.org/10.1002/adom.201300326>
- Akbari, M., Virkki, J., Sydänheimo, L., & Ukkonen, L. (2016). Toward Graphene-Based Passive UHF RFID Textile Tags: A Reliability Study. *IEEE Transactions on Device and Materials Reliability*, *16*(3), 429-431. <https://doi.org/10.1109/TDMR.2016.2582261>
- Akhmediev, N., Kibler, B., Baronio, F., Belić, M., Zhong, W. P., Zhang, Y., ... Taki, M. (2016). Roadmap on optical rogue waves and extreme events. *Journal of Optics*, *18*(6), [063001]. <https://doi.org/10.1088/2040-8978/18/6/063001>
- Alberucci, A., Piccardi, A., Kravets, N., Buchnev, O., & Assanto, G. (2015). Soliton enhancement of spontaneous symmetry breaking. *Optica*, *2*(9), 783-789. <https://doi.org/10.1364/OPTICA.2.000783>
- Alekseev, A., Ihalainen, P., Ivanov, A., Domnin, I., Klechkovskaya, V., Orekhov, A., ... Vyaz'min, S. (2016). The red, purple and blue modifications of polymeric unsymmetrical hydroxyalkadiynyl-N-arylcarbamate derivatives in Langmuir-Schaefer films. *Thin Solid Films*, *612*, 463-471. <https://doi.org/10.1016/j.tsf.2016.06.044>

- Alekseev, A., Ihalainen, P., Ivanov, A., Domnin, I., Rosqvist, E., Lemmetyinen, H., ... Vyaz'min, S. (2018). Stable blue phase polymeric Langmuir-Schaefer films based on unsymmetrical hydroxyalkadiynyl N-arylcarbamate derivatives. *Thin Solid Films*, 645, 108-118. <https://doi.org/10.1016/j.tsf.2017.10.018>
- Ali-Löytty, H., Louie, M. W., Singh, M. R., Li, L., Sanchez Casalongue, H. G., Ogasawara, H., ... Friebe, D. (2016). Ambient-Pressure XPS Study of a Ni-Fe Electrocatalyst for the Oxygen Evolution Reaction. *Journal of Physical Chemistry C*, 120(4), 2247-2253. <https://doi.org/10.1021/acs.jpcc.5b10931>
- Ärrälä, M., Hafiz, H., Mou, D., Wu, Y., Jiang, R., Riedemann, T., ... Lindroos, M. (2016). Laser angle-resolved photoemission as a probe of initial state  $k_z$  dispersion, final-state band gaps, and spin texture of Dirac states in the Bi<sub>2</sub>Te<sub>3</sub> topological insulator. *Physical Review B*, 94(15), [155144]. <https://doi.org/10.1103/PhysRevB.94.155144>
- Aryal, U., Ojha, N., Trautvetter, T., Lastusaari, M., Ueda, J., Mueller, R., ... Petit, L. (2019). Persistent luminescent glasses prepared using the direct doping method. teoksessa *21st International Conference on Transparent Optical Networks, ICTON 2019* (International Conference on Transparent Optical Networks). IEEE. <https://doi.org/10.1109/ICTON.2019.8840287>
- Assanto, G., Piccardi, A., Barboza, R., & Alberucci, A. (2012). Electro-optic steering of nematicons. *Photonics Letters of Poland*, 4(1), 2-4. <https://doi.org/10.4302/plp.2012.1.02>
- Assanto, G., Piccardi, A., Alberucci, A., Residori, S., & Bertolozzo, U. (2009). Liquid crystal light valves: A versatile platform for nematicons. *Photonics Letters of Poland*, 1(4), 151-153. <https://doi.org/10.4302/plp.2009.4.03>
- Assanto, G. (2016). Nonlinear optics applications: In memory of George I. Stegeman. *Photonics Letters of Poland*, 8(1), 1. <https://doi.org/10.4302/plp.2016.1.01>
- Assanto, G., & Smyth, N. F. (2016). Nonlinear guided waves: Preface. *Journal of Nonlinear Optical Physics and Materials*, 25(4), [1650041]. <https://doi.org/10.1142/S0218863516500417>
- Assanto, G., Smyth, N. F., & Xia, W. (2012). Refraction of nonlinear light beams in nematic liquid crystals. *Journal of Nonlinear Optical Physics and Materials*, 21(3), [1250033]. <https://doi.org/10.1142/S0218863512500336>
- Assanto, G., Perumbilavil, S., Piccardi, A., & Kauranen, M. (2018). Electro-optic steering of random laser emission in liquid crystals. *Photonics Letters of Poland*, 10(4), 103-105. <https://doi.org/10.4302/plp.v10i4.852>
- Auer, S., Koho, T., Uusi-Kerttula, H., Vesikari, T., Blazevic, V., & Hytönen, V. P. (2015). Rapid and sensitive detection of norovirus antibodies in human serum with a biolayer interferometry biosensor. *Sensors and Actuators B: Chemical*, 221, 507-514. <https://doi.org/10.1016/j.snb.2015.06.088>
- Baek, J., Umeyama, T., Stranius, K., Yamada, H., Tkachenko, N. V., & Imahori, H. (2017). Long-Range Observation of Exciplex Formation and Decay Mediated by One-Dimensional Bridges. *Journal of Physical Chemistry C*, 121(25), 13952-13961. <https://doi.org/10.1021/acs.jpcc.7b04483>
- Baek, J., Umeyama, T., Mizuno, S., Tkachenko, N. V., & Imahori, H. (2017). Photophysical properties of porphyrin dimer-single-walled carbon nanotube linked systems. *Journal of Physical Chemistry C*, 121(39). <https://doi.org/10.1021/acs.jpcc.7b08594>
- Bajas, H., Ambrosio, G., Anerella, M., Bajko, M., Bossert, R., Bottura, L., ... Yu, M. (2015). Test results of the LARP HQ02b magnet at 1.9 K. *IEEE Transactions on Applied Superconductivity*, 25(3), [4003306]. <https://doi.org/10.1109/TASC.2014.2378375>
- Bajas, H., Ambrosio, G., Anerella, M., Bajko, M., Bossert, R., Caspi, S., ... Yu, M. (2013). Cold test results of the LARP HQ Nb<sub>3</sub>Sn quadrupole magnet at 1.9 K. *IEEE Transactions on Applied Superconductivity*, 23(3), [4002606]. <https://doi.org/10.1109/TASC.2013.2245281>

Bansod, N. D., Kapgade, B. P., Das, C., Das, A., Basu, D., & Debnath, S. C. (2016). Compatibilization of natural rubber/nitrile rubber blends by sol-gel nano-silica generated by in situ method. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*, *80*(2), 548–559. <https://doi.org/10.1007/s10971-016-4114-0>

Barberi, J., Nommeots-Nomm, A., Fiume, E., Verné, E., Massera, J., & Bains, F. (2019). Mechanical characterization of pore-graded bioactive glass scaffolds produced by robocasting. *Biomedical Glasses*, *5*(1), 140-147. <https://doi.org/10.1515/bglass-2019-0012>

Baron, A., Faggiani, R., Zang, X., Lalouat, L., Schulz, S. A., Vynck, K., ... Lalanne, P. (2015). Localization of light at vanishingly small disorder-levels with heavy photons. teoksessa *2015 Conference on Lasers and Electro-Optics, CLEO 2015* (Vuosikerta 2015-August). [7183319] Optical Society of America OSA. [https://doi.org/10.1364/CLEO\\_QELS.2015.FW1C.4](https://doi.org/10.1364/CLEO_QELS.2015.FW1C.4)

Battisti, F., Carli, M., Stramacci, A., Boev, A., & Gotchev, A. (2015). A perceptual quality metric for high-definition stereoscopic 3D video. teoksessa *Image Processing: Algorithms and Systems XIII* [939916] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2086901>

Beck, S., Kim, S. T., Lim, K., Tentzeris, M. M., & Laskar, J. (2011). A multi-band WCDMA SAW-less receivers with frequency selective feedback loop. teoksessa *54th IEEE International Midwest Symposium on Circuits and Systems, MWSCAS 2011* [6026387] <https://doi.org/10.1109/MWSCAS.2011.6026387>

Beck, S., Jeong, S., Min, S., Hwang, M. W., Kim, S. T., Lim, K., & Tentzeris, E. M. (2011). A 0.5-6MHz Active-RC LPF with Fine Gain Steps Using Binary Interpolated Resistor Banks. *IEICE TRANSACTIONS ON ELECTRONICS*, *E94-C*(8), 1328-1331. <https://doi.org/10.1587/transele.E94.C.1328>

Beck, S., Kim, S. T., Lee, M., Lim, K., Laskar, J., & Tentzeris, M. M. (2011). A new power-consumption optimization technique for two-stage operational amplifiers. *IEICE TRANSACTIONS ON ELECTRONICS*, *E94-C*(6), 1138-1140. <https://doi.org/10.1587/transele.E94.C.1138>

Belahcen, A., Singh, D., Rasilo, P., Martin, F., Ghalamestani, S. G., & Vandeveld, L. (2015). Anisotropic and strain-dependent model of magnetostriction in electrical steel sheets. *IEEE Transactions on Magnetics*, *51*(3), [2001204]. <https://doi.org/10.1109/TMAG.2014.2361681>

Belahcen, A., Rasilo, P., & Arkkio, A. (2014). Segregation of iron losses from rotational field measurements and application to electrical machine. *IEEE Transactions on Magnetics*, *50*(2), [7022104]. <https://doi.org/10.1109/TMAG.2013.2284606>

Berger, P. R., Li, M., Mattei, R. M., Niang, M. A., Talisa, N., Tripepi, M., ... Lupo, D. (2019). Advancements in Solution Processable Devices using Metal Oxides For Printed Internet-of-Things Objects. teoksessa *2019 Electron Devices Technology and Manufacturing Conference, EDTM 2019* (Sivut 160-162). IEEE. <https://doi.org/10.1109/EDTM.2019.8731322>

Bhagavatheswaran, E. S., Parsekar, M., Das, A., Le, H. H., Wiessner, S., Stöckelhuber, K. W., ... Heinrich, G. (2015). Construction of an Interconnected Nanostructured Carbon Black Network: Development of Highly Stretchable and Robust Elastomeric Conductors. *Journal of Physical Chemistry C*, *119*(37), 21723-21731. <https://doi.org/10.1021/acs.jpcc.5b06629>

Bhalerao, S. R., Lupo, D., Zangiabadi, A., Kymissis, I., Leppäniemi, J., Alastalo, A., & Berger, P. R. (2019). 0.6V threshold voltage thin film transistors with solution processable indium oxide (In<sub>2</sub>O<sub>3</sub>) Channel and Anodized High-κ Al<sub>2</sub>O<sub>3</sub> Dielectric. *IEEE Electron Device Letters*, *40*(7), 1112-1115. <https://doi.org/10.1109/LED.2019.2918492>

Bhalerao, S. R., Lupo, D., & Berger, P. R. (2019). 2-volt Solution-Processed, Indium Oxide (In<sub>2</sub>O<sub>3</sub>) Thin Film Transistors on flexible Kapton. teoksessa *2019 IEEE International Flexible Electronics Technology Conference, IFETC 2019* IEEE. <https://doi.org/10.1109/IFETC46817.2019.9073721>

- Bhavitha, K. B., Nair, A. K., Perumbilavil, S., Joseph, S., Kala, M. S., Saha, A., ... Kalarikkal, N. (2017). Investigating solvent effects on aggregation behaviour, linear and nonlinear optical properties of silver nanoclusters. *Optical Materials*, 73, 695-705. <https://doi.org/10.1016/j.optmat.2017.09.024>
- Bitarafan, M. H., Suomala, S., & Toivonen, J. (2020). Sub-microwatt direct laser writing of fluorescent gold nanoclusters in polymer films. *Optical Materials Express*, 10(1), 138-148. <https://doi.org/10.1364/OME.381901>
- Blanc, W., Vermillac, M., Petit, L., Lukowiak, A., Lu, Z., Mady, F., ... Ferrari, M. (2019). Nanoparticles in optical waveguides: A toolbox to promote lasers, amplifiers and sensors. teoksessa *21st International Conference on Transparent Optical Networks, ICTON 2019* (International Conference on Transparent Optical Networks). IEEE. <https://doi.org/10.1109/ICTON.2019.8840208>
- Blokhin, S. A., Bobrov, M. A., Blokhin, A. A., Kuzmenkov, A. G., Vasil'Ev, A. P., Maleev, N. A., ... Ustinov, V. M. (2016). *1.3 μm InAs quantum dot semiconductor disk laser*. R317. Julkaisun esittämispaikka: 2016 International Conference Laser Optics, LO 2016, St. Petersburg, Venäjä. <https://doi.org/10.1109/LO.2016.7549727>
- Borah, D., Rasappa, S., Salaun, M., Zellsman, M., Lorret, O., Lontos, G., ... Morris, M. A. (2015). Soft graphoepitaxy for large area directed self-assembly of polystyrene-block-poly(dimethylsiloxane) block copolymer on nanopatterned poss substrates fabricated by nanoimprint lithography. *Advanced Functional Materials*, 25(22), 3425-3432. <https://doi.org/10.1002/adfm.201500100>
- Borah, D., Rasappa, S., Senthamaraiannan, R., Shaw, M. T., Holmes, J. D., & Morris, M. A. (2013). The sensitivity of random polymer brush-lamellar polystyrene-b-polymethylmethacrylate block copolymer systems to process conditions. *Journal of Colloid and Interface Science*, 393(1), 192-202. <https://doi.org/10.1016/j.jcis.2012.10.070>
- Borah, D., Shaw, M. T., Rasappa, S., Farrell, R. A., O'Mahony, C., Faulkner, C. M., ... Morris, M. A. (2011). Plasma etch technologies for the development of ultra-small feature size transistor devices. *Journal of Physics D: Applied Physics*, 44(17), [174012]. <https://doi.org/10.1088/0022-3727/44/17/174012>
- Borges, L. R., Bakic, P. R., Foi, A., Maidment, A. D. A., & Vieira, M. A. C. (2017). Pipeline for effective denoising of digital mammography and digital breast tomosynthesis. teoksessa *Medical Imaging 2017: Physics of Medical Imaging* [1013206] (Progress in biomedical optics and imaging). SPIE. <https://doi.org/10.1117/12.2255058>
- Bottura, L., Bonasia, A., Borgnolutti, F., Gaertner, W., Le Naour, S., Oberli, L., ... Willering, G. (2011). Strand and cable R&D for fast cycled magnets at CERN. *IEEE Transactions on Applied Superconductivity*, 21(3 PART 2), 2354-2358. <https://doi.org/10.1109/TASC.2011.2105236>
- Bourhis, K., Boetti, N. G., Koponen, J., Milanese, D., & Petit, L. (2014). Influence of the P2O5/Al2O3 co-doping on the local environment of erbium ions and on the 1.5 μm quantum efficiency of Er3+-borosilicate glasses. *Optical Materials*, 36(5), 926-931. <https://doi.org/10.1016/j.optmat.2013.12.035>
- Brandt, F., Hiekkamäki, M., Bouchard, F., Huber, M., & Fickler, R. (2020). High-dimensional quantum gates using full-field spatial modes of photons. *Optica*, 7(2), 98-107. <https://doi.org/10.1364/OPTICA.375875>
- Bulu, I., Caglayan, H., & Ozbay, E. (2006). Designing materials with desired electromagnetic properties. *Microwave and Optical Technology Letters*, 48(12), 2611-2615. <https://doi.org/10.1002/mop.21988>
- Bulu, I., Caglayan, H., & Ozbay, E. (2003). Radiation properties of sources inside photonic crystals. *Physical Review B - Condensed Matter and Materials Physics*, 67(20). <https://doi.org/10.1103/PhysRevB.67.205103>
- Busacca, A. C., Stivala, S., Curcio, L., & Assanto, G. (2012). Parametric conversion in micrometer and submicrometer structured ferroelectric crystals by surface poling. *International Journal of Optics*, 2012, [606892]. <https://doi.org/10.1155/2012/606892>

Caglayan, H., & Özbay, E. (2010). Observation of cavity structures in composite metamaterials. *Journal of Nanophotonics*, 4(1), [041790]. <https://doi.org/10.1117/1.3475763>

Caglayan, H., & Ozbay, E. (2009). The magical world of metamaterials. teoksessa *Photonic Materials, Devices, and Applications III* (Vuosikerta 7366). [73660X] (Proceedings of SPIE; Vuosikerta 7366). <https://doi.org/10.1117/12.821407>

Caglayan, H., Bulu, I., & Ozbay, E. (2009). Observation of off-axis directional beaming via subwavelength asymmetric metallic gratings. *Journal of Physics D: Applied Physics*, 42(4), [045105]. <https://doi.org/10.1088/0022-3727/42/4/045105>

Caglayan, H., Bulu, I., Loncar, M., & Ozbay, E. (2008). Cavity formation in split ring resonators. *Photonics and Nanostructures - Fundamentals and Applications*, 6(3-4), 200-204. <https://doi.org/10.1016/j.photonics.2008.09.001>

Cakmakyapan, S., Caglayan, H., Serebryannikov, A., & Ozbay, E. (2011). Directional selectivity through the subwavelength slit in metallic gratings. teoksessa *2011 Conference on Lasers and Electro-Optics: Laser Science to Photonic Applications, CLEO 2011* [5951099]

Cappelluti, F., Kim, D., van Eerden, M., Cédola, A. P., Aho, T., Bissels, G., ... Guina, M. (2018). Light-trapping enhanced thin-film III-V quantum dot solar cells fabricated by epitaxial lift-off. *Solar Energy Materials and Solar Cells*, 181, 83-92. <https://doi.org/10.1016/j.solmat.2017.12.014>

Casula, R., Penttinen, J-P., Guina, M., Kemp, A. J., & Hastie, J. E. (2018). Cascaded crystalline raman lasers for extended wavelength coverage: Continuous-wave, third-stokes operation. *Optica*, 5(11), 1406-1413. <https://doi.org/10.1364/OPTICA.5.001406>

Casula, R., Penttinen, J. P., Guina, M., Kemp, A. J., & Hastie, J. E. (2017). Continuous-wave, cascaded raman laser at 1.3, 1.5, and 1.7  $\mu\text{m}$ . teoksessa *The European Conference on Lasers and Electro-Optics, CLEO\_Europe 2017* (Optics InfoBase Conference Papers; Vuosikerta Part F82-CLEO\_Europe 2017). OSA - The Optical Society.

Cemlyn, B., Adams, M., Harbord, E., Li, N., Henning, I. D., Oulton, R., ... Guina, M. (2018). Near-threshold high spin amplification in a 1300 nm GaInNAs spin laser. *Semiconductor Science and Technology*, 33(9), [094005]. <https://doi.org/10.1088/1361-6641/aad42e>

Chang, B., Routa, I., Sariola, V., & Zhou, Q. (2011). Self-alignment of RFID dies on four-pad patterns with water droplet for sparse self-assembly. *Journal of Micromechanics and Microengineering*, 21(9), [095024]. <https://doi.org/10.1088/0960-1317/21/9/095024>

Chang, B., Sariola, V., Jääskeläinen, M., & Zhou, Q. (2011). Self-alignment in the stacking of microchips with mist-induced water droplets. *Journal of Micromechanics and Microengineering*, 21(1), [015016]. <https://doi.org/10.1088/0960-1317/21/1/015016>

Chen, X., He, H., Chen, L., Raunonen, P., Ukkonen, L., & Virkki, J. (2017). Two-part stretchable passive UHF RFID textile tags. teoksessa *2017 Progress in Electromagnetics Research Symposium - Spring, PIERS 2017* (Sivut 3318-3321). Electromagnetics Academy. <https://doi.org/10.1109/PIERS.2017.8262329>

Chen, X., He, H., Ukkonen, L., Virkki, J., Lu, Y., & Lam, H. (2018). Fabrication and reliability evaluation of passive UHF RFID T-shirts. teoksessa *2018 IEEE International Workshop on Antenna Technology, iWAT2018 - Proceedings* (Sivut 1-4). IEEE. <https://doi.org/10.1109/IWAT.2018.8379146>

Chen, X., He, H., Khan, Z., Sydänheimo, L., Ukkonen, L., & Virkki, J. (2019). Design, Fabrication, and Wireless Evaluation of a Passive 3D-printed Moisture Sensor on a Textile Substrate. teoksessa *2019 Photonics and Electromagnetics Research Symposium - Spring, PIERS-Spring 2019 - Proceedings* (Sivut 1027-1030). [9017301] (Progress in Electromagnetics Research Symposium; Vuosikerta 2019-June). IEEE. <https://doi.org/10.1109/PIERS-Spring46901.2019.9017301>

Chen, X., He, H., Yang, Y., Gou, M., Sydanheimo, L., Ukkonen, L., & Virkki, J. (2019). Maintenance-free moisture sensor on dishcloth substrate. teoksessa *2019 Photonics and Electromagnetics Research Symposium - Fall, PIERS - Fall 2019 - Proceedings* (Sivut 2418-2421). [9021487] IEEE. <https://doi.org/10.1109/PIERS-Fall48861.2019.9021487>

Cho, C., Yi, X., Wang, Y., Tentzeris, M. M., & Leon, R. T. (2014). Compressive strain measurement using RFID patch antenna sensors. teoksessa *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2014* (Vuosikerta 9061). [90610X] SPIE. <https://doi.org/10.1117/12.2045122>

Colace, L., Santoni, F., & Assanto, G. (2013). A near-infrared optoelectronic approach to detection of road conditions. *Optics and Lasers in Engineering*, *51*(5), 633-636. <https://doi.org/10.1016/j.optlaseng.2013.01.003>

Colace, L., Scacchi, A., & Assanto, G. (2011). Noise characterization of Ge/Si photodetectors. teoksessa *8th IEEE International Conference on Group IV Photonics, GFP 2011* (Sivut 290-292). [6053793] <https://doi.org/10.1109/GROUP4.2011.6053793>

Colace, L., Sorianello, V., Maragliano, C., Assanto, G., Fulgoni, D., Nash, L., & Palmer, M. (2011). Germanium-on-glass solar cells. teoksessa *8th IEEE International Conference on Group IV Photonics, GFP 2011* (Sivut 255-257). [6053781] <https://doi.org/10.1109/GROUP4.2011.6053781>

Colace, L., Sorianello, V., Romagnoli, M., Socci, L., & Assanto, G. (2011). Optical power monitors in Ge monolithically integrated on SOI chips. *Microelectronic Engineering*, *88*(4), 514-517. <https://doi.org/10.1016/j.mee.2010.10.033>

Cook, B. S., Fang, Y., Kim, S., Le, T., Goodwin, W. B., Sandhage, K. H., & Tentzeris, M. M. (2013). Inkjet catalyst printing and electroless copper deposition for low-cost patterned microwave passive devices on paper. *Electronic Materials Letters*, *9*(5), 669-676. <https://doi.org/10.1007/s13391-013-3027-0>

Cui, S., Massera, J., Lastusaari, M., Hupa, L., & Petit, L. (2016). Novel oxyfluorophosphate glasses and glass-ceramics. *Journal of Non-Crystalline Solids*, *445-446*, 40-44. <https://doi.org/10.1016/j.jnoncrysol.2016.05.005>

Cuyon, L., Lesage, J. C., Betrouni, N., & Mordon, S. (2012). Development of a new illumination procedure for photodynamic therapy of the abdominal cavity. *JOURNAL OF BIOMEDICAL OPTICS*, *17*(3), [038001]. <https://doi.org/10.1117/1.JBO.17.3.038001>

Daerhan, D., Jonah, O., Hu, H., Georgakopoulos, S. V., & Tentzeris, M. M. (2014). Novel highly-efficient and misalignment insensitive wireless power transfer systems utilizing Strongly Coupled Magnetic Resonance principles. teoksessa *Proceedings - Electronic Components and Technology Conference* (Sivut 759-762). [6897370] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/ECTC.2014.6897370>

De Donno, D., Tarricone, L., Catarinucci, L., Lakafosis, V., & Tentzeris, M. M. (2012). Performance enhancement of the RFID EPC Gen2 protocol by exploiting collision re-recovery. *Progress in Electromagnetics Research B*, *43*, 53-72.

Dejean, G., Lakafosis, V., Traille, A., Lee, H., Gebara, E., Tentzeris, M., & Kirovski, D. (2011). RFDNA: A wireless authentication system on flexible substrates. teoksessa *2011 IEEE 61st Electronic Components and Technology Conference, ECTC 2011* (Sivut 1332-1337). [5898684] <https://doi.org/10.1109/ECTC.2011.5898684>

Del Cerro, P. R., Saarinen, M., Massera, J., Norrbo, I., Lastusaari, M., & Petit, L. (2018). Processing and Characterization of Bioactive Borosilicate Glasses and Scaffolds with Persistent Luminescence. teoksessa *2018 20th International Conference on Transparent Optical Networks, ICTON 2018* (Vuosikerta 2018-July). [8473916] (Conference proceedings : International Conference on Transparent Optical Networks). IEEE COMPUTER SOCIETY PRESS. <https://doi.org/10.1109/ICTON.2018.8473916>

Del Cerro, P. R., Teittinen, H., Norrbo, I., Lastusaari, M., Massera, J., & Petit, L. (2020). Novel borosilicate bioactive scaffolds with persistent luminescence. *Biomedical Glasses*, *6*(1), 1-9. <https://doi.org/10.1515/bglass-2020-0001>

DiMarco, J., Ambrosio, G., Anerella, M., Bajas, H., Chlachidze, G., Borgnolutti, F., ... Yu, M. (2016). Test Results of the LARP Nb<sub>3</sub>Sn Quadrupole HQ03a. *IEEE Transactions on Applied Superconductivity*, 26(4), [4005105]. <https://doi.org/10.1109/TASC.2016.2528283>

Dongho-Nguimdo, G. M., Igumbor, E., Zambou, S., & Joubert, D. P. (2019). First principles prediction of the solar cell efficiency of chalcopyrite materials AgMX<sub>2</sub> (M=In, Al; X=S, Se, Te). *Computational Condensed Matter*, 21, [e00391]. <https://doi.org/10.1016/j.cocom.2019.e00391>

Donmez, O., Aydin, M., Ardali, Yildirim, S., Tiraş, E., Nutku, F., ... Erol, A. (2020). Electronic transport in n-type modulation-doped AlGaAs/GaAsBi quantum well structures: Influence of Bi and thermal annealing on electron effective mass and electron mobility. *Semiconductor Science and Technology*, 35(2), [025009]. <https://doi.org/10.1088/1361-6641/ab5d8d>

Donmez, O., Aydin, M., Ardali, Yildirim, S., Tiraş, E., Erol, A., ... Guina, M. (2020). Power loss mechanisms in n-type modulation-doped AlGaAs/GaAsBi quantum well heterostructures. *Semiconductor Science and Technology*, 35(9), [095038]. <https://doi.org/10.1088/1361-6641/ab94d9>

Dudley, J. M., Ryczkowski, P., Närhi, M., Billet, C., Merolla, J. M., Lapre, C., ... Genty, G. (2019). Real-time measurements of ultrafast instabilities in nonlinear fiber optics: Recent advances. teoksessa *21st International Conference on Transparent Optical Networks, ICTON 2019* (International Conference on Transparent Optical Networks). IEEE. <https://doi.org/10.1109/ICTON.2019.8840476>

Dumitrescu, M., Uusitalo, T., Virtanen, H., Laakso, A., Bardella, P., & Montrosset, I. (2016). Simulation of photon-photon resonance enhanced direct modulation bandwidth of DFB lasers. teoksessa *16th International Conference on Numerical Simulation of Optoelectronic Devices, NUSOD 2016* (Sivut 147-148). IEEE. <https://doi.org/10.1109/NUSOD.2016.7547075>

Durandin, N. A., Isokuortti, J., Efimov, A., Vuorimaa-Laukkanen, E., Tkachenko, N. V., & Laaksonen, T. (2018). Efficient photon upconversion at remarkably low annihilator concentrations in a liquid polymer matrix: when less is more. *Chemical Communications*, 54(99), 14029-14032. <https://doi.org/10.1039/c8cc07592a>

Dutta, R., Friberg, A. T., Genty, G., & Turunen, J. (2015). Two-time coherence of pulse trains and the integrated degree of temporal coherence. *Journal of the Optical Society of America A: Optics Image Science and Vision*, 32(9), 1631-1637. <https://doi.org/10.1364/JOSAA.32.001631>

Edwards, T. E. J., Di Gioacchino, F., Goodfellow, A. J., Mohanty, G., Wehrs, J., Michler, J., & Clegg, W. J. (2019). Deformation of lamellar  $\gamma$ -TiAl below the general yield stress. *Acta Materialia*, 163, 122-139. <https://doi.org/10.1016/j.actamat.2018.09.061>

Edwards, T. E. J., Di Gioacchino, F., Goodfellow, A. J., Mohanty, G., Wehrs, J., Michler, J., & Clegg, W. J. (2019). Transverse deformation of a lamellar TiAl alloy at high temperature by in situ microcompression. *Acta Materialia*, 166, 85-99. <https://doi.org/10.1016/j.actamat.2018.11.050>

Escamez, G., Sirois, F., Lahtinen, V., Stenvall, A., Badel, A., Tixador, P., ... Bruzek, C. É. (2016). 3-D Numerical Modeling of AC Losses in Multifilamentary MgB<sub>2</sub> Wires. *IEEE Transactions on Applied Superconductivity*, 26(3), [4701907]. <https://doi.org/10.1109/TASC.2016.2533024>

Fang, C. Y., Vallini, F., Amili, A. E., Tukiainen, A., Lyytikäinen, J., Guina, M., & Fainman, Y. (2018). Development of efficient electrically pumped nanolasers based on InAlGaAs tunnel junction. teoksessa *CLEO: Science and Innovations, CLEO\_SI 2018 OSA - The Optical Society*. [https://doi.org/10.1364/CLEO\\_SI.2018.SW4Q.4](https://doi.org/10.1364/CLEO_SI.2018.SW4Q.4)

Farooq, A., Evreinov, G., Raisamo, R., & Takahata, D. (2015). Evaluating transparent liquid screen overlay as a haptic conductor: Method of enhancing touchscreen based user interaction by a transparent deformable liquid screen overlay. teoksessa *2015 IEEE SENSORS - Proceedings* [7370186] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/ICSENS.2015.7370186>

Ferracin, P., Ambrosio, G., Anerella, M., Ballarino, A., Bajas, H., Bajko, M., ... Yu, M. (2016). Development of MQXF: The Nb<sub>3</sub>Sn Low-β Quadrupole for the HiLumi LHC. *IEEE Transactions on Applied Superconductivity*, 26(4), [4000207]. <https://doi.org/10.1109/TASC.2015.2510508>

Fickler, R., Bouchard, F., Giese, E., Grillo, V., Leuchs, G., & Karimi, E. (2020). Full-field mode sorter using two optimized phase transformations for high-dimensional quantum cryptography. *Journal of Optics (United Kingdom)*, 22(2), [024001]. <https://doi.org/10.1088/2040-8986/ab6303>

Filippov, V., Vorotynskii, A., Noronen, T., Gumenyuk, R., Chamorovskii, Y., & Golant, K. (2017). Picosecond MOPA with ytterbium doped tapered double clad fiber. teoksessa *Fiber Lasers XIV: Technology and Systems* (Vuosikerta 10083). [100831H] (Proceedings of SPIE; Nro 10083). SPIE. <https://doi.org/10.1117/12.2252006>

Filippov, V., Noronen, T., Gumenyuk, R., Chamorovskii, Y., Golant, K., & Odnoblyudov, M. (2017). Anisotropic ultra-large mode area Yb-doped tapered double clad fiber for ultrafast amplifiers. teoksessa *Advanced Solid State Lasers 2017: Nagoya, Aichi Japan 1–5 October 2017* (Vuosikerta Part F75-ASSL 2017). [JTU2A.51] The Optical Society; OSA. <https://doi.org/10.1364/ASSL.2017.JTu2A.51>

Fonteyn, K., Belahcen, A., Kouhia, R., Rasilo, P., & Arkkio, A. (2010). FEM for directly coupled magneto-mechanical phenomena in electrical machines. *IEEE Transactions on Magnetics*, 46(8), 2923-2926. <https://doi.org/10.1109/TMAG.2010.2044148>

Fotiadi, A. A., Korobko, D. A., Okhotnikov, O. G., & Zolotovskii, I. O. (2016). Optical fiber amplifier with spectral compression elements for high-power laser pulse generation. teoksessa *Nonlinear Optics and its Applications IV* (Vuosikerta 9894). [989411] (Proceedings of SPIE; Vuosikerta 9894). SPIE. <https://doi.org/10.1117/12.2223637>

Frantc, V. A., Makov, S. V., Voronin, V. V., Marchuk, V. I., Semenishchev, E. A., Egiazarian, K. O., & Agaian, S. (2016). Simultaneous binary hash and features learning for image retrieval. teoksessa *Mobile Multimedia/Image Processing, Security, and Applications 2016* [986902] (SPIE Conference Proceedings; Vuosikerta 9869). SPIE. <https://doi.org/10.1117/12.2223605>

Frisk, L., Lahokallio, S., & Kiilunen, J. (2016). Reliability of ACA interconnections on microvia HDI PCBs in thermal cycling conditions. teoksessa J. Kutilainen (Toimittaja), *IMAPS Nordic Annual Conference 2016 Proceedings* IMAPS-International Microelectronics and Packaging Society.

Frosio, I., Egiazarian, K., & Pulli, K. (2015). Machine learning for adaptive bilateral filtering. teoksessa *Image Processing: Algorithms and Systems XIII* (Vuosikerta 9399). [939908] (Proceedings of SPIE - The International Society for Optical Engineering). SPIE. <https://doi.org/10.1117/12.2077733>

Gadelovits, S., Sitbon, M., Suntio, T., & Kuperman, A. (2015). Single-source multibattery solar charger: Case study and implementation issues. *Progress in Photovoltaics: Research and Applications*, 23(12), 1916-1928. <https://doi.org/10.1002/pip.2591>

Genty, G., Friberg, A. T., & Turunen, J. (2016). Coherence of Supercontinuum Light. teoksessa *Progress in Optics* (Vuosikerta 61). (Progress in Optics). Elsevier. <https://doi.org/10.1016/bs.po.2015.10.002>

Ghazy, A., Safdar, M., Lastusaari, M., Aho, A., Tukiainen, A., Savin, H., ... Karppinen, M. (2020). Luminescent (Er, Ho)<sub>2</sub>O<sub>3</sub> thin films by ALD to enhance the performance of silicon solar cells. *Solar Energy Materials and Solar Cells*, 219, [110787]. <https://doi.org/10.1016/j.solmat.2020.110787>

Giammarco, J., Zdyrko, B., Petit, L., Musgraves, J. D., Hu, J., Agarwal, A., ... Luzinov, I. (2011). Towards universal enrichment nanocoating for IR-ATR waveguides. *Chemical Communications*, 47(32), 9104-9106. <https://doi.org/10.1039/c1cc12780b>



- Giannoulis, G., Korpjärvi, V. M., Iliadis, N., Mäkelä, J., Viheriälä, J., Apostolopoulos, D., ... Avramopoulos, H. (2015). Dilute nitride SOAs for high-speed data processing in variable temperature conditions. teoksessa *Optical Fiber Communication Conference, OFC 2015 OSA - The Optical Society*.
- Giannoulis, G., Korpjärvi, V-M., Iliadis, N., Mäkelä, J., Viheriälä, J., Apostolopoulos, D., ... Avramopoulos, H. (2015). Bringing High-Performance GaInNAsSb/GaAs SOAs to True Data Applications. *IEEE Photonics Technology Letters*, 27 (16), 1691-1694. [7113825]. <https://doi.org/10.1109/LPT.2015.2436697>
- Glorieux, B., Salminen, T., Massera, J., Lastusaari, M., & Petit, L. (2018). Better understanding of the role of SiO<sub>2</sub>, P<sub>2</sub>O<sub>5</sub> and Al<sub>2</sub>O<sub>3</sub> on the spectroscopic properties of Yb<sup>3+</sup> doped silica sol-gel glasses. *Journal of Non-Crystalline Solids*, 482, 46-51. <https://doi.org/10.1016/j.jnoncrysol.2017.12.021>
- Goh, J-Q., Malola, S., Häkkinen, H., & Akola, J. (2015). Silver sulfide nanoclusters and the superatom model. *Journal of Physical Chemistry C*, 119(3), 1583-1590. <https://doi.org/10.1021/jp511037x>
- Goh, J. Q., & Akola, J. (2015). Superatom Model for Ag-S Nanocluster with Delocalized Electrons. *Journal of Physical Chemistry C*, 119(36), 21165-21172. <https://doi.org/10.1021/acs.jpcc.5b05824>
- Goh, J-Q., Akola, J., & Ferrando, R. (2017). Geometric Structure and Chemical Ordering of Large AuCu Clusters: A Computational Study. *Journal of Physical Chemistry C*, 121(20), 10809-10816. <https://doi.org/10.1021/acs.jpcc.6b11958>
- Goyos-Ball, L., Prado, C., Díaz, R., Fernández, E., Ismailov, A., Kumpulainen, T., ... Fernández, A. (2018). The effects of laser patterning 10CeTzP-Al<sub>2</sub>O<sub>3</sub> nanocomposite disc surfaces: Osseous differentiation and cellular arrangement in vitro. *Ceramics International*, 44(8), 9472-9478. <https://doi.org/10.1016/j.ceramint.2018.02.164>
- Guandalini, A., Rozzi, C. A., Räsänen, E., & Pittalis, S. (2019). Fundamental gaps of quantum dots on the cheap. *Physical Review B*, 99(12), [125140]. <https://doi.org/10.1103/PhysRevB.99.125140>
- Guina, M., Isoaho, R., Viheriälä, J., Aho, A., Aho, A., & Tukiainen, A. (2018). Quantum-well Laser Emitting at 1.2 μm-1.3 μm Window Monolithically Integrated on Ge Substrate. teoksessa *43rd European Conference on Optical Communication, ECOC 2017* (Sivut 1-3). IEEE. <https://doi.org/10.1109/ECOC.2017.8345837>
- Gumenyuk, R., Filippov, V., Vorotinskii, A., Okhotnikov, O. G., Chamorovskii, Y., & Golant, K. (2014). All-fiber, high-power, picosecond Yb double clad tapered fiber amplifier. teoksessa *Proceedings - 2014 International Conference Laser Optics, LO 2014* [6886471] IEEE. <https://doi.org/10.1109/LO.2014.6886471>
- Gumenyuk, R., Rissanen, J., Korobko, D. A., Zolotovskiy, I. O., Melkumov, M., & Khopin, V. F. (2017). New multisoliton complex in Bi-doped fiber laser operated at 1450 nm. teoksessa *European Quantum Electronics Conference 2017* (Vuosikerta Part F81-EQEC 2017). [EF\_5\_4] The Optical Society; OSA.
- Gunes, M., Ukelge, M. O., Donmez, O., Erol, A., Gumus, C., Alghamdi, H., ... Guina, M. (2018). Optical properties of GaAs<sub>1-x</sub>Bi<sub>x</sub>/GaAs quantum well structures grown by molecular beam epitaxy on (100) and (311)B GaAs substrates. *Semiconductor Science and Technology*, 33(12), [124015]. <https://doi.org/10.1088/1361-6641/aaea2e>
- Gupta, S. K., Wu, H. H., Kwak, K. J., Casal, P., Nicholson, T. R., Wen, X., ... Lee, S. C. (2011). Interfacial design and structure of protein/polymer films on oxidized AlGaIn surfaces. *Journal of Physics D: Applied Physics*, 44(3), [34010]. <https://doi.org/10.1088/0022-3727/44/3/034010>
- Haapanen, J., Aromaa, M., Teisala, H., Juuti, P., Tuominen, M., Sillanpää, M., ... Mäkelä, J. M. (2019). On the limit of superhydrophobicity: Defining the minimum amount of TiO<sub>2</sub> nanoparticle coating. *Materials Research Express*, 6(3), [035004]. <https://doi.org/10.1088/2053-1591/aaf2ee>

Habib, M., Rashed, A. R., Ozbay, E., & Caglayan, H. (2018). Graphene-based tunable plasmon induced transparency in gold strips. *Optical Materials Express*, 8(4), 1069-1074. <https://doi.org/10.1364/OME.8.001069>, <https://doi.org/10.1364/OME.8.001069>

Habib, M., Ozbay, E., & Caglayan, H. (2018). Tunable Reflection Type Plasmon Induced Transparency with Graphene. teoksessa *2018 12th International Congress on Artificial Materials for Novel Wave Phenomena, METAMATERIALS 2018* (Sivut 170-172). IEEE. <https://doi.org/10.1109/MetaMaterials.2018.8534142>

Habib, M., Briukhanova, D., Das, N., Yildiz, B. C., & Caglayan, H. (2020). Controlling the plasmon resonance via epsilon-near-zero multilayer metamaterials. *Nanophotonics*, 9(11), [20200245]. <https://doi.org/10.1515/nanoph-2020-0245>

Hakkarainen, T., Tommila, J., Schramm, A., Simonen, J., Niemi, T., Strelow, C., ... Guina, M. (2016). Site-controlled InAs Quantum Dots for Plasmonics. teoksessa *Conference on Lasers and Electro-Optics 2016: QELS\_Fundamental Science [FM1B.3]* OSA - The Optical Society. [https://doi.org/10.1364/CLEO\\_QELS.2016.FM1B.3](https://doi.org/10.1364/CLEO_QELS.2016.FM1B.3)

Hakola, H., Sariola-Leikas, E., Efimov, A., & Tkachenko, N. V. (2016). Effect of Hole Transporting Material on Charge Transfer Processes in Zinc Phthalocyanine Sensitized ZnO Nanorods. *Journal of Physical Chemistry C*, 120(13), 7044-7051. <https://doi.org/10.1021/acs.jpcc.6b01583>

Hallman, L., Ryvkin, B. S., Avrutin, E. A., Aho, A. T., Viheriälä, J., Guina, M., & Kostamovaara, J. T. (2019). Double-asymmetric-structure 1.5  $\mu$ m high power laser diodes. teoksessa *Proceedings of the 2019 IEEE High Power Diode Lasers and Systems Conference, HPD 2019 - Co-located with Photonex 2019* (Sivut 19-20). IEEE. <https://doi.org/10.1109/HPD48113.2019.8938671>

Hannula, M., Ali-Löytty, H., Lahtonen, K., Saari, J., Tukiainen, A., & Valden, M. (2019). Highly efficient charge separation in model Z-scheme TiO<sub>2</sub>/TiSi<sub>2</sub>/Si photoanode by micropatterned titanium silicide interlayer. *Acta Materialia*, 174, 237-245. <https://doi.org/10.1016/j.actamat.2019.05.032>

Härö, E., Stenvall, A., Van Nugteren, J., & Kirby, G. (2015). Hot spot temperature in an HTS Coil: Simulations with MITs and finite element method. *IEEE Transactions on Applied Superconductivity*, 25(2). <https://doi.org/10.1109/TASC.2015.2396945>

Hasani, M., Vena, A., Sydänheimo, L., Tentzeris, M. M., & Ukkonen, L. (2015). A Novel Enhanced-Performance Flexible RFID-Enabled Embroidered Wireless Integrated Module for Sensing Applications. *IEEE Transactions on Components, Packaging and Manufacturing Technology*, 5(9), 1244-1252. <https://doi.org/10.1109/TCPMT.2015.2461661>

Haußmann, L., Neumeier, S., Kolb, M., Ast, J., Mohanty, G., Michler, J., & Göken, M. (2020). Local Mechanical Properties at the Dendrite Scale of Ni-Based Superalloys Studied by Advanced High Temperature Indentation Creep and Micropillar Compression Tests. teoksessa S. Tin, M. Hardy, J. Clews, J. Cormier, Q. Feng, J. Marcin, C. O'Brien, ... A. Suzuki (Toimittajat), *Superalloys 2020: Proceedings of the 14th International Symposium on Superalloys* (Sivut 273-281). (The Minerals, Metals and Materials Series). Springer. [https://doi.org/10.1007/978-3-030-51834-9\\_26](https://doi.org/10.1007/978-3-030-51834-9_26)

He, H., Akbari, M., Chen, X., Nommeots-Nomm, A., Chen, L., Ukkonen, L., & Virkki, J. (2017). Fabrication and performance evaluation of 3D-printed graphene passive UHF RFID tags on cardboard. teoksessa *2017 Progress in Electromagnetics Research Symposium - Spring, PIERS 2017* (Sivut 3322-3325). IEEE. <https://doi.org/10.1109/PIERS.2017.8262330>

Heikkinen, J., Gumenyuk, R., Rantamäki, A., Lyytikäinen, J., Leinonen, T., Zolotovskii, I., ... Okhotnikov, O. G. (2015). Power and wavelength scaling using semiconductor disk laser - bismuth fiber MOPA systems. teoksessa M. Guina (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELs) V [93490E]* (Proceedings of SPIE; Vuosikerta 9349). BELLINGHAM: SPIE. <https://doi.org/10.1117/12.2076805>

Heikkinen, J. J., Kivimäki, L., Hytönen, V. P., Kulomaa, M. S., & Hormi, O. E. O. (2012). Printable and flexible macroporous organosilica film with high protein adsorption capacity. *Thin Solid Films*, 520(6), 1934-1937. <https://doi.org/10.1016/j.tsf.2011.09.041>

Heinonen, S., Kannisto, M., Nikkanen, J-P., Huttunen-Saarivirta, E., Karp, M., & Levänen, E. (2016). Photocatalytic and antibacterial properties of ZnO films with different surface topographies on stainless steel substrate. *Thin Solid Films*, 616, 842-849. <https://doi.org/10.1016/j.tsf.2016.10.002>

Heinonen, S., Nikkanen, J-P., Huttunen-Saarivirta, E., & Levänen, E. (2017). Investigation of long-term chemical stability of structured ZnO films in aqueous solutions of varying conditions. *Thin Solid Films*, 638, 410-419. <https://doi.org/10.1016/j.tsf.2017.07.055>

Heiskanen, J. P., Manninen, V. M., Pankov, D., Omar, W. A. E., Kastinen, T., Hukka, T. I., ... Hormi, O. E. O. (2015). Aryl end-capped quaterthiophenes applied as anode interfacial layers in inverted organic solar cells. *Thin Solid Films*, 574, 196-206. <https://doi.org/10.1016/j.tsf.2014.12.007>

Henno, J., Jaakkola, H., & Mäkelä, J. (2019). Teaching for virtual work. teoksessa K. Skala, Z. Car, P. Pale, D. Huljenic, M. Janjic, M. Koracic, V. Struk, S. Ribaric, T. G. Grbac, Z. Butkovic, M. Cicin-Sain, D. Skvorc, M. Mauher, S. Babic, S. Gros, B. Vrdoljak, ... E. Tijan (Toimittajat), *2019 42nd International Convention on Information and Communication Technology, Electronics and Microelectronics, MIPRO 2019 - Proceedings* (Sivut 818-826). IEEE. <https://doi.org/10.23919/MIPRO.2019.8756778>

Heydari, G., Sedighi Moghaddam, M., Tuominen, M., Fielden, M., Haapanen, J., Mäkelä, J. M., & Claesson, P. M. (2016). Wetting hysteresis induced by temperature changes: Supercooled water on hydrophobic surfaces. *Journal of Colloid and Interface Science*, 468, 21-33. <https://doi.org/10.1016/j.jcis.2016.01.040>

Hongisto, M., Veber, A., Boetti, N. G., Danto, S., Jubera, V., & Petit, L. (2020). Transparent Yb<sup>3+</sup> doped phosphate glass-ceramics. *Ceramics International*. <https://doi.org/10.1016/j.ceramint.2020.01.121>

Hu, J., Mawst, L., Moss, S., Petit, L., & Ting, D. (Toimittajat) (2018). Special Issue: Mid-infrared optical materials and their device applications. *Optical Materials Express*, 8(7).

Huda, M. N., Kezilebieke, S., Ojanen, T., Drost, R., & Liljeroth, P. (2020). Tuneable topological domain wall states in engineered atomic chains. *npj Quantum Materials*, 5(1), [17]. <https://doi.org/10.1038/s41535-020-0219-3>

Hupa, L., Fagerlund, S., Massera, J., & Björkvik, L. (2016). Dissolution behavior of the bioactive glass S53P4 when sodium is replaced by potassium, and calcium with magnesium or strontium. *Journal of Non-Crystalline Solids*, 41-46. <https://doi.org/10.1016/j.jnoncrysol.2015.03.026>

Hütner, J., Herranen, T., & Laurson, L. (2019). Multistep Bloch-line-mediated Walker breakdown in ferromagnetic strips. *Physical Review B*, 99(17), [174427]. <https://doi.org/10.1103/PhysRevB.99.174427>

Huttunen, M. J., Partanen, M., Bautista, G., Chu, S-W., & Kauranen, M. (2015). Nonlinear optical activity effects in complex anisotropic three-dimensional media. *Optical Materials Express*, 5(1), 11-21. <https://doi.org/10.1364/OME.5.000011>

Huttunen, M. J., Hristu, R., Dumitru, A., Costache, M., & Stanciu, S. G. (2019). Investigating human skin using deep learning enhanced multiphoton microscopy. teoksessa *21st International Conference on Transparent Optical Networks, ICTON 2019* (International Conference on Transparent Optical Networks). IEEE. <https://doi.org/10.1109/ICTON.2019.8840265>

Huttunen, M. J., Stolt, T., Reshef, O., Kiviniemi, A., Czaplicki, R., Zang, X., ... Kauranen, M. (2019). Towards efficient nonlinear plasmonic metasurfaces. teoksessa *21st International Conference on Transparent Optical Networks, ICTON 2019* (International Conference on Transparent Optical Networks). IEEE. <https://doi.org/10.1109/ICTON.2019.8840277>

Iliopoulos, K., Czaplicki, R., Ouazzani, H. E., Balandier, J-Y., Chas, M., Goeb, S., ... Sahraoui, B. (2012). Third order nonlinear optical response of TTF-based molecular corners. *Nonlinear Optics, Quantum Optics*, 43(1-4), 205-212.

Isoaho, R., Aho, A., Tukiainen, A., Aho, T., Raappana, M., Salminen, T., ... Guina, M. (2019). Photovoltaic properties of low-bandgap (0.7–0.9eV) lattice-matched GaInNAsSb solar junctions grown by molecular beam epitaxy on GaAs. *Solar Energy Materials and Solar Cells*, 195, 198–203. <https://doi.org/10.1016/j.solmat.2019.02.030>

Isoaho, R., Aho, A., Tukiainen, A., Aho, T., Raappana, M., Salminen, T., ... Guina, M. (2019). Narrow Bandgap Dilute Nitride Materials for 6-junction Space Solar Cells. teoksessa *2019 European Space Power Conference (ESPC) IEEE*. <https://doi.org/10.1109/ESPC47532.2019.9049263>

Isoniemi, T., Tuukkanen, S., Cameron, D. C., Simonen, J., & Toppari, J. J. (2015). Measuring optical anisotropy in poly(3,4-ethylene dioxythiophene): poly(styrene sulfonate) films with added graphene. *Organic Electronics*, 25, 317–323. <https://doi.org/10.1016/j.orgel.2015.06.037>, <https://doi.org/10.1016/j.orgel.2015.06.037>

Isotalo, T. J., & Niemi, T. (2016). Dots-on-the-fly electron beam lithography. teoksessa C. Bencher (Toimittaja), *SPIE Proceedings: Alternative Lithographic Technologies VIII (Vuosikerta 9777)*. [97771E] (Proceedings of SPIE). SPIE. <https://doi.org/10.1117/12.2219136>

Izdebskaya, Y., Krolikowski, W., Smyth, N. F., & Assanto, G. (2016). Vortex stabilization by means of spatial solitons in nonlocal media. *Journal of Optics*, 18(5), [054006]. <https://doi.org/10.1088/2040-8978/18/5/054006>

Jaakkola, H., Henno, J., Mäkelä, J., & Thalheim, B. (2019). Artificial intelligence yesterday, today and tomorrow. teoksessa K. Skala, Z. Car, P. Pale, D. Huljenic, M. Janjic, M. Koracic, V. Struk, S. Ribaric, T. G. Grbac, Z. Butkovic, M. Cicin-Sain, D. Skvorc, M. Mauher, S. Babic, S. Gros, B. Vrdoljak, ... E. Tijan (Toimittajat), *2019 42nd International Convention on Information and Communication Technology, Electronics and Microelectronics, MIPRO 2019 - Proceedings (Sivut 860-867)*. IEEE. <https://doi.org/10.23919/MIPRO.2019.8756913>

Järvelä, J., Lyly, M., Stenvall, A., Juntunen, R., Souc, J., & Mikkonen, R. (2015). Design, fabrication, and testing of a low AC-loss conduction-cooled cryostat for magnetization loss measurement apparatus. *IEEE Transactions on Applied Superconductivity*, 25(1). <https://doi.org/10.1109/TASC.2014.2357754>

Järvenhaara, J., Filanovsky, I. M., Nevalainen, I., & Tchamov, N. T. (2020). A Two-Stage LNA Design for 28GHz Band of 5G on 45nm CMOS. teoksessa *2020 IEEE 63rd International Midwest Symposium on Circuits and Systems, MWSCAS 2020 - Proceedings (Sivut 957-961)*. (Midwest Symposium on Circuits and Systems). IEEE. <https://doi.org/10.1109/MWSCAS48704.2020.9184697>

Javanainen, M., Melcrová, A., Magarkar, A., Jurkiewicz, P., Hof, M., Jungwirth, P., & Martinez-Seara, H. (2017). Two cations, two mechanisms: Interactions of sodium and calcium with zwitterionic lipid membranes. *Chemical Communications*, 53(39), 5380–5383. <https://doi.org/10.1039/c7cc02208e>

Jisha, C. P., & Alberucci, A. (2017). Paraxial light beams in structured anisotropic media. *Journal of the Optical Society of America A: Optics and Image Science, and Vision*, 34(11), 2019–2024. <https://doi.org/10.1364/JOSAA.34.002019>

Joost, U., Sutka, A., Oja, M., Smits, K., Doebelin, N., Loot, A., ... Nommiste, E. (2018). Reversible photodoping of TiO<sub>2</sub> nanoparticles. *Chemistry of Materials*, 30(24), 8968–8974. <https://doi.org/10.1021/acs.chemmater.8b04813>

Julku, A., Peltonen, T. J., Liang, L., Heikkilä, T. T., & Törmä, P. (2020). Superfluid weight and Berezinskii-Kosterlitz-Thouless transition temperature of twisted bilayer graphene. *Physical Review B*, 101(6), [060505]. <https://doi.org/10.1103/PhysRevB.101.060505>

Jung, K. Y., Yoon, W. J., Park, Y. B., Berger, P. R., & Teixeira, F. L. (2014). Broadband finite-Difference Time-Domain modeling of plasmonic organic photovoltaics. *ETRI Journal*, 36(4), 654–661. <https://doi.org/10.4218/14.0113.0767>

Kahle, H., Penttinen, J. P., Phung, H. M., Rajala, P., Tukiainen, A., Ranta, S., & Guina, M. (2019). MECSELS with direct emission in the 760 nm to 810 nm spectral range: A single- and double-side pumping comparison and high-power continuous-wave operation. teoksessa U. Keller (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELS)*

IX [109010D] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10901). SPIE, IEEE. <https://doi.org/10.1117/12.2512111>

Kahle, H., Phung, H-M., Penttinen, J-P., Rajala, P., Tukiainen, A., Ranta, S., & Guina, M. (2019). Double-side pumped membrane external-cavity surface-emitting laser (MECSEL) with increased efficiency emitting > 3 W in the 780 nm region . teoksessa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings IEEE*. <https://doi.org/10.23919/CLEO.2019.8749958>

Kalikka, J., Akola, J., & Jones, R. O. (2016). Crystallization processes in the phase change material Ge<sub>2</sub> Sb<sub>2</sub> Te<sub>5</sub>: Unbiased density functional/molecular dynamics simulations. *Physical Review B*, *94*(13), [134105]. <https://doi.org/10.1103/PhysRevB.94.134105>

Kalimeri, M., Derreumaux, P., & Sterpone, F. (2015). Are coarse-grained models apt to detect protein thermal stability? the case of OPEP force field. *Journal of Non-Crystalline Solids*, *407*, 494-501. <https://doi.org/10.1016/j.jnoncrysol.2014.07.005>

Kaneda, Y., Hart, M. L., Warner, S. H., Penttinen, J. P., & Guina, M. (2018). *Narrow-linewidth operation of folded VECSEL cavity with twist-mode configuration*. Julkaisun esittämispaiikka: Advanced Solid State Lasers, ASSL 2018, Boston, Yhdysvallat. <https://doi.org/10.1364/ASSL.2018.ATH2A.7>

Kanerva, U., Suhonen, T., Lagerbom, J., & Levänen, E. (2015). Evaluation of crushing strength of spray-dried MgAl<sub>2</sub>O<sub>4</sub> granule beds. *Ceramics International*, *41*(7), 8494-8500. <https://doi.org/10.1016/j.ceramint.2015.03.056>

Kantola, E., Leinonen, T., Ranta, S., Tavast, M., & Guina, M. (2014). Pulsed high-power yellow-orange VECSEL. teoksessa *Photonics Europe 2014, Semiconductor Lasers and Laser Dynamics VI, April 14-17, 2014, Brussels, Belgium. Proceedings of SPIE* (Vuosikerta 9134). [91340Z] (SPIE Conference Proceedings; Vuosikerta 9134). SPIE. <https://doi.org/10.1117/12.2054716>

Kantola, E., Leinonen, T., Ranta, S., Tavast, M., Penttinen, J-P., & Guina, M. (2015). 1180nm VECSEL with 50 W output power. teoksessa *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 9349). [93490U] SPIE. <https://doi.org/10.1117/12.2079480>

Kantola, J. H., Vaara, J., Rantala, T. T., & Jokisaari, J. (1996). Molecular dynamics simulations for Xe absorbed in zeolites . teoksessa E. Kaxiras, J. Joannopoulos, P. Vashishta, & R. K. Kalia (Toimittajat), *Materials Research Society Symposium - Proceedings* (Vuosikerta 408, Sivut 599-604). MATERIALS RESEARCH SOCIETY. <https://doi.org/10.1557/PROC-408-599>

Kantola, E., Penttinen, J-P., Leinonen, T., Ranta, S., & Guina, M. (2018). Frequency-doubled VECSEL employing a Volume Bragg Grating for linewidth narrowing. teoksessa *CLEO: Applications and Technology, CLEO\_AT 2018 OSA - The Optical Society*. [https://doi.org/10.1364/CLEO\\_AT.2018.JTu2A.17](https://doi.org/10.1364/CLEO_AT.2018.JTu2A.17)

Kantola, E., Leinonen, T., Rantamäki, A., Guina, M., Sirbu, A., & Iakovlev, V. (2018). Frequency-doubled wafer-fused 638 nm VECSEL with an output power of 5.6 W. teoksessa *CLEO: Applications and Technology, CLEO\_AT 2018 OSA - The Optical Society*. [https://doi.org/10.1364/CLEO\\_AT.2018.JTu2A.10](https://doi.org/10.1364/CLEO_AT.2018.JTu2A.10)

Kapgate, B. P., Das, C., Das, A., Basu, D., Reuter, U., & Heinrich, G. (2012). Effect of sol-gel derived in situ silica on the morphology and mechanical behavior of natural rubber and acrylonitrile butadiene rubber blends. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*, *63*(3), 501-509. <https://doi.org/10.1007/s10971-012-2812-9>

Karhu, M., Lagerbom, J., Solismaa, S., Honkanen, M., Ismailov, A., Räisänen, M. L., ... Kivikytö-Reponen, P. (2019). Mining tailings as raw materials for reaction-sintered aluminosilicate ceramics: Effect of mineralogical composition on microstructure and properties. *Ceramics International*, *45*(4), 4840-4848. <https://doi.org/10.1016/j.ceramint.2018.11.180>

Kariniemi, H., Nurmi, J., Fagerlund, P., Liitola, J., & Alinikula, J. (2002). ATM switch for 2.488 Gbit/s CATV network on FPGA with a high-throughput buffering architecture. teoksessa *Midwest Symposium on Circuits and Systems* (Vuosikerta 2) <https://doi.org/10.1109/MWSCAS.2002.1186814>

- Karioja, P., Alajoki, T., Cherchi, M., Ollila, J., Harjanne, M., Heinilehto, N., ... Kalinowski, P. (2018). Integrated multi-wavelength mid-IR light source for gas sensing. teoksessa *Next-Generation Spectroscopic Technologies XI* [106570A] (SPIE Conference Proceedings; Vuosikerta 10657). SPIE, IEEE. <https://doi.org/10.1117/12.2305712>
- Katkovnik, V., Shevkunov, I., Petrov, N. V., & Egiazarian, K. (2017). Computational super-resolution phase retrieval from multiple phase-coded diffraction patterns: Simulation study and experiments. *Optica*, *4*(7), 786-794. <https://doi.org/10.1364/OPTICA.4.000786>
- Katkovnik, V., Shevkunov, I., Petrov, N. V., & Egiazarian, K. (2017). Computational wavelength resolution for in-line lensless holography: Phase-coded diffraction patterns and wavefront group-sparsity. teoksessa *Digital Optical Technologies 2017* [1033509] (Proceedings of SPIE; Vuosikerta 10335). SPIE. <https://doi.org/10.1117/12.2269327>
- Katkovnik, V., Shevkunov, I., Petrov, N. V., & Egiazarian, K. (2018). Multiwavelength surface contouring from phase-coded diffraction patterns. teoksessa *Unconventional Optical Imaging 2018. Strasbourg, France* [106771B] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10677). SPIE. <https://doi.org/10.1117/12.2306127>
- Kaunisto, K., Kotilainen, M., Karhu, M., Lagerbom, J., Vuorinen, T., Honkanen, M., ... Turunen, E. (2018). The effect of carbon and nickel additions on the precursor synthesis of Cr<sub>3</sub>C<sub>2</sub>-Ni nanopowder. *Ceramics International*, *44*(8), 9338-9346. <https://doi.org/10.1016/j.ceramint.2018.02.146>
- Kerst, T., & Toivonen, J. (2018). Alpha radiation induced luminescence in solar blind spectral region. teoksessa *CLEO: Applications and Technology, CLEO\_AT 2018 OSA - The Optical Society*. [https://doi.org/10.1364/CLEO\\_AT.2018.ATH4O.8](https://doi.org/10.1364/CLEO_AT.2018.ATH4O.8)
- Khan, M. N., & Zharnikov, M. (2014). Fabrication of ssDNA/oligo(ethylene glycol) monolayers by promoted exchange reaction with thiol and disulfide substituents. *Journal of Physical Chemistry C*, *118*(6), 3093-3101. <https://doi.org/10.1021/jp411353f>
- Khan, M. N., & Zharnikov, M. (2013). Fabrication of ssDNA/Oligo(ethylene glycol) monolayers and patterns by exchange reaction promoted by ultraviolet light irradiation. *Journal of Physical Chemistry C*, *117*(47), 24883-24893. <https://doi.org/10.1021/jp408819k>
- Khan, M. N., & Zharnikov, M. (2013). Irradiation promoted exchange reaction with disulfide substituents. *Journal of Physical Chemistry C*, *117*(28), 14534-14543. <https://doi.org/10.1021/jp4006026>
- Khan, Z., He, H., Chen, X., Ukkonen, L., & Virkki, J. (2019). Fabrication Challenges in Embedding of Components and Embroidered Conductors into 3D-printed Textile Electronics Structures. teoksessa *2019 Photonics and Electromagnetics Research Symposium - Spring, PIERS-Spring 2019 - Proceedings* (Sivut 1372-1377). [9017223] (Progress in Electromagnetics Research Symposium; Vuosikerta 2019-June). IEEE. <https://doi.org/10.1109/PIERS-Spring46901.2019.9017223>
- Khan, Z., He, H., Chen, X., Ukkonen, L., & Virkki, J. (2019). Embroidered and e-textile conductors embedded inside 3D-printed structures. teoksessa *2019 Photonics and Electromagnetics Research Symposium - Fall, PIERS - Fall 2019 - Proceedings* (Sivut 1675-1680). [9021681] IEEE. <https://doi.org/10.1109/PIERS-Fall48861.2019.9021681>
- Khorramdel, B., Torkkeli, A., & Mäntysalo, M. (2017). Electrical Contacts in SOI MEMS Using Aerosol Jet Printing. *IEEE Journal of the Electron Devices Society*, *6*, 34-40. <https://doi.org/10.1109/JEDS.2017.2764498>
- Kirby, G. A., Van Nugteren, J., Ballarino, A., Bottura, L., Chouika, N., Clement, S., ... Kario, A. (2015). Accelerator-quality HTS dipole magnet demonstrator designs for the EuCARD-2 5-T 40-mm clear aperture magnet. *IEEE Transactions on Applied Superconductivity*, *25*(3), [4000805]. <https://doi.org/10.1109/TASC.2014.2361933>

- Kirby, G., Rossi, L., Badel, A., Bajko, M., Ballarino, A., Bottura, L., ... Zangenberg, N. (2016). Status of the Demonstrator Magnets for the EuCARD-2 Future Magnets Project. *IEEE Transactions on Applied Superconductivity*, 26(3), [4003307]. <https://doi.org/10.1109/TASC.2016.2528544>
- Kirby, G. A., Van Nugteren, J., Bajas, H., Benda, V., Ballarino, A., Bajko, M., ... Usoskin, A. (2017). First Cold Powering Test of REBCO Roebel Wound Coil for the EuCARD2 Future Magnet Development Project. *IEEE Transactions on Applied Superconductivity*, 27(4), [4003307]. <https://doi.org/10.1109/TASC.2017.2653204>
- Klauck, F., Teuber, L., Ornigotti, M., Heinrich, M., Scheel, S., & Szameit, A. (2019). Observation of PT-symmetric quantum interference. *Nature Photonics*. <https://doi.org/10.1038/s41566-019-0517-0>
- Kleiven, D., & Akola, J. (2020). Precipitate formation in aluminium alloys: Multi-scale modelling approach. *Acta Materialia*, 195, 123-131. <https://doi.org/10.1016/j.actamat.2020.05.050>
- Kocsis, P., Shevkunov, I., Katkovnik, V., & Egiazarian, K. (2019). Single exposure lensless subpixel phase imaging. teoksessa B. C. Kress, & P. Schelkens (Toimittajat), *Digital Optical Technologies 2019* (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11062). SPIE, IEEE. <https://doi.org/10.1117/12.2525679>
- Koivusaari, K. J., Rantala, T. T., & Leppävuori, S. (2000). Calculated electronic density of states and structural properties of tetrahedral amorphous carbon. *Diamond and Related Materials*, 9(3), 736-740. [https://doi.org/10.1016/S0925-9635\(99\)00286-1](https://doi.org/10.1016/S0925-9635(99)00286-1)
- Kolesnik, S., Sitbon, M., Lineykin, S., Batzelis, E., Papathanassiou, S., Suntio, T., & Kuperman, A. (2017). Solar Irradiation Independent Expression for Photovoltaic Generator Maximum Power Line. *IEEE Journal of Photovoltaics*, 7(5), 1416-1420. <https://doi.org/10.1109/JPHOTOV.2017.2713404>
- Korobko, D. A., Gumenyuk, R., Zolotovskii, I. O., & Okhotnikov, O. G. (2014). Multisoliton complexes in fiber lasers. *Optical Fiber Technology*, 20(6), 593-609. <https://doi.org/10.1016/j.yofte.2014.08.011>
- Korobko, D. A., Okhotnikov, O. G., Sysoliatin, A. A., & Zolotovskii, I. O. (2016). *Advanced scheme of amplifier similariton laser*. R858. Julkaisun esittämispaiikka: 2016 International Conference Laser Optics, LO 2016, St. Petersburg, Venäjä. <https://doi.org/10.1109/LO.2016.7549889>
- Korobko, D. A., Stoliarov, D. A., Itrin, P. A., Odnoblyudov, M. A., Petrov, A. B., & Gumenyuk, R. V. (2020). Harmonic mode-locking fiber ring laser with a pulse repetition rate up to 12 GHz. *Optics and laser technology*, 133, [106526]. <https://doi.org/10.1016/j.optlastec.2020.106526>
- Korpijärvi, V-M., Kantola, E. L., Leinonen, T., & Guina, M. (2015). Monolithic GaInNAsSb/GaAs VECSEL emitting at 1550 nm. teoksessa *SPIE conference proceedings* (Vuosikerta 9349). [93490D] SPIE. <https://doi.org/10.1117/12.2077517>
- Koskela, J. E., Vapaavuori, J., Hautala, J., Priimagi, A., Faul, C. F. J., Kaivola, M., & Ras, R. H. A. (2012). Surface-relief gratings and stable birefringence inscribed using light of broad spectral range in supramolecular polymer-bisazobenzene complexes. *Journal of Physical Chemistry C*, 116(3), 2363-2370. <https://doi.org/10.1021/jp210706n>
- Kosunen, M., Lemberg, J., Martelius, M., Roverato, E., Nieminen, T., Englund, M., ... Ryyänen, J. (2017). 13.5 A 0.35-to-2.6GHz multilevel outphasing transmitter with a digital interpolating phase modulator enabling up to 400MHz instantaneous bandwidth. teoksessa *2017 IEEE International Solid-State Circuits Conference, ISSCC 2017* (Sivut 224-225). IEEE. <https://doi.org/10.1109/ISSCC.2017.7870342>
- Kotilainen, M., Honkanen, M., Mizohata, K., & Vuoristo, P. (2016). Influence of temperature-induced copper diffusion on degradation of selective chromium oxy-nitride solar absorber coatings. *Solar Energy Materials and Solar Cells*, 145, 323-332. <https://doi.org/10.1016/j.solmat.2015.10.034>

Kotilainen, M., Krumpolec, R., Franta, D., Souček, P., Homola, T., Cameron, D. C., & Vuoristo, P. (2017). Hafnium oxide thin films as a barrier against copper diffusion in solar absorbers. *Solar Energy Materials and Solar Cells*, 166, 140-146. <https://doi.org/10.1016/j.solmat.2017.02.033>

Kovács, P. T., Zare, A., Balogh, T., Bregovic, R., & Gotchev, A. (2017). Architectures and codecs for real-time light field streaming. *Journal of Imaging Science and Technology*, 61(1), [010403]. <https://doi.org/10.2352/J.ImagingSci.Technol.2017.61.1.010403>

Kuisma, M., Sakko, A., Rossi, T. P., Larsen, A. H., Enkovaara, J., Lehtovaara, L., & Rantala, T. T. (2015). Localized surface plasmon resonance in silver nanoparticles: Atomistic first-principles time-dependent density-functional theory calculations. *Physical Review B*, 91(11), [115431]. <https://doi.org/10.1103/PhysRevB.91.115431>

Kulju, S., Akola, J., Prendergast, D., & Jones, R. O. (2016). Tuning electronic properties of graphene heterostructures by amorphous-to-crystalline phase transitions. *Physical Review B*, 93(19), [195443]. <https://doi.org/10.1103/PhysRevB.93.195443>

Kulju, S., Riegger, L., Koltay, P., Mattila, K., & Hyväluoma, J. (2018). Fluid flow simulations meet high-speed video: Computer vision comparison of droplet dynamics. *Journal of Colloid and Interface Science*, 522, 48-56. <https://doi.org/10.1016/j.jcis.2018.03.053>

Kulya, M. S., Sokolenko, B., Gorodetsky, A., & Petrov, N. V. (2020). Propagation dynamics of ultrabroadband terahertz beams with orbital angular momentum for wireless data transfer. teoksessa B. B. Dingel, K. Tsukamoto, & S. Mikroulis (Toimittajat), *Broadband Access Communication Technologies XIV* [113070J] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11307). SPIE. <https://doi.org/10.1117/12.2547695>

Kulya, M. S., Katkovnik, V., Egiazarian, K., & Petrov, N. V. (2020). Complex-domain sparse imaging in terahertz pulse time-domain holography with balance detection. teoksessa L. P. Sadwick, & T. Yang (Toimittajat), *Terahertz, RF, Millimeter, and Submillimeter-Wave Technology and Applications XIII* [1127921] (Proceedings of SPIE; Vuosikerta 11279). SPIE. <https://doi.org/10.1117/12.2549001>

Kulya, M. S., Katkovnik, V. Y., Egiazarian, K., & Petrov, N. V. (2020). Features of correlation measurements of the parameters of pulsed hyperspectral optical fields using an asymmetric interferometer. *Quantum Electronics*, 50(7), 679-682. <https://doi.org/10.1070/QEL17292>

Kumpula, R., Vayrynen, J., Rantala, T., & Aksela, S. (1979). Direct measurement of vapour-metal shifts in photo- and Auger electron spectra of Zn and Cd. *Journal of physics c-Solid state physics*, 12(21), [001]. <https://doi.org/10.1088/0022-3719/12/21/001>

Kurka, M., Dyksik, M., Suomalainen, S., Koivusalo, E., Guina, M., & Motyka, M. (2019). GaInAsSb/AlGa(In)AsSb type I quantum wells emitting in 3µm range for application in superluminescent diodes. *Optical Materials*, 91, 274-278. <https://doi.org/10.1016/j.optmat.2019.03.036>

Kuzmin, M., Laukkanen, P., Yasir, M., Mäkelä, J., Tuominen, M., Dahl, J., ... Guina, M. (2015). Observation of unusual metal-semiconductor interaction and metal-induced gap states at an oxide-semiconductor interface: The case of epitaxial BaO/Ge(100) junction. *Physical Review B*, 92(16), [165311]. <https://doi.org/10.1103/PhysRevB.92.165311>

Kwaśny, M., Laudyn, U. A., Sala, F. A., Piccardi, A., Alberucci, A., Karpierz, M. A., & Assanto, G. (2013). Properties of nematicons in low-birefringence nematic liquid crystals. *Photonics Letters of Poland*, 5(1), 8-10. <https://doi.org/10.4302/plp.2013.1.04>

Kylänpää, I., Cavaliere, F., Ziani, N. T., Sassetti, M., & Räsänen, E. (2016). Thermal effects on the Wigner localization and Friedel oscillations in many-electron nanowires. *Physical Review B*, 94(11), [115417]. <https://doi.org/10.1103/PhysRevB.94.115417>



- Lahtinen, V., Stenvall, A., Sirois, F., & Pellikka, M. (2015). A Finite Element Simulation Tool for Predicting Hysteresis Losses in Superconductors Using an H-Oriented Formulation with Cohomology Basis Functions. *Journal of Superconductivity and Novel Magnetism*, 28(8), 2345-2354. <https://doi.org/10.1007/s10948-015-3074-x>
- Lahtinen, V., & Stenvall, A. (2020). Semantics of HTS AC Loss Modeling: Theories, Models, and Experiments. *IEEE Transactions on Applied Superconductivity*, 30(5), [5900809]. <https://doi.org/10.1109/TASC.2020.2976619>
- Lampio, K., & Karvinen, R. (2017). Optimization of convectively cooled heat sinks. *Microelectronics Reliability*, 79, 473-479. <https://doi.org/10.1016/j.microrel.2017.06.011>
- Lång, J. J. K., Punkkinen, M. P. J., Tuominen, M., Hedman, H. P., Vähä-Heikkilä, M., Polojärvi, V., ... Kokko, K. (2014). Unveiling and controlling the electronic structure of oxidized semiconductor surfaces: Crystalline oxidized InSb(100)(1 × 2)-O: Crystalline oxidized InSb(100)(1 × 2)-O. *Physical Review B*, 90(4), 1-9. [045312]. <https://doi.org/10.1103/PhysRevB.90.045312>
- Laudyn, U. A., Kwaśny, M., Jung, P. S., Trippenbach, M., Assanto, G., & Karpierz, M. A. (2016). Linear and nonlinear light beam propagation in chiral nematic liquid crystal waveguides. *Photonics Letters of Poland*, 8(1), 11-13. <https://doi.org/10.4302/plp.2016.1.05>
- Laudyn, U. A., Kwaśny, M., Karpierz, M. A., & Assanto, G. (2017). Three-color vector nematicon. *Photonics Letters of Poland*, 9(2), 36-38. <https://doi.org/10.4302/plp.v9i2.718>
- Laurila, M.-M., Soltani, A., & Mäntysalo, M. (2015). Inkjet printed single layer high-density circuitry for a MEMS device. teoksessa *2015 IEEE 65th Electronic Components and Technology Conference (ECTC)* (Sivut 968-972). IEEE. <https://doi.org/10.1109/ECTC.2015.7159712>
- Laurila, M.-M., Khorramdel, B., & Mäntysalo, M. (2017). Combination of E-jet and inkjet printing for additive fabrication of multilayer high-density RDL of silicon interposer. *IEEE Transactions on Electron Devices*, 64(3), 1217-1224. <https://doi.org/10.1109/TED.2016.2644728>
- Laurila, M. M., Khorramdel, B., Dastpak, A., & Mäntysalo, M. (2017). Statistical analysis of E-jet print parameter effects on Ag-nanoparticle ink droplet size. *Journal of Micromechanics and Microengineering*, 27(9), [095005]. <https://doi.org/10.1088/1361-6439/aa7a71>
- Le, T., Song, B., Liu, Q., Bahr, R. A., Moscato, S., Wong, C. P., & Tentzeris, M. M. (2015). A novel strain sensor based on 3D printing technology and 3D antenna design. teoksessa *2015 IEEE 65th Electronic Components and Technology Conference, ECTC 2015* (Vuosikerta 2015-July, Sivut 981-986). [7159714] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/ECTC.2015.7159714>
- Le, T., Lin, Z., Wong, C. P., & Tentzeris, M. M. (2014). Enhanced-performance wireless conformal "smart skins" utilizing inkjet-printed carbon-nanostructures. teoksessa *Proceedings - Electronic Components and Technology Conference* (Sivut 769-774). [6897372] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/ECTC.2014.6897372>
- Le, T., Lin, Z., Wong, C. P., & Tentzeris, M. M. (2013). Novel enhancement techniques for ultra-high-performance conformal wireless sensors and 'smart skins' utilizing inkjet-printed graphene. teoksessa *2013 IEEE 63rd Electronic Components and Technology Conference, ECTC 2013* (Sivut 1640-1643). [6575792] <https://doi.org/10.1109/ECTC.2013.6575792>
- Le, T., Lin, Z., Vyas, R., Lakafosis, V., Yang, L., Traille, A., ... Wong, C. P. (2013). Inkjet printing of radio frequency electronics: Design methodologies and application of novel nanotechnologies. *Journal of Electronic Packaging*, 135(1), [011007]. <https://doi.org/10.1115/1.4023671>
- Le, T., Lakafosis, V., Lin, Z., Wong, C. P., & Tentzeris, M. M. (2012). Inkjet-printed graphene-based wireless gas sensor modules. teoksessa *2012 IEEE 62nd Electronic Components and Technology Conference, ECTC 2012* (Sivut 1003-1008). [6248958] <https://doi.org/10.1109/ECTC.2012.6248958>

Ledentsov, N. N., Shchukin, V. A., Lyytikäinen, J., Okhotnikov, O., Cherkashin, N. A., Shernyakov, Y. M., ... Hoffmann, A. (2015). Green (In,Ga,Al)P-GaP light-emitting diodes grown on high-index GaAs surfaces. teoksessa *Proceedings of SPIE: Light-Emitting Diodes: Materials, Devices, and Applications for Solid State Lighting XIX* (Vuosikerta 9383). [93830E] SPIE. <https://doi.org/10.1117/12.2083953>

Leinonen, T., Penttinen, J. P., Korpijärvi, V. M., Kantola, E., & Guina, M. (2015). >8W GaInNAs VECSEL emitting at 615 nm. teoksessa *Proceedings of SPIE: Vertical External Cavity Surface Emitting Lasers (VECSELs) V* (Vuosikerta 9349). [934909] SPIE. <https://doi.org/10.1117/12.2079162>

Lepcha, A., Maccato, C., Mettenbörger, A., Andreu, T., Mayrhofer, L., Walter, M., ... Mathur, S. (2015). Electrospun Black Titania Nanofibers: Influence of Hydrogen Plasma-Induced Disorder on the Electronic Structure and Photoelectrochemical Performance. *Journal of Physical Chemistry C*, 119(33), 18835-18842. <https://doi.org/10.1021/acs.jpcc.5b02767>

Leroy, H. A., Vermandel, M., Tétard, M. C., Lejeune, J. P., Mordon, S., & Reyns, N. (2015). Interstitial photodynamic therapy and glioblastoma: Light fractionation study on a preclinical model: Preliminary results. teoksessa *Optical Techniques in Neurosurgery, Neurophotonics, and Optogenetics II* (Vuosikerta 9305). [93050D] SPIE. <https://doi.org/10.1117/12.2079347>

Li, Z., Le, T., Wu, Z., Yao, Y., Li, L., Tentzeris, M., ... Wong, C. P. (2015). Rational design of a printable, highly conductive silicone-based electrically conductive adhesive for stretchable radio-frequency antennas. *Advanced Functional Materials*, 25(3), 464-470. <https://doi.org/10.1002/adfm.201403275>

Lin, Z., Le, T., Song, X., Yao, Y., Li, Z., Moon, K. S., ... Wong, C. P. (2013). Preparation of water-based carbon nanotube inks and application in the inkjet printing of carbon nanotube gas sensors. *Journal of Electronic Packaging*, 135(1), [011001]. <https://doi.org/10.1115/1.4023758>

Linna, P., Narra, N., & Grönman, J. (2019). Intelligent data service for farmers. teoksessa K. Skala, Z. Car, P. Pale, D. Huljenic, M. Janjic, M. Koracic, V. Sruk, S. Ribaric, T. G. Grbac, Z. Butkovic, M. Cicin-Sain, D. Skvorc, M. Mauher, S. Babic, S. Gros, B. Vrdoljak, ... E. Tijan (Toimittajat), *2019 42nd International Convention on Information and Communication Technology, Electronics and Microelectronics, MIPRO 2019 - Proceedings* (Sivut 1072-1075). IEEE. <https://doi.org/10.23919/MIPRO.2019.8756688>

Liu, X., Fan, Y., & Tentzeris, M. M. (2015). An integrated "sense-and-communicate" broad-/narrow-band optically controlled reconfigurable antenna for cognitive radio systems. *Microwave and Optical Technology Letters*, 57(4), 1016-1023. <https://doi.org/10.1002/mop.29004>

Lopez-Iscoa, P., Petit, L., Massera, J., Janner, D., Boetti, N. G., Pugliese, D., ... Milanese, D. (2017). Effect of the addition of Al<sub>2</sub>O<sub>3</sub>, TiO<sub>2</sub> and ZnO on the thermal, structural and luminescence properties of Er<sup>3+</sup>-doped phosphate glasses. *Journal of Non-Crystalline Solids*, 460, 161-168. <https://doi.org/10.1016/j.jnoncrysol.2017.01.030>

Lorin, C., Simon, D., Felice, H., Rifflet, J. M., Salmi, T., & Schoerling, D. (2018). Design of a Nb<sub>3</sub>Sn 400 T/m quadrupole for the Future Circular Collider. *IEEE Transactions on Applied Superconductivity*, 28(3), [4004905]. <https://doi.org/10.1109/TASC.2018.2797945>

Lorin, C., Fleiter, J., Salmi, T., & Schoerling, D. (2019). Exploration of Two Layer Nb<sub>3</sub>Sn Designs of the Future Circular Collider Main Quadrupoles. *IEEE Transactions on Applied Superconductivity*, 29(5), [4001005]. <https://doi.org/10.1109/TASC.2019.2892814>

Lukin, V. V., Ponomarenko, N. N., Ieremeiev, O., Egiazarian, K., & Astola, J. (2015). Combining full-reference image visual quality metrics by neural network. teoksessa *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 9394). [93940K] SPIE. <https://doi.org/10.1117/12.2085465>

Luo, Z., Bao, Q., Caglayan, H., Jia, B., & Zhang, H. (Toimittajat) (2020). Special Issue: Novel Optical and Photonic Devices based on 2D Materials. *Optical Materials Express*, 10(6).

- Luo, Z., Bao, Q., Caglayan, H., Jia, B., & Zhang, H. (2020). Novel optical and photonic devices based on 2D materials: Feature issue introduction. *Optical Materials Express*, 10(6), 1344-1345. <https://doi.org/10.1364/OME.396413>
- Lyly, M., Krooshoop, E., Lübke, R., Wessel, S., Stenvall, A., Dhalle, M., & Mikkonen, R. (2015). Suitability of bundle approximation in AC loss analysis of NbTi wires: Simulations and experiment. *IEEE Transactions on Applied Superconductivity*, 25(3). <https://doi.org/10.1109/TASC.2014.2376184>
- Ma, L., Jackson, K. A., Wang, J., Horoi, M., & Jellinek, J. (2014). Investigating the metallic behavior of Na clusters using site-specific polarizabilities. *Physical Review B*, 89(3), [035429]. <https://doi.org/10.1103/PhysRevB.89.035429>
- Ma, L., & Ray, A. K. (2011). An ab initio study of  $\text{PuO}_{2\pm 0.25}$ ,  $\text{UO}_{2\pm 0.25}$ , and  $\text{U}_{0.5}\text{Pu}_{0.5}\text{O}_{2\pm 0.25}$ . *European Physical Journal B*, 81(1), 103-113. <https://doi.org/10.1140/epjb/e2011-10759-0>
- Ma, L., Laasonen, K., & Akola, J. (2017). Catalytic Activity of AuCu Clusters on MgO(100): Effect of Alloy Composition for CO Oxidation. *Journal of Physical Chemistry C*, 121(20), 10876-10886. <https://doi.org/10.1021/acs.jpcc.6b12054>
- Magarkar, A., Parkkila, P., Viitala, T., Lajunen, T., Mobarak, E., Licari, G., ... Bunker, A. (2018). Membrane bound COMT isoform is an interfacial enzyme: General mechanism and new drug design paradigm. *Chemical Communications*, 54(28), 3440-3443. <https://doi.org/10.1039/c8cc00221e>
- Mäkelä, J., Tuominen, M., Yasir, M., Polojärvi, V., Aho, A., Tukiainen, A., ... Guina, M. (2015). Effects of thinning and heating for TiO<sub>2</sub>/AlInP junctions. *Journal of Electron Spectroscopy and Related Phenomena*, 205, 6-9. <https://doi.org/10.1016/j.elspec.2015.08.004>
- Marchevsky, M., Turqueti, M., Cheng, D. W., Felice, H., Sabbi, G., Salmi, T., ... Todesco, E. (2016). Protection Heater Design Validation for the LARP Magnets Using Thermal Imaging. *IEEE Transactions on Applied Superconductivity*, 26(4), [4003605]. <https://doi.org/10.1109/TASC.2016.2530161>
- Marinozzi, V., Ambrosio, G., Ferracin, P., Izquierdo Bermudez, S., Rysti, J., Salmi, T., ... Todesco, E. (2016). Quench Protection Study of the Updated MQXF for the LHC Luminosity Upgrade (HiLumi LHC). *IEEE Transactions on Applied Superconductivity*, 26(4), [4001805]. <https://doi.org/10.1109/TASC.2016.2523548>
- Marinozzi, V., Bellomo, G., Caiffi, B., Fabbriatore, P., Farinon, S., Salmi, T., ... Volpini, G. (2017). Quench Protection Study of the Eurocircol 16 T cos $\theta$  Dipole for the Future Circular Collider (FCC). *IEEE Transactions on Applied Superconductivity*, 27(4), [4702505]. <https://doi.org/10.1109/TASC.2017.2656156>
- Marinozzi, V., Ambrosio, G., Bellomo, G., Chlachidze, G., Felice, H., Marchevsky, M., ... Todesco, E. (2015). Study of quench protection for the Nb<sub>3</sub>Sn low- $\beta$  quadrupole for the LHC luminosity upgrade (HiLumi-LHC). *IEEE Transactions on Applied Superconductivity*, 25(3), [4002905]. <https://doi.org/10.1109/TASC.2014.2383435>
- Mashayekhi, M., Winchester, L., Evans, L., Pease, T., Laurila, M-M., Mäntysalo, M., ... Carrabina, J. (2016). Evaluation of Aerosol, Superfine Inkjet, and Photolithography Printing Techniques for Metallization of Application Specific Printed Electronic Circuits. *IEEE Transactions on Electron Devices*, 63(3), 1246-1253. <https://doi.org/10.1109/TED.2016.2522388>
- Mashayekhi, M., Winchester, L., Laurila, M-M., Mäntysalo, M., Ogier, S., Terés, L., & Carrabina, J. (2017). Chip-by-chip configurable interconnection using digital printing techniques. *Journal of Micromechanics and Microengineering*, 27(4), [045009]. <https://doi.org/10.1088/1361-6439/aa5ef3>
- Massera, J., Gaussiran, M., Gluchowski, P., Lastusaari, M., Petit, L., Hölsä, J., & Hupa, L. (2016). Effect of the glass melting condition on the processing of phosphate-based glass-ceramics with persistent luminescence properties. *Optical Materials*, 52, 56-61. <https://doi.org/10.1016/j.optmat.2015.12.006>

Mateos, X., Loiko, P., Lamrini, S., Scholle, K., Fuhrberg, P., Suomalainen, S., ... Petrov, V. (2018). Highly-efficient Ho:KY(WO<sub>4</sub>)<sub>2</sub> thin-disk lasers at 2.06 μm. teoksessa *Pacific-Rim Laser Damage 2018: Optical Materials for High-Power Lasers* [107130J] (Proceedings of SPIE; Vuosikerta 10713). SPIE, IEEE. <https://doi.org/10.1117/12.2316822>

Mathew, S., Koskinen, K., Czaplicki, R., Pradeep, C., Kailasnath, M., GVallabhan, C. P., ... Radhakrishnan, P. (2014). Study of second-harmonic generation from CdS nanostructured thin film. teoksessa *12th International Conference on Fiber Optics and Photonics* [M4A.46] Optical Society of America (OSA). <https://doi.org/10.1364/PHOTONICS.2014.M4A.46>

Mehmood, A., Chen, X., He, H., Ukkonen, L., & Virkki, J. (2019). Eco-friendly flexible wireless platforms by 3D printing pen . teoksessa *2019 Photonics and Electromagnetics Research Symposium - Fall, PIERS - Fall 2019 - Proceedings* (Sivut 2422-2425). [9021887] (2019 Photonics and Electromagnetics Research Symposium - Fall, PIERS - Fall 2019 - Proceedings). IEEE. <https://doi.org/10.1109/PIERS-Fall48861.2019.9021887>

Mehmood, A., Vianto, V., He, H., Chen, X., Buruk, O. O., Ukkonen, L., & Virkki, J. (2019). Passive UHF RFID-based user interface on a wooden surface. teoksessa *2019 Photonics and Electromagnetics Research Symposium - Fall, PIERS - Fall 2019 - Proceedings* (Sivut 1760-1763). [9021441] IEEE. <https://doi.org/10.1109/PIERS-Fall48861.2019.9021441>

Mereuta, A., Nechay, K., Caliman, A., Suruceanu, G., Gallo, P., Guina, M., & Kapon, E. (2019). 1.55-μm wavelength wafer-fused OP-VECSELs in flip-chip configuration. teoksessa U. Keller (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELs) IX* [1090103] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10901). SPIE, IEEE. <https://doi.org/10.1117/12.2508342>

Mikkonen, R., & Mäntysalo, M. (2018). Evaluation of screen printed silver trace performance and long-term reliability against environmental stress on a low surface energy substrate. *Microelectronics Reliability*, 86, 54-65. <https://doi.org/10.1016/j.microrel.2018.05.010>

Mikkonen, R., Lahokallio, S., Frisk, L., & Mäntysalo, M. (2018). Processing of printed silver patterns on an ETFE substrate . teoksessa *Proceedings - 2018 IMAPS Nordic Conference on Microelectronics Packaging, NORDPAC 2018* (Sivut 1-7). [8423860] IEEE. <https://doi.org/10.23919/NORDPAC.2018.8423860>

Miller, T. L., Ärrälä, M., Smallwood, C. L., Zhang, W., Hafiz, H., Barbiellini, B., ... Lanzara, A. (2015). Resolving unoccupied electronic states with laser ARPES in bismuth-based cuprate superconductors. *Physical Review B*, 91(8), [085109]. <https://doi.org/10.1103/PhysRevB.91.085109>

Minarelli, E. L., Pöyhönen, K., Van Dalum, G. A. R., Ojanen, T., & Fritz, L. (2019). Engineering of Chern insulators and circuits of topological edge states. *Physical Review B*, 99(16), [165413]. <https://doi.org/10.1103/PhysRevB.99.165413>

Moirangthem, M., Stumpel, J. E., Alp, B., Teunissen, P., Bastiaansen, C. W. M., & Schenning, A. P. H. J. (2016). Hot pen and laser writable photonic polymer films. teoksessa *Emerging Liquid Crystal Technologies XI* (Vuosikerta 9769). [97690Y] SPIE. <https://doi.org/10.1117/12.2209065>

Moiseev, E. I., Maximov, M. V., Kryzhanovskaya, N. V., Simchuk, O. I., Kulagina, M. M., Kadinskaya, S. A., ... Zhukov, A. E. (2020). Comparative Analysis of Injection Microdisk Lasers Based on InGaAsN Quantum Wells and InAs/InGaAs Quantum Dots. *Semiconductors*, 54(2), 263-267. <https://doi.org/10.1134/S1063782620020177>

Mojica, E., Pertuz, S., & Arguello, H. (2017). High-resolution coded-aperture design for compressive X-ray tomography using low resolution detectors. *Optics Communications*, 404, 103-109. <https://doi.org/10.1016/j.optcom.2017.06.053>

Moradi, E., Koski, K., Hasani, M., Rahmat-Samii, Y., & Ukkonen, L. (2015). Antenna design considerations for far field and near field wireless body-centric systems. teoksessa *ICCEM 2015 - 2015 IEEE International Conference on Computational Electromagnetics* (Sivut 59-60). [7052555] The Institute of Electrical and Electronics Engineers, Inc.. <https://doi.org/10.1109/COMPEN.2015.7052555>

- Moradi, E., Koski, K., Björninen, T., Muller, R., Ledochowitsch, P., Sydänheimo, L., ... Rahmat-Samii, Y. (2014). Advances in implantable and wearable antennas for wireless brain-machine interface systems. teoksessa *2014 United States National Committee of URSI National Radio Science Meeting, USNC-URSI NRSM 2014* [6928137] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/USNC-URSI-NRSM.2014.6928137>
- Mosallaei, M., Jokinen, J., Honkanen, M., Iso-Ketola, P., Vippola, M., Vanhala, J., ... Mäntysalo, M. (2018). Geometry Analysis in Screen-Printed Stretchable Interconnects. *IEEE Transactions on Components, Packaging and Manufacturing Technology*, 8(8), 1344-1352. <https://doi.org/10.1109/TCPMT.2018.2854635>
- Mosallaei, M., Di Vito, D., Khorramdel, B., & Mäntysalo, M. (2020). Improvements in the electromechanical properties of stretchable interconnects by locally tuning the stiffness. *Flexible and Printed Electronics*, 5(1), [015004]. <https://doi.org/10.1088/2058-8585/ab68ae>
- Mostofizadeh, M., Najari, M., Das, D., Pecht, M., & Frisk, L. (2016). Effect of Epoxy Flux Underfill on Thermal Cycling Reliability of Sn-8Zn-3Bi Lead-Free Solder in a Sensor Application. teoksessa *Proceedings - ECTC 2016: 66th Electronic Components and Technology Conference* (Sivut 2169-2175). IEEE. <https://doi.org/10.1109/ECTC.2016.209>
- Murakami, M., Kohara, S., Kitamura, N., Akola, J., Inoue, H., Hirata, A., ... Ohishi, Y. (2019). Ultrahigh-pressure form of Si O<sub>2</sub> glass with dense pyrite-type crystalline homology. *Physical Review B*, 99(4), [045153]. <https://doi.org/10.1103/PhysRevB.99.045153>
- Murtomaeki, J. S., Kirby, G., van Nugteren, J., Contat, P. A., Fleiter, J., De Frutos, O. S., ... Wolf, F. (2018). 10 kA Joints for HTS Roebel Cables. *IEEE Transactions on Applied Superconductivity*, 28(3). <https://doi.org/10.1109/TASC.2018.2804951>
- Murtomaki, J. S., Van Nugteren, J., Kirby, G., Rossi, L., Ruuskanen, J., & Stenvall, A. (2017). Mechanical Effects of the Nonuniform Current Distribution on HTS Coils for Accelerators Wound With REBCO Roebel Cable. *IEEE Transactions on Applied Superconductivity*, 27(4), [4100405]. <https://doi.org/10.1109/TASC.2017.2665882>
- Murtomäki, J. S., Kouhia, R., Stenvall, A., Bottura, L., Kirby, G., van Nugteren, J., ... Rossi, L. (2018). Investigation of REBCO Roebel Cable Irreversible Critical Current Degradation Under Transverse Pressure. *IEEE Transactions on Applied Superconductivity*, 28(4), [4802506]. <https://doi.org/10.1109/TASC.2018.2829150>
- Murtomäki, J. S., van Nugteren, J., Kirby, G., DeRijk, G., Rossi, L., & Stenvall, A. (2018). ICED - Inductively Coupled Energy Dissipater for Future High Field Accelerator Magnets. *IEEE Transactions on Applied Superconductivity*, 28(8), [4009015]. <https://doi.org/10.1109/TASC.2018.2841909>
- Murtomäki, J. S., Van Nugteren, J., Stenvall, A., Kirby, G., & Rossi, L. (2019). 3-D mechanical modeling of 20 T HTS clover leaf end coils - Good practices and lessons learned. *IEEE Transactions on Applied Superconductivity*, 29(5), [8642381]. <https://doi.org/10.1109/TASC.2019.2899317>
- Musgraves, J. D., Carlie, N., Hu, J., Petit, L., Agarwal, A., Kimerling, L. C., & Richardson, K. A. (2011). Comparison of the optical, thermal and structural properties of Ge-Sb-S thin films deposited using thermal evaporation and pulsed laser deposition techniques. *Acta Materialia*, 59(12), 5032-5039. <https://doi.org/10.1016/j.actamat.2011.04.060>
- Myllymäki, S., Putaala, J., Hannu, J., Kunnari, E., & Mäntysalo, M. (2016). RF measurements to pinpoint defects in inkjet-printed, thermally and mechanically stressed coplanar waveguides. *Microelectronics Reliability*, 65, 142-150. <https://doi.org/10.1016/j.microrel.2016.08.021>
- Nair, D. G., Rasilo, P., & Arkkio, A. (2018). Sensitivity Analysis of Inverse Thermal Modeling to Determine Power Losses in Electrical Machines. *IEEE Transactions on Magnetics*, 54(11), [8109405]. <https://doi.org/10.1109/TMAG.2018.2853084>

Nate, K., & Tentzeris, M. M. (2015). A novel 3-D printed loop antenna using flexible NinjaFlex material for wearable and IoT applications. teoksessa *2015 IEEE 24th Conference on Electrical Performance of Electronic Packaging and Systems, EPEPS 2015* (Sivut 171-174). [7347155] Institute of Electrical and Electronics Engineers Inc..  
<https://doi.org/10.1109/EPEPS.2015.7347155>

Nechay, K., Kahle, H., Penttinen, J-P., Rajala, P., Tukiainen, A., Ranta, S., & Guina, M. (2019). AlGaAs/AlGaInP VECSELs with Direct Emission at 740-770 nm. *IEEE Photonics Technology Letters*, *31*(15), 1245-1248.  
<https://doi.org/10.1109/LPT.2019.2924289>

Nejadsattari, F., Zhang, Y., Bouchard, F., Larocque, H., Sit, A., Cohen, E., ... Karimi, E. (2019). Experimental realization of wave-packet dynamics in cyclic quantum walks. *Optica*, *6*(2), 174-180. <https://doi.org/10.1364/OPTICA.6.000174>

Nejadsattari, F., Zhang, Y., Jayakody, M. N., Bouchard, F., Larocque, H., Sit, A., ... Karimi, E. (2020). Cyclic quantum walks: Photonic realization and decoherence analysis. teoksessa P. R. Hemmer, A. L. Migdall, & Z. U. Hasan (Toimittajat), *Advanced Optical Techniques for Quantum Information, Sensing, and Metrology* [1129503] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11295). SPIE. <https://doi.org/10.1117/12.2546566>

Nieminen, A., Marini, A., & Ornigotti, M. (2020). Goos-Hänchen and Imbert-Fedorov shifts for epsilon-near-zero materials. *Journal of Optics*, *22*(3), [035601]. <https://doi.org/10.1088/2040-8986/ab6ae7>

Nikkinen, J., Savitski, V., Reilly, S., Dziechciarczyk, L., Härkönen, A., Kemp, A., & Guina, M. (2018). Sub-100 ps monolithic diamond Raman laser emitting at 573 nm. *IEEE Photonics Technology Letters*, *30*(11), 981-984.  
<https://doi.org/10.1109/LPT.2018.2806183>

Nikkinen, J., Härkönen, A., Leino, I., & Guina, M. (2017). Generation of Sub-100 ps Pulses at 532, 355, and 266 nm Using a SESAM Q-Switched Microchip Laser. *IEEE Photonics Technology Letters*, *29*(21), 1816-1819.  
<https://doi.org/10.1109/LPT.2017.2752421>

Noronen, T., Gumenyuk, R., Chamorovskii, Y., Golant, K., Odnoblyudov, M., & Filippov, V. (2017). Ultrafast picosecond MOPA with Yb-doped tapered double clad fiber. teoksessa *The European Conference on Lasers and Electro-Optics 2017: Munich Germany 25-29 June 2017* (Vuosikerta Part F82-CLEO\_Europe 2017). [CJ\_9\_4] The Optical Society; OSA.

Noronen, T., Fedotov, A., Rissanen, J., Gumenyuk, R., Butov, O., Chamorovskii, Y., ... Filippov, V. (2018). Ultra-large mode area single frequency anisotropic MOPA with double clad Yb-doped tapered fiber. teoksessa *Fiber Lasers XV: Technology and Systems* [105121T] (Proceedings of SPIE; Vuosikerta 10512). SPIE, IEEE.  
<https://doi.org/10.1117/12.2288942>

Ojha, N., Tuomisto, M., Lastusaari, M., & Petit, L. (2019). Phosphate glasses with blue persistent luminescence prepared using the direct doping method. *Optical Materials*, *87*, 151-156. <https://doi.org/10.1016/j.optmat.2018.03.063>

Ojha, N., Laihinen, T., Salminen, T., Lastusaari, M., & Petit, L. (2018). Influence of the phosphate glass melt on the corrosion of functional particles occurring during the preparation of glass-ceramics. *Ceramics International*, *44*(10), 11807-11811. <https://doi.org/10.1016/j.ceramint.2018.03.267>

Ojha, N., Bogdan, M., Galatus, R., & Petit, L. (2020). Effect of heat-treatment on the upconversion of NaYF<sub>4</sub>:Yb<sup>3+</sup>, Er<sup>3+</sup> nanocrystals containing silver phosphate glass. *Journal of Non-Crystalline Solids*, *544*, [120243].  
<https://doi.org/10.1016/j.jnoncrysol.2020.120243>

Okun, O., Kravchenko, Y., & Korpinen, L. (2016). Influence of environmental conditions on EMF levels in a span of overhead transmission lines. *Progress in Electromagnetics Research C*, *63*, 163-171.  
<https://doi.org/10.2528/PIERC16021106>

Orsila, L., Sand, J., Närhi, M., Genty, G., & Steinmeyer, G. (2015). Supercontinuum generation as a signal amplifier. *Optica*, *2*(8), 757-764. <https://doi.org/10.1364/OPTICA.2.000757>

- Ouskova, E., Vapaavuori, J., & Kaivola, M. (2011). Self-orienting liquid crystal doped with polymer-azo-dye complex. *Optical Materials Express*, 1(8), 1463-1470.
- Ozby, E., Bulu, I., & Caglayan, H. (2006). Labyrinth based left-handed metamaterials and sub-wavelength focusing of electromagnetic waves. teoksessa *Photonic Crystal Materials and Devices IV* (Vuosikerta 6128). [612813] (Proceedings of SPIE; Vuosikerta 6128). <https://doi.org/10.1117/12.649548>
- Ozby, E., Bulu, I., Aydin, K., Caglayan, H., & Guven, K. (2004). Physics and applications of photonic crystals. *Photonics and Nanostructures - Fundamentals and Applications*, 2(2), 87-95. <https://doi.org/10.1016/j.photonics.2004.08.001>
- Özby, E., Bulu, I., & Caglayan, H. (2007). Transmission, refraction, and focusing properties of labyrinth based left-handed metamaterials. *Physica Status Solidi (B) Basic Research*, 244(4), 1202-1210. <https://doi.org/10.1002/pssb.200674507>
- Pajukoski, H., Näkki, J., Thieme, S., Tuominen, J., Nowotny, S., & Vuoristo, P. (2016). High performance corrosion resistant coatings by novel coaxial cold- and hot-wire laser cladding methods. *Journal of Laser Applications*, 28(1), [012011]. <https://doi.org/10.2351/1.4936988>
- Palmolahti, L., Ali-Löyty, H., Khan, R., Saari, J., Tkachenko, N. V., & Valden, M. (2020). Modification of Surface States of Hematite-Based Photoanodes by Submonolayer of TiO<sub>2</sub> for Enhanced Solar Water Splitting. *Journal of Physical Chemistry C*, 124(24), 13094-13101. <https://doi.org/10.1021/acs.jpcc.0c00798>
- Passananti, M., Zapadinsky, E., Zanca, T., Kangasluoma, J., Myllys, N., Rissanen, M. P., ... Vehkamäki, H. (2019). How well can we predict cluster fragmentation inside a mass spectrometer? *Chemical Communications*, 55(42), 5946-5949. <https://doi.org/10.1039/c9cc02896j>
- Pavelescu, E.-M., Polojärvi, V., Schramm, A., Tukiainen, A., Aho, A., Zhang, W., ... Guina, M. (2016). Effects of insertion of strain-engineering Ga(In)NAs layers on optical properties of InAs/GaAs quantum dots for high-efficiency solar cells. *Optical Materials*, 52, 177-180. <https://doi.org/10.1016/j.optmat.2015.12.035>
- Pavelescu, E. M., Bălăţeanu, N., Spănulescu, S. I., & Arola, E. (2017). Very high dose electron irradiation effects on photoluminescence from GaInNAs/GaAs quantum wells grown by molecular beam epitaxy. *Optical Materials*, 64, 361-365. <https://doi.org/10.1016/j.optmat.2016.12.007>
- Peccianti, M., Alberucci, A., Assanto, G., De Luca, A., Coschignano, G., & Umetsu, C. (2005). Walking anisotropic spatial solitons and their steering in nematic liquid crystals. teoksessa *Nonlinear Guided Waves and Their Applications, NLGW 2005* Optical Society of America OSA. <https://doi.org/10.1364/NLGW.2005.FA1>
- Perumbilavil, S., Piccardi, A., Kauranen, M., & Assanto, G. (2018). Directional random laser by combining cavity-less lasing and spatial solitons in liquid crystals. teoksessa *Nonlinear Photonics, NP 2018* (Vuosikerta Part F108-NP 2018). OSA - The Optical Society. <https://doi.org/10.1364/NP.2018.NpW2C.4>
- Petelenz, P., & Kulig, W. (2011). Absorption profile and femtosecond intraband relaxation of the intense upper Davydov component in oligothiophenes. *Physica Status Solidi B: Basic Solid State Physics*, 248(2), 412-415. <https://doi.org/10.1002/pssb.201000640>
- Petit, L., Nguyen, H., Hongisto, M., Salminen, T., Hakkarainen, T., Lopez-Iscoa, P., ... Milanese, D. (2017). Novel Er<sup>3+</sup> doped phosphate glass-ceramics for photonics. teoksessa *ICTON 2017 - 19th International Conference on Transparent Optical Networks* IEEE COMPUTER SOCIETY PRESS. <https://doi.org/10.1109/ICTON.2017.8024877>
- Phung, H. M., Kahle, H., Penttinen, J.-P., Rajala, P., Ranta, S., & Guina, M. (2020). A membrane external-cavity surface-emitting laser (MECSEL) with emission around 825 nm. teoksessa J. E. Hastie (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELs) X* [112630H] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11263). SPIE. <https://doi.org/10.1117/12.2545980>

Piccardi, A., Alberucci, A., Kravets, N., Buchnev, O., Kaczmarek, M., & Assanto, G. (2014). Bistable optical propagation in nematic liquid crystals. teoksessa *Nonlinear Photonics, NP 2014* Optical Society of America OSA.

Piccardi, A., Residori, S., & Assanto, G. (2016). Nonlocal soliton scattering in random potentials. *Journal of Optics*, *18*(7), [07LT01]. <https://doi.org/10.1088/2040-8978/18/7/07LT01>

Pippola, J., Marttila, T., & Frisk, L. (2017). Development of dust test method for motor drives. teoksessa *2017 IMAPS Nordic Conference on Microelectronics Packaging, NordPac 2017* (Sivut 43-46). IEEE. <https://doi.org/10.1109/NORDPAC.2017.7993161>

Pirkkalainen, H., Elovaara, J., & Korpinen, L. (2016). Decreasing the extremely low-frequency electric field exposure with a Faraday cage during work tasks from a man hoist at a 400 kV substation. *Progress In Electromagnetics Research M*, *48*, 55-66.

Polojärvi, V., Aho, A., Tukiainen, A., Raappana, M., Aho, T., Schramm, A., & Guina, M. (2016). Influence of As/group-III flux ratio on defects formation and photovoltaic performance of GaInNAs solar cells. *Solar Energy Materials and Solar Cells*, *149*, 213-220. <https://doi.org/10.1016/j.solmat.2016.01.024>

Poutala, A., Kovanen, T., & Kettunen, L. (2018). Essential Measurements for Finite Element Simulations of Magnetostrictive Materials. *IEEE Transactions on Magnetism*, *54*(1), [7200107]. <https://doi.org/10.1109/TMAG.2017.2766599>

Prando, G. A., Orsi Gordo, V., Puustinen, J., Hilska, J., Alghamdi, H. M., Som, G., ... Guina, M. (2018). Exciton localization and structural disorder of GaAs<sub>1-x</sub>Bi<sub>x</sub>/GaAs quantum wells grown by molecular beam epitaxy on (311)B GaAs substrates. *Semiconductor Science and Technology*, *33*(8), [084002]. <https://doi.org/10.1088/1361-6641/aad02e>

Primagi, A., Cavallo, G., Forni, A., Gorynsztejn-Leben, M., Kaivola, M., Metrangolo, P., ... Terraneo, G. (2012). Halogen bonding versus hydrogen bonding in driving self-assembly and performance of light-responsive supramolecular polymers. *Advanced Functional Materials*, *22*(12), 2572-2579. <https://doi.org/10.1002/adfm.201200135>

Putala, J., Niittynen, J., Hannu, J., Myllymäki, S., Kunnari, E., Mäntysalo, M., ... Jantunen, H. (2017). Capability assessment of inkjet printing for reliable RFID applications. *IEEE Transactions on Device and Materials Reliability*, *17*(2), 281-290. <https://doi.org/10.1109/TDMR.2016.2636342>

Pyattaev, A., Hosek, J., Johnsson, K., Krkos, R., Gerasimenko, M., Masek, P., ... Koucheryavy, Y. (2015). 3GPP LTE-assisted Wi-Fi-direct: Trial implementation of live D2D technology. *ETRI Journal*, *37*(5), 877-887. <https://doi.org/10.4218/etrij.15.2415.0003>

Qu, Y., Soininen, J. P., & Nurmi, J. (2007). A genetic algorithm for scheduling tasks onto dynamically reconfigurable hardware. teoksessa *2007 IEEE International Symposium on Circuits and Systems* (Sivut 161-164) <https://doi.org/10.1109/ISCAS.2007.378246>

Qu, Y., Tiensyrjä, K., Soininen, J. P., & Nurmi, J. (2007). System-level design for partially reconfigurable hardware. teoksessa *2007 IEEE International Symposium on Circuits and Systems* (Sivut 2738-2741) <https://doi.org/10.1109/ISCAS.2007.378619>

Raappana, M., Aho, A., Aho, T., Isoaho, R., Anttola, E., Kajas, N., ... Guina, M. (2019). Performance of Solar Cell Grids based on Ag, Au, and Al for Cost-Effective Manufacturing. teoksessa *2019 European Space Power Conference (ESPC)* IEEE. <https://doi.org/10.1109/ESPC.2019.8932002>

Radevici, I., Sadi, T., Tripurari, T., Tiira, J., Ranta, S., Tukiainen, A., ... Oksanen, J. (2019). Observation of local electroluminescent cooling and identifying the remaining challenges. teoksessa D. V. Seletskiy, R. I. Epstein, & M. Sheik-Bahae (Toimittajat), *Photonic Heat Engines: Science and Applications* [109360A] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10936). SPIE, IEEE. <https://doi.org/10.1117/12.2505814>



- Räisänen, V., Suuriniemi, S., & Kettunen, L. (2016). Generalized slip transformations and air-gap harmonics in field models of electrical machines. *IEEE Transactions on Magnetics*, 52(9), [8107708]. <https://doi.org/10.1109/TMAG.2016.2561907>
- Rajala, S., Mettänen, M., & Tuukkanen, S. (2016). Structural and Electrical Characterization of Solution-Processed Electrodes for Piezoelectric Polymer Film Sensors. *IEEE Sensors Journal*, 16(6), 1692-1699. <https://doi.org/10.1109/JSEN.2015.2504956>
- Ramesh, A., Growden, T. A., Berger, P. R., Loo, R., Vandervorst, W., Douhard, B., & Caymax, M. (2012). Boron delta-doping dependence on Si/SiGe resonant interband tunneling diodes grown by chemical vapor deposition. *IEEE Transactions on Electron Devices*, 59(3), 602-609. <https://doi.org/10.1109/TED.2011.2180532>
- Rasappa, S., Borah, D., Senthamaraiannan, R., Faulkner, C. C., Shaw, M. T., Gleeson, P., ... Morris, M. A. (2012). Block copolymer lithography: Feature size control and extension by an over-etch technique. *Thin Solid Films*, 522, 318-323. <https://doi.org/10.1016/j.tsf.2012.09.017>
- Rasappa, S., Schulte, L., Borah, D., Hulkkonen, H., Ndoni, S., Salminen, T., ... Niemi, T. (2018). Morphology evolution of PS-b-PDMS block copolymer and its hierarchical directed self-assembly on block copolymer templates. *Microelectronic Engineering*, 192, 1-7. <https://doi.org/10.1016/j.mee.2018.02.002>
- Rasilo, P., Abdallah, A. A. E., Belahcen, A., Arkkio, A., & Dupré, L. (2015). Identification of synchronous machine magnetization characteristics from calorimetric core-loss and no-load curve measurements. *IEEE Transactions on Magnetics*, 51(3), [2001304]. <https://doi.org/10.1109/TMAG.2014.2354055>
- Rasilo, P., Singh, D., Belahcen, A., & Arkkio, A. (2013). Iron losses, magnetoelasticity and magnetostriction in ferromagnetic steel laminations. *IEEE Transactions on Magnetics*, 49(5), 2041-2044. <https://doi.org/10.1109/TMAG.2013.2242857>
- Rasilo, P., Belahcen, A., & Arkkio, A. (2012). Importance of iron-loss modeling in simulation of wound-field synchronous machines. *IEEE Transactions on Magnetics*, 48(9), 2495-2504. <https://doi.org/10.1109/TMAG.2012.2195190>
- Rissanen, I., & Laurson, L. (2019). Magnetic non-contact friction from domain wall dynamics actuated by oscillatory mechanical motion. *Journal of Physics D: Applied Physics*, 52(44), [445002]. <https://doi.org/10.1088/1361-6463/ab351f>
- Rissanen, I., & Laurson, L. (2019). Bursty magnetic friction between polycrystalline thin films with domain walls. *Physical Review B*, 100(14), [144408]. <https://doi.org/10.1103/PhysRevB.100.144408>
- Rondin, L., Dantelle, G., Slablab, A., Grosshans, F., Treussart, F., Bergonzo, P., ... Roch, J. F. (2010). Surface-induced charge state conversion of nitrogen-vacancy defects in nanodiamonds. *Physical Review B*, 82(11), [115449]. <https://doi.org/10.1103/PhysRevB.82.115449>
- Ropo, M., Akola, J., & Jones, R. O. (2017). Crystallization of supercooled liquid antimony: A density functional study. *Physical Review B*, 96(18), [184102]. <https://doi.org/10.1103/PhysRevB.96.184102>
- Rossi, L., Badel, A., Bajko, M., Ballarino, A., Bottura, L., Dhallé, M. M. J., ... Zangenberg, N. (2015). The EuCARD-2 future magnets European collaboration for accelerator-quality HTS magnets. *IEEE Transactions on Applied Superconductivity*, 25(3), [4001007]. <https://doi.org/10.1109/TASC.2014.2364215>
- Rossi, L., Badel, A., Bajas, H., Bajko, M., Ballarino, A., Barth, C., ... Zangenberg, N. (2018). The EuCARD2 Future Magnets Program for particle accelerator high field dipoles: review of results and next steps. *IEEE Transactions on Applied Superconductivity*, 28(3). <https://doi.org/10.1109/TASC.2017.2784357>

Rubel, A. S., Lukin, V. V., & Egiazarian, K. (2015). A method for predicting DCT-based denoising efficiency for grayscale images corrupted by AWGN and additive spatially correlated noise. teoksessa *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 9399). [93990P] SPIE. <https://doi.org/10.1117/12.2082533>

Ruuskanen, J., Stenvall, A., & Lahtinen, V. (2015). Utilizing triangular mesh with MMEV to study hysteresis losses of round superconductors obeying critical state model. *IEEE Transactions on Applied Superconductivity*, 25(3), [8200405]. <https://doi.org/10.1109/TASC.2014.2365408>

Ruuskanen, J., Stenvall, A., Van Nugteren, J., & Lahtinen, V. (2018). Optimization of an E3SPreSSO Energy-Extraction System for High-Field Superconducting Magnets. *IEEE Transactions on Applied Superconductivity*, 28(3), [4700805]. <https://doi.org/10.1109/TASC.2018.2794457>

Ryczkowski, P., Barbier, M., Friberg, A. T., Dudley, J. M., & Genty, G. (2016). Ghost imaging in the time domain. *Nature Photonics*, (10), 167-170. <https://doi.org/10.1038/nphoton.2015.274>

Ryczkowski, P., Närhi, M., Billet, C., Merolla, J. M., Genty, G., & Dudley, J. M. (2018). Real-time full-field characterization of transient dissipative soliton dynamics in a mode-locked laser. *Nature Photonics*, 12, 221–227. <https://doi.org/10.1038/s41566-018-0106-7>

Ryczkowski, P., Närhi, M., Billet, C., Merolla, J. M., Dudley, J. M., & Genty, G. (2018). Real-time measurements of nonlinear instabilities in optical fibers. teoksessa *CLEO: Applications and Technology, CLEO\_AT 2018* OSA - The Optical Society. [https://doi.org/10.1364/CLEO\\_AT.2018.AF2Q.1](https://doi.org/10.1364/CLEO_AT.2018.AF2Q.1)

Saad-Bin-Alam, M., Reshef, O., Huttunen, M. J., Carlow, G., Sullivan, B., Menard, J. M., ... Boyd, R. W. (2019). High-Q resonance train in a plasmonic metasurface. teoksessa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings* IEEE. <https://doi.org/10.23919/CLEO.2019.8750206>

Saccone, M., Siiskonen, A., Fernandez-Palacio, F., Priimägi, A., Terraneo, G., Resnati, G., & Metrangolo, P. (2017). Halogen bonding stabilizes a cis-azobenzene derivative in the solid state: A crystallographic study. *ACTA CRYSTALLOGRAPHICA SECTION B: STRUCTURAL SCIENCE, CRYSTAL ENGINEERING AND MATERIALS*, 73(2), 227-233. <https://doi.org/10.1107/S2052520617003444>

Sadiek, I., Mikkonen, T., Vainio, M., Toivonen, J., & Foltynowicz, A. (2019). Optical Frequency Comb Photoacoustic Spectroscopy. teoksessa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings* IEEE. <https://doi.org/10.23919/CLEO.2019.8749688>

Saeidi, S., Rasekh, P., Awan, K. M., Tüngen, A., Huttunen, M. J., & Dolgaleva, K. (2018). Demonstration of optical nonlinearity in InGaAsP/InP passive waveguides. *Optical Materials*, 84, 524-530. <https://doi.org/10.1016/j.optmat.2018.07.037>

Sahin, E., Akpınar, U., & Gotchev, A. (2019). Phase-coded computational imaging for depth of field extension. teoksessa *Proceedings - Digital Holography and Three-Dimensional Imaging 2019* Optical Society of America.

Şahin, E., & Onural, L. (2013). Calculation of the scalar diffraction field from curved surfaces by decomposing the three-dimensional field into a sum of Gaussian beams. *Journal of the Optical Society of America A: Optics Image Science and Vision*, 30(3), 527-536.

Şahin, E., & Onural, L. (2012). Scalar diffraction field calculation from curved surfaces via Gaussian beam decomposition. *Journal of the Optical Society of America A: Optics Image Science and Vision*, 29(7), 1459-1469. <https://doi.org/10.1364/JOSAA.29.001459>

Sakho, E. H. M., Oluwafemi, O. S., Perumbilavil, S., Philip, R., Kala, M. S., Thomas, S., & Kalarikkal, N. (2016). Rapid and facile synthesis of graphene oxide quantum dots with good linear and nonlinear optical properties. *Journal of Materials Science: Materials in Electronics*, 27(10), 10926–10933. <https://doi.org/10.1007/s10854-016-5204-z>

Saleh, A., Ryczkowski, P., Genty, G., & Toivonen, J. (2019). Short-range supercontinuum based lidar for combustion diagnostics. teoksessa M. Kimata, & C. R. Valenta (Toimittajat), *SPIE Future Sensing Technologies* [111970Y] (Proceedings of SPIE; Vuosikerta 11197). SPIE, IEEE. <https://doi.org/10.1117/12.2542720>

Salmi, T., Chlachidze, G., Marchevsky, M., Bajas, H., Felice, H., & Stenvall, A. (2015). Analysis of uncertainties in protection heater delay time measurements and simulations in Nb<sub>3</sub>Sn high-field accelerator magnets. *IEEE Transactions on Applied Superconductivity*, 25(4). <https://doi.org/10.1109/TASC.2015.2437332>

Salmi, T., & Stenvall, A. (2016). The Impact of Protection Heater Delays Distribution on the Hotspot Temperature in a High-Field Accelerator Magnet. *IEEE Transactions on Applied Superconductivity*, 26(4), [4001405]. <https://doi.org/10.1109/TASC.2016.2517238>

Salmi, T., Prioli, M., Stenvall, A., Ruuskanen, J., Verweij, A. P., Auchmann, B., & Marinozzi, V. (2017). Suitability of Different Quench Protection Methods for a 16 T Block-Type Nb<sub>3</sub>Sn Accelerator Dipole Magnet. *IEEE Transactions on Applied Superconductivity*, 27(4), [4702305]. <https://doi.org/10.1109/TASC.2017.2651386>

Salmi, T., & Schoerling, D. (2019). Energy density-method: An approach for a quick estimation of quench temperatures in high-field accelerator magnets. *IEEE Transactions on Applied Superconductivity*, 29(4). <https://doi.org/10.1109/TASC.2018.2880340>

Salmi, T., Tarhasaari, T., & Izquierdo-Bermudez, S. (2020). A Database for Storing Magnet Parameters and Analysis of Quench Test Results in HL-LHC Nb<sub>3</sub>Sn Short Model Magnets. *IEEE Transactions on Applied Superconductivity*, 30(4), [4703705]. <https://doi.org/10.1109/TASC.2020.2981304>

Salpavaara, T., Järveläinen, M., Seppälä, S., Yli-Hallila, T., Verho, J., Vilkkö, M., ... Levänen, E. (2015). Passive resonance sensor based method for monitoring particle suspensions. *Sensors and Actuators B: Chemical*, 219, 324-330. <https://doi.org/10.1016/j.snb.2015.04.121>

Salpavaara, T., Hänninen, A., Antniemi, A., Lekkala, J., & Kellomäki, M. (2017). Non-destructive and wireless monitoring of biodegradable polymers. *Sensors and Actuators B: Chemical*, 251, 1018-1025. <https://doi.org/10.1016/j.snb.2017.05.116>

Sand, A., & Rakkolainen, I. (2014). A hand-held immaterial volumetric display. teoksessa *Proceedings of SPIE-IS and T Electronic Imaging - Stereoscopic Displays and Applications XXV* (Vuosikerta 9011). [90110Q] SPIE. <https://doi.org/10.1117/12.2035280>

Sapaev, U. K., Yusupov, D. B., & Assanto, G. (2011). Multicolor nonlinear pulse compression by consecutive optical parametric amplification in quasi-phase matched structures. teoksessa *ICONO 2010: International Conference on Coherent and Nonlinear Optics* (Vuosikerta 7993). [79930Q] <https://doi.org/10.1117/12.882887>

Sarcan, F., Mutlu, S., Cokduygulular, E., Donmez, O., Erol, A., Puustinen, J., & Guina, M. (2018). A study of electric transport in n- and p-type modulation-doped GaInNAs/GaAs quantum well structures under a high electric field. *Semiconductor Science and Technology*, 33(6), [064003]. <https://doi.org/10.1088/1361-6641/aabc39>

Sautter, J., Xu, L., Miroshnichenko, A., Lysevych, M., Volkovskaya, I., Smirnova, D., ... Rahmani, M. (2019). Tailoring directional scattering of second-harmonic generation from (111)-GaAs nanoantennas. teoksessa A. Mitchell, & H. Rubinsztein-Dunlop (Toimittajat), *AOS Australian Conference on Optical Fibre Technology, ACOFT 2019 and Australian Conference on Optics, Lasers, and Spectroscopy, ACOLS 2019* [112000H] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11200). SPIE. <https://doi.org/10.1117/12.2539086>

Schoerling, D., Durante, M., Lorin, C., Martinez, T., Ruuskanen, J., Salmi, T., ... Toral, F. (2017). Considerations on a Cost Model for High-Field Dipole Arc Magnets for FCC. *IEEE Transactions on Applied Superconductivity*, 27(4), [4003105]. <https://doi.org/10.1109/TASC.2017.2657510>

- Selim, B., Sofotasios, P. C., Muhaidat, S., & Karagiannidis, G. K. (2017). The effects of I/Q imbalance on wireless communications: A survey. *teoksessa 2016 IEEE 59th International Midwest Symposium on Circuits and Systems (MWSCAS) IEEE*. <https://doi.org/10.1109/MWSCAS.2016.7870102>
- Selvan, N. T., Eshwaran, S. B., Das, A., Stöckelhuber, K. W., Wießner, S., Pötschke, P., ... Heinrich, G. (2016). Piezoresistive natural rubber-multiwall carbon nanotube nanocomposite for sensor applications. *Sensors and Actuators, A: Physical*, 239, 102-113. <https://doi.org/10.1016/j.sna.2016.01.004>
- Sharma, R., Bhalerao, S., & Gupta, D. (2016). Effect of incorporation of CdS NPs on performance of PTB7: PCBM organic solar cells. *Organic Electronics: physics, materials, applications*, 33, 274-280. <https://doi.org/10.1016/j.orgel.2016.03.030>
- Shevkunov, I., Katkovnik, V., Claus, D., Pedrini, G., Petrov, N. V., & Egiazarian, K. (2020). Hyperspectral phase imaging based on denoising in complex-valued eigensubspace. *Optics and Lasers in Engineering*, 127, [105973]. <https://doi.org/10.1016/j.optlaseng.2019.105973>
- Shimamura, A., Priimagi, A., Mamiya, J. I., Kinoshita, M., Ikeda, T., & Shishido, A. (2011). Photoinduced bending upon pulsed irradiation in azobenzene-containing crosslinked liquid-crystalline polymers. *Journal of Nonlinear Optical Physics and Materials*, 20(4), 405-413. <https://doi.org/10.1142/S0218863511006200>
- Silwal, B., Rasilo, P., Perkkio, L., Oksman, M., Hannukainen, A., Eirola, T., & Arkkio, A. (2014). Computation of torque of an electrical machine with different types of finite element mesh in the air gap. *IEEE Transactions on Magnetics*, 50(12), [8105909]. <https://doi.org/10.1109/TMAG.2014.2333491>
- Sitbon, M., Leppäaho, J., Suntio, T., & Kuperman, A. (2015). Dynamics of photovoltaic-generator-interfacing voltage-controlled buck power stage. *IEEE Journal of Photovoltaics*, 5(2), 633-640. <https://doi.org/10.1109/JPHOTOV.2014.2379094>
- Skaugen, A., Murray, P., & Laurson, L. (2019). Analytical computation of the demagnetizing energy of thin-film domain walls. *Physical Review B*, 100(9), [094440]. <https://doi.org/10.1103/PhysRevB.100.094440>
- Slablab, A., Le Xuan, L., Zhou, C., Chauvat, D., De Wilde, Y., Perruchas, S., ... Roch, J. F. (2009). Single KTiOPO4 nanocrystals for nonlinear probing of local optical fields and interaction with a metallic nanostructure. *teoksessa CLEO/Europe - EQEC 2009 - European Conference on Lasers and Electro-Optics and the European Quantum Electronics Conference* [5192089] <https://doi.org/10.1109/CLEOE-EQEC.2009.5192089>
- Smirnov, S., & Gotchev, A. (2015). Real-time depth image-based rendering with layered dis-occlusion compensation and aliasing-free composition. *teoksessa Proceedings of SPIE - The International Society for Optical Engineering* [93990T] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2086895>
- Soltani, I., Hraiech, S., Horchani-Naifer, K., Massera, J., Petit, L., & Férid, M. (2016). Thermal, structural and optical properties of Er<sup>3+</sup> doped phosphate glasses containing silver nanoparticles. *Journal of Non-Crystalline Solids*, 438, 67-73. <https://doi.org/10.1016/j.jnoncrysol.2015.12.022>
- Sorianello, V., De Iacovo, A., Colace, L., & Assanto, G. (2013). Near-infrared photodetectors in evaporated ge: Characterization and TCAD simulations. *IEEE Transactions on Electron Devices*, 60(6), 1995-2000. [6515586]. <https://doi.org/10.1109/TED.2013.2259241>
- Sorianello, V., Colace, L., Maragliano, C., Fulgoni, D., Nash, L., & Assanto, G. (2013). Germanium-on-glass solar cells: Fabrication and characterization. *Optical Materials Express*, 3(2), 216-228. <https://doi.org/10.1364/OME.3.000216>
- Sorianello, V., Colace, L., Nardone, M., & Assanto, G. (2011). Thermally evaporated single-crystal Germanium on Silicon. *Thin Solid Films*, 519(22), 8037-8040. <https://doi.org/10.1016/j.tsf.2011.06.023>

- Sorianello, V., Colace, L., Armani, N., Rossi, F., Ferrari, C., Lazzarini, L., & Assanto, G. (2011). Low-temperature germanium thin films on silicon. *Optical Materials Express*, 1(5), 856-865. <https://doi.org/10.1364/OME.1.000856>
- Sorianello, V., Colace, L., Assanto, G., & Nardone, M. (2011). Micro-Raman characterization of Germanium thin films evaporated on various substrates. *Microelectronic Engineering*, 88(4), 492-495. <https://doi.org/10.1016/j.mee.2010.10.028>
- Sorianello, V., Colace, L., Assanto, G., Notargiacomo, A., Armani, N., Rossi, F., & Ferrari, C. (2011). Thermal evaporation of Ge on Si for near infrared detectors: Material and device characterization. *Microelectronic Engineering*, 88(4), 526-529. <https://doi.org/10.1016/j.mee.2010.09.024>
- Stenvall, A., & Lahtinen, V. (2018). Open Material Property Library With Native Simulation Tool Integrations - MASTO. *IEEE Transactions on Applied Superconductivity*. <https://doi.org/10.1109/TASC.2018.2799850>
- Stoykova, E., Berberova, N., Kim, Y., Nazarova, D., Ivanov, B., Gotchev, A., ... Kang, H. (2017). Dynamic speckle analysis with smoothed intensity-based activity maps. *Optics and Lasers in Engineering*, 93, 55-65. <https://doi.org/10.1016/j.optlaseng.2017.01.012>
- Stoykova, E., Nazarova, D., Berberova, N., Gotchev, A., Ivanov, B., & Mateev, G. (2017). Dynamic laser speckle metrology with binarization of speckle patterns. teoksessa *19th International Conference and School on Quantum Electronics: Laser Physics and Applications* [102260R] (Proceedings of SPIE; Vuosikerta 10226). SPIE. <https://doi.org/10.1117/12.2262330>
- Stumpel, J. E., Gil, E. R., Spoelstra, A. B., Bastiaansen, C. W. M., Broer, D. J., & Schenning, A. P. H. J. (2015). Stimuli-Responsive Materials Based on Interpenetrating Polymer Liquid Crystal Hydrogels. *Advanced Functional Materials*, 25(22), 3314-3320. <https://doi.org/10.1002/adfm.201500745>
- Stumpel, J. E., Broer, D. J., Bastiaansen, C. W. M., & Schenning, A. P. H. J. (2014). Optical and topographic changes in water-responsive patterned cholesteric liquid crystalline polymer coatings. teoksessa *Proceedings of SPIE: Organic Photonics VI* (Vuosikerta 9137). [91370U] (Proceedings of SPIE: the International Society for Optical Engineering). SPIE. <https://doi.org/10.1117/12.2052678>
- Stumpel, J. E., Wouters, C., Herzer, N., Ziegler, J., Broer, D. J., Bastiaansen, C. W. M., & Schenning, A. P. H. J. (2014). An Optical Sensor for Volatile Amines Based on an Inkjet-Printed, Hydrogen-Bonded, Cholesteric Liquid Crystalline Film. *Advanced Optical Materials*, 2(5), 459-464. <https://doi.org/10.1002/adom.201300516>
- Stumpel, J. E., Broer, D. J., & Schenning, A. P. H. J. (2014). Stimuli-responsive photonic polymer coatings. *Chemical Communications*, 50(100), 15839-15848. <https://doi.org/10.1039/c4cc05072j>
- Su, W., Cooper, J. R., Cook, B. S., Tentzeris, M. M., Mariotti, C., & Roselli, L. (2015). Inkjet-printed dual microfluidic-based sensor integrated system. teoksessa *2015 IEEE SENSORS - Proceedings* [7370300] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/ICSENS.2015.7370300>
- Suhonen, T., Varis, T., Dosta, S., Torrell, M., & Guilemany, J. M. (2013). Residual stress development in cold sprayed Al, Cu and Ti coatings. *Acta Materialia*, 61(17), 6329-6337. <https://doi.org/10.1016/j.actamat.2013.06.033>
- Suikkola, J., Kankkunen, T., Iso-Ketola, P., Vanhala, J., & Mäntysalo, M. (2016). Screen-Printed Stretchable Interconnects . teoksessa *Proceedings - ECTC 2016: 66th Electronic Components and Technology Conference* (Sivut 1650-1655). IEEE. <https://doi.org/10.1109/ECTC.2016.132>
- Suominen, O., & Gotchev, A. (2015). Preserving natural scene lighting by strobe-lit video. teoksessa *Image Processing: Algorithms and Systems XIII* [939919] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2185013>

- Tainio, J. M., Salazar, D. A. A., Nommeots-Nomm, A., Roiland, C., Bureau, B., Neuville, D. R., ... Massera, J. (2020). Structure and in vitro dissolution of Mg and Sr containing borosilicate bioactive glasses for bone tissue engineering. *Journal of Non-Crystalline Solids*, 533, [119893]. <https://doi.org/10.1016/j.jnoncrysol.2020.119893>
- Tamminen, P., Viheriäköske, T., Sydänheimo, L., & Ukkonen, L. (2015). ESD qualification data used as the basis for building electrostatic discharge protected areas. *Journal of Electrostatics*, 77, 174-181. [3024]. <https://doi.org/10.1016/j.elstat.2015.08.009>
- Todesco, E., Annarella, M., Ambrosio, G., Apollinari, G., Ballarino, A., Bajas, H., ... Yu, M. (2018). Progress on HL-LHC Nb<sub>3</sub>Sn Magnets. *IEEE Transactions on Applied Superconductivity*, 28(4), [4008809]. <https://doi.org/10.1109/TASC.2018.2830703>
- Tofanello, A., Freitas, A. L. M., Carvalho, W. M., Salminen, T., Niemi, T., & Souza, F. L. (2020). Hematite Surface Modification toward Efficient Sunlight-Driven Water Splitting Activity: The Role of Gold Nanoparticle Addition. *Journal of Physical Chemistry C*. <https://doi.org/10.1021/acs.jpcc.9b11966>
- Tomberg, T., Vainio, M., Hieta, T., & Halonen, L. (2018). Sub-parts-per-trillion sensitivity in trace gas detection by cantilever-enhanced photo-acoustic spectroscopy. teoksessa *CLEO: Applications and Technology, CLEO\_AT 2018 OSA - The Optical Society*. [https://doi.org/10.1364/CLEO\\_AT.2018.ATH10.8](https://doi.org/10.1364/CLEO_AT.2018.ATH10.8)
- Tommasini, D., Auchmann, B., Bajas, H., Bajko, M., Ballarino, A., Bellomo, G., ... Wolf, F. (2017). The 16 T Dipole Development Program for FCC. *IEEE Transactions on Applied Superconductivity*, 27(4), [4000405]. <https://doi.org/10.1109/TASC.2016.2634600>
- Toral, F., Munilla, J., & Salmi, T. (2018). Magnetic and mechanical design of a 16 T common coil dipole for FCC. *IEEE Transactions on Applied Superconductivity*, 28(3), [4004305]. <https://doi.org/10.1109/TASC.2018.2797909>
- Trujillo-Sevilla, J. M., Katkovnik, V., Javidi, B., & Rodríguez-Ramos, J. M. (2016). Restoring Integral Images from Focal Stacks Using Compressed Sensing Techniques. *Journal of Display Technology*, 12(7), 701-706. <https://doi.org/10.1109/JDT.2016.2522922>
- Tuominen, S., & Mäntysalo, M. (2019). Screen printed temporary tattoos for skin-mounted electronics. teoksessa *IEEE 69th Electronic Components and Technology Conference, ECTC 2019* (Sivut 1252-1257). IEEE. <https://doi.org/10.1109/ECTC.2019.00194>
- Ukkonen, L., Sydänheimo, L., Ma, S., & Björninen, T. (2020). Backscattering-based wireless communication and power transfer to small biomedical implants. teoksessa B. L. Gray, & H. Becker (Toimittajat), *Microfluidics, BioMEMS, and Medical Microsystems XVIII* [112350A] (Progress in Biomedical Optics and Imaging - Proceedings of SPIE; Vuosikerta 11235). SPIE. <https://doi.org/10.1117/12.2552183>
- Ustimchik, V. E., Vyatkin, M. Y., Popov, S. M., Chamorovskii, Y. K., Filippov, V. N., & Nikitov, S. A. (2016). *State of polarization in anisotropic tapered fiber with extremely large core diameter*. S123. Julkaisun esittämispaikka: 2016 International Conference Laser Optics, LO 2016, St. Petersburg, Venäjä. <https://doi.org/10.1109/LO.2016.7549956>
- Uusitalo, T., Virtanen, H., & Dumitrescu, M. (2016). Transverse structure optimization of laterally-coupled ridge waveguide DFB lasers. teoksessa *16th International Conference on Numerical Simulation of Optoelectronic Devices, NUSOD 2016* (Sivut 79-80). [7547038] IEEE. <https://doi.org/10.1109/NUSOD.2016.7547038>
- Vainio, M. (2020). Continuous-wave optical parametric oscillators for mid-infrared spectroscopy. teoksessa P. G. Schunemann, & K. L. Schepler (Toimittajat), *Nonlinear Frequency Generation and Conversion: Materials and Devices XIX* [1126419] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11264). SPIE. <https://doi.org/10.1117/12.2548711>

- Valagiannopoulos, C. A., Tukiainen, A., Aho, T., Niemi, T., Guina, M., Tretyakov, S. A., & Simovski, C. R. (2015). Perfect magnetic mirror and simple perfect absorber in the visible spectrum. *Physical Review B*, *91*(11), [115305]. <https://doi.org/10.1103/PhysRevB.91.115305>
- Välimäki, H., Verho, J., Kreutzer, J., Kattiparambil Rajan, D., Ryyänen, T., Pekkanen-Mattila, M., ... Lekkala, J. (2017). Fluorimetric oxygen sensor with an efficient optical read-out for in vitro cell models. *Sensors and Actuators B: Chemical*, *249*, 738-746. <https://doi.org/10.1016/j.snb.2017.04.182>
- Valkealahti, S., & Manninen, M. (1998). Diffusion on aluminum-cluster surfaces and the cluster growth. *Physical Review B - Condensed Matter and Materials Physics*, *57*(24), 15533-15540. <https://doi.org/10.1103/PhysRevB.57.15533>
- Valkealahti, S., & Manninen, M. (1994). Simulation of cluster growth using a lattice gas model. *Physical Review B*, *50*(23), 17564-17574. <https://doi.org/10.1103/PhysRevB.50.17564>
- Valkealahti, S., & Manninen, M. (1992). Instability of cuboctahedral copper clusters. *Physical Review B*, *45*(16), 9459-9462. <https://doi.org/10.1103/PhysRevB.45.9459>
- Valkealahti, S., & Welch, D. O. (1989). Theoretical studies of structural properties of the high- $T_c$  superconductor  $Y_1Ba_2Cu_3O_{7-x}$ . *Physica C: Superconductivity and its Applications*, *162-164*(PART 1), 540-541. [https://doi.org/10.1016/0921-4534\(89\)91145-3](https://doi.org/10.1016/0921-4534(89)91145-3)
- van Nugteren, J., Kirby, G., Murtomaki, J., DeRijk, G., Rossi, L., & Stenvall, A. (2018). Towards REBCO 20T+ Dipoles for Accelerators. *IEEE Transactions on Applied Superconductivity*, *28*(4), [4008509]. <https://doi.org/10.1109/TASC.2018.2820177>
- van Nugteren, J., Murtomäki, J., Ruuskanen, J., Kirby, G., Hagen, P., DeRijk, G., ... Rossi, L. (2019). A Fast Quench Protection System for High-Temperature Superconducting Magnets. *IEEE Transactions on Applied Superconductivity*, *29*(1), [4700108]. <https://doi.org/10.1109/TASC.2018.2848229>
- Vapaavuori, J., Priimagi, A., Soininen, A. J., Canilho, N., Kasëmi, E., Ruokolainen, J., ... Ikkala, O. (2013). Photoinduced surface patterning of azobenzene-containing supramolecular dendrons, dendrimers and dendronized polymers. *Optical Materials Express*, *3*(6), 711-722. <https://doi.org/10.1364/OME.3.000711>
- Veber, A., Smedskjaer, M. M., & de Ligny, D. (2020). Relaxation behavior of densified sodium aluminoborate glass. *Acta Materialia*, *198*, 153-167. <https://doi.org/10.1016/j.actamat.2020.07.068>
- Vehanen, A., Mäkinen, J., Hautajarvi, P., Huomo, H., Lahtinen, J., Nieminen, R. M., & Valkealahti, S. (1985). Near-surface defect profiling with slow positrons: Argon-sputtered Al(110). *Physical Review B*, *32*(11), 7561-7563. <https://doi.org/10.1103/PhysRevB.32.7561>
- Vehviläinen, J., & Nurmi, J. (1995). Processor core for 32 kbit/s G.726 ADPCM codecs. teoksessa *1995 IEEE International Symposium on Circuits and Systems. ISCAS '95* (Vuosikerta 3, Sivut 1932-1935). IEEE. <https://doi.org/10.1109/ISCAS.1995.523797>
- Vetter, C., Steinkopf, R., Bergner, K., Ornigotti, M., Nolte, S., Gross, H., & Szameit, A. (2019). Realization of Free-Space Long-Distance Self-Healing Bessel Beams. *Laser and Photonics Reviews*, *13*(10), [1900103]. <https://doi.org/10.1002/lpor.201900103>
- Vignon-Dewalle, A. S., Betrouni, N., Tylcz, J. B., Vermandel, M., Mortier, L., & Mordon, S. (2015). Comparison of three light doses in the photodynamic treatment of actinic keratosis using mathematical modeling. *JOURNAL OF BIOMEDICAL OPTICS*, *20*(5), [058001]. <https://doi.org/10.1117/1.JBO.20.5.058001>

Viherialä, J., Aho, A. T., Mäkelä, J., Salmi, J., Virtanen, H., Leinonen, T., ... Guina, M. (2016). High-power 1550 nm tapered DBR lasers fabricated using soft UV-nanoimprint lithography. teoksessa *High-Power Diode Laser Technology and Applications XIV* [97330Q] (SPIE Conference Proceedings; Vuosikerta 9733). SPIE. <https://doi.org/10.1117/12.2207423>

Viherialä, J., Aho, A., Virtanen, H., Dumitrescu, M., & Guina, M. (2017). *1180 nm GaInNAs quantum well based high power DBR laser diodes*. Julkaisun esittämispaiikka: SPIE Photonics West 2017, San Francisco, Yhdysvallat.

Viherialä, J., Tuorila, H., Zia, N., Cherchi, M., Aalto, T., & Guina, M. (2019). 1.3 $\mu$ m U-bend traveling wave SOA devices for high efficiency coupling to silicon photonics. teoksessa G. T. Reed, & A. P. Knights (Toimittajat), *Silicon Photonics XIV* [109230E] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10923). SPIE, IEEE. <https://doi.org/10.1117/12.2505935>

Viitala, M., Kuisma, M., & Rantala, T. T. (2012). Physisorption of benzene on a tin dioxide surface: Van der Waals interaction. *Physical Review B*, *85*(8), 1-5. [085412]. <https://doi.org/10.1103/PhysRevB.85.085412>

Vikholm-Lundin, I., Auer, S., Paakkunainen, M., Määttä, J. A. E., Munter, T., Leppiniemi, J., ... Tappura, K. (2012). Cysteine-tagged chimeric avidin forms high binding capacity layers directly on gold. *Sensors and Actuators B: Chemical*, *171-172*, 440-448. <https://doi.org/10.1016/j.snb.2012.05.008>

Vikholm-Lundin, I., Auer, S., & Hellgren, A. C. (2011). Detection of 3,4-methylenedioxyamphetamine (MDMA, ecstasy) by displacement of antibodies. *Sensors and Actuators B: Chemical*, *156*(1), 28-34. <https://doi.org/10.1016/j.snb.2011.03.069>

Vimieiro, R. B., Borges, L. R., Caron, R. F., Barufaldi, B., Bakic, P. R., Maidment, A. D. A., & Vieira, M. A. C. (2019). Noise measurements from reconstructed digital breast tomosynthesis. teoksessa T. G. Schmidt, G-H. Chen, & H. Bosmans (Toimittajat), *Medical Imaging 2019: Physics of Medical Imaging* [109480C] (Progress in Biomedical Optics and Imaging - Proceedings of SPIE; Vuosikerta 10948). SPIE, IEEE. <https://doi.org/10.1117/12.2512977>

Virkki, K., Demir, S., Lemmetyinen, H., & Tkachenko, N. V. (2015). Photoinduced Electron Transfer in CdSe/ZnS Quantum Dot-Fullerene Hybrids. *Journal of Physical Chemistry C*, *119*(31), 17561-17572. <https://doi.org/10.1021/acs.jpcc.5b04251>

Virkki, K., Hakola, H., Urbani, M., Tejerina, L., Ince, M., Martínez-Díaz, M. V., ... Tkachenko, N. V. (2017). Photoinduced Electron Injection from Zinc Phthalocyanines into Zinc Oxide Nanorods: Aggregation Effects. *Journal of Physical Chemistry C*, *121*(17), 9594-9605. <https://doi.org/10.1021/acs.jpcc.7b01562>

Virtanen, H., Uusitalo, T., & Dumitrescu, M. (2016). Simulation studies of DFB laser longitudinal structures for narrow linewidth emission. teoksessa *16th International Conference on Numerical Simulation of Optoelectronic Devices, NUSOD 2016* (Sivut 153-154). IEEE. <https://doi.org/10.1109/NUSOD.2016.7547078>

Virtanen, H., Uusitalo, T., & Dumitrescu, M. (2017). Simulation studies of DFB laser longitudinal structures for narrow linewidth emission. *Optical and Quantum Electronics*, *49*(4), [160]. <https://doi.org/10.1007/s11082-017-0993-8>

Virtanen, H., Uusitalo, T., Karjalainen, M., Ranta, S., Viheriala, J., & Dumitrescu, M. (2018). Narrow-linewidth 780 nm DFB lasers fabricated using nanoimprint lithography. *IEEE Photonics Technology Letters*, *30*(1), 51-54. <https://doi.org/10.1109/LPT.2017.2772337>

Voronin, V. V., Frantc, V. A., Marchuk, V. I., Sherstobitov, A. I., & Egiazarian, K. (2015). No-reference visual quality assessment for image inpainting. teoksessa *Image Processing: Algorithms and Systems XIII* [93990U] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2076507>

Voronin, V. V., Marchuk, V. I., Fisunov, A. V., Tokareva, S. V., & Egiazarian, K. O. (2015). Depth map occlusion filling and scene reconstruction using modified exemplar-based inpainting. teoksessa *Image Processing: Algorithms and Systems XIII* [93990S] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2076506>



Voronin, V., Pismenskova, M., Zelensky, A., Cen, Y., Nadykto, A., & Egiazarian, K. (2018). Action recognition using the 3D dense microblock difference. teoksessa *Counterterrorism, Crime Fighting, Forensics, and Surveillance Technologies II* [1080200] (Proceedings of SPIE; Vuosikerta 10802). SPIE. <https://doi.org/10.1117/12.2326801>

Wang, D., Wang, Z., Yue, Y., Yu, J., Tan, C., Li, D., ... Maple, C. (2015). Determination of beam incidence conditions based on the analysis of laser interference patterns. *Optik*, *126*(21), 2902-2907. <https://doi.org/10.1016/j.ijleo.2015.07.039>

Wang, Y., Xie, G., Xu, X., Di, J., Qin, Z., Suomalainen, S., ... Petrov, V. (2015). SESAM mode-locked Tm: CALGO laser at 2  $\mu\text{m}$ . teoksessa *Advanced Solid State Lasers, ASSL 2015* [AW1A.2] Optical Society of America OSA. <https://doi.org/10.1364/ASSL.2015.AW1A.2>

Wang, Q., Sun, Z., Rotenberg, E., Ronning, F., Bauer, E. D., Lin, H., ... Dessau, D. S. (2013). Symmetry-broken electronic structure and uniaxial Fermi surface nesting of untwinned CaFe<sub>2</sub>As<sub>2</sub>. *Physical Review B*, *88*(23), [235125]. <https://doi.org/10.1103/PhysRevB.88.235125>

Wang, J., & Ray, A. K. (2011). Adsorption and dissociation of molecular oxygen on  $\alpha\text{-Pu}$  (0 2 0) surface: A density functional study. *Physica B: Condensed Matter*, *406*(17), 3285-3294. <https://doi.org/10.1016/j.physb.2011.05.041>

Wang, Y., Jing, W., Loiko, P., Zhao, Y., Huang, H., Suomalainen, S., ... Petrov, V. (2017). Sub-10 optical-cycle mode-locked Tm:(Lu<sub>2</sub>/3Sc<sub>1</sub>/3)2O<sub>3</sub> mixed ceramic laser at 2057 nm. teoksessa *Advanced Solid State Lasers 2017: Nagoya, Aichi Japan 1-5 October 2017* [ATu6A.4] The Optical Society; OSA. <https://doi.org/10.1364/ASSL.2017.ATu6A.4>

Wang, Y., Zhao, Y., Pan, Z., Suomalainen, S., Härkönen, A., Guina, M., ... Petrov, V. (2020). 73-fs SESAM mode-locked Tm:Ho:CNGG laser at 2061 nm. teoksessa W. A. Clarkson, & R. K. Shori (Toimittajat), *Solid State Lasers XXIX: Technology and Devices* [1125929] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11259). SPIE. <https://doi.org/10.1117/12.2548180>

Wani, O. M., Zeng, H., Wasylczyk, P., & Priimagi, A. (2018). Programming Photoresponse in Liquid Crystal Polymer Actuators with Laser Projector. *Advanced Optical Materials*, *6*(1), [1700949]. <https://doi.org/10.1002/adom.201700949>

Wirdatmadja, S., Johari, P., Balasubramaniam, S., Bae, Y., Stachowiak, M. K., & Jornet, J. M. (2018). Light propagation analysis in nervous tissue for wireless optogenetic nanonetworks. teoksessa *Optogenetics and Optical Manipulation 2018* [104820R] SPIE. <https://doi.org/10.1117/12.2288786>

Wu, H., Ryczkowski, P., Friberg, A. T., Dudley, J. M., & Genty, G. (2019). Temporal ghost imaging using wavelength conversion and two-color detection. *Optica*, *6*(7), 902-906. <https://doi.org/10.1364/OPTICA.6.000902>

Xu, L., Saerens, G., Timofeeva, M., Miroshnichenko, A. E., Camacho-Morales, R., Volkovskaya, I., ... Rahmani, M. (2019). Switchable unidirectional second-harmonic emission through GaAs nanoantennas. teoksessa A. Mitchell, & H. Rubinsztein-Dunlop (Toimittajat), *AOS Australian Conference on Optical Fibre Technology, ACOFT 2019 and Australian Conference on Optics, Lasers, and Spectroscopy, ACOLS 2019* [112000J] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11200). SPIE. <https://doi.org/10.1117/12.2539887>

Yadav, A., Chichkov, N. B., Gumenyuk, R., Zherebtsov, E., Melkumov, M. A., Yashkov, M. V., ... Rafailov, E. U. (2018). Fluorescence bandwidth of 280nm from broadband Ce<sup>3+</sup>-doped silica fiber pumped with blue laser diode. teoksessa *2018 International Conference Laser Optics (ICLO)* (Sivut 133-133). [8435861] IEEE. <https://doi.org/10.1109/LO.2018.8435861>

Yadav, A., Chichkov, N. B., Gumenyuk, R., Zherebtsov, E., Melkumov, M. A., Yashkov, M. V., ... Rafailov, E. U. (2019). 405-nm pumped Ce<sup>3+</sup>-doped silica fiber for broadband fluorescence from cyan to red. teoksessa M. J. F. Digonnet, & S. Jiang (Toimittajat), *Optical Components and Materials XVI* [1091406] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10914). SPIE, IEEE. <https://doi.org/10.1117/12.2509599>

- Ye, C., Koponen, J., Aallos, V., Kokki, T., Petit, L., & Kimmelma, O. (2015). Measuring bend losses in large-mode-area fibers. teoksessa *Fiber Lasers XII: Technology, Systems, and Applications* (Vuosikerta 9344). [934425] SPIE. <https://doi.org/10.1117/12.2076813>
- Ye, C., Koponen, J., Aallos, V., Petit, L., Kimmelma, O., & Kokki, T. (2014). Mode coupling in few-mode large-mode-area fibers. teoksessa *Fiber Lasers XI: Technology, Systems, and Applications* (Vuosikerta 8961). [89612W] SPIE. <https://doi.org/10.1117/12.2038575>
- Yi, X., Cho, C., Cook, B., Wang, Y., Tentzeris, M. M., & Leon, R. T. (2013). Design and simulation of a slotted patch antenna sensor for wireless strain sensing. teoksessa *Nondestructive Characterization for Composite Materials, Aerospace Engineering, Civil Infrastructure, and Homeland Security 2013* (Vuosikerta 8694). [86941J] <https://doi.org/10.1117/12.2009233>
- Yi, X., Vyas, R., Cho, C., Fang, C. H., Cooper, J., Wang, Y., ... Tentzeris, M. M. (2012). Thermal effects on a passive wireless antenna sensor for strain and crack sensing. teoksessa *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2012* (Vuosikerta 8345). [83450F] <https://doi.org/10.1117/12.914833>
- Yi, X., Wu, T., Lantz, G., Wang, Y., Leon, R. T., & Tentzeris, M. M. (2011). Thickness variation study of RFID-based folded patch antennas for strain sensing. teoksessa *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2011* (Vuosikerta 7981). [79811H] <https://doi.org/10.1117/12.879868>
- Yildiz, B. C., Bek, A., & Tasgin, M. E. (2020). Plasmon lifetime enhancement in a bright-dark mode coupled system. *Physical Review B*, 101(3), [035416]. <https://doi.org/10.1103/PhysRevB.101.035416>
- Zakeri, F. S., Bätz, M., Jaschke, T., Keinert, J., & Chuchvara, A. (2019). Benchmarking of several disparity estimation algorithms for light field processing. teoksessa S. Bazeille, N. Verrier, & C. Cudel (Toimittajat), *Fourteenth International Conference on Quality Control by Artificial Vision* [111721C] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11172). SPIE, IEEE. <https://doi.org/10.1117/12.2521747>
- Zang, X., & Lalanne, P. (2013). Strong localization in unintentional disordered photonics crystal waveguides. teoksessa *2013 7th International Congress on Advanced Electromagnetic Materials in Microwaves and Optics, METAMATERIALS 2013* (Sivut 322-324). IEEE COMPUTER SOCIETY PRESS. <https://doi.org/10.1109/MetaMaterials.2013.6809040>
- Zhao, J., Stenvall, A., Salmi, T., Gao, Y., & Lorin, C. (2017). Mechanical behavior of a 16 T FCC dipole magnet during a quench. *IEEE Transactions on Applied Superconductivity*, 27(6), [4004407]. <https://doi.org/10.1109/TASC.2017.2721974>
- Zhao, J., Prioli, M., Stenvall, A., Salmi, T., Gao, Y., Caiffi, B., ... Sorbi, M. (2018). Mechanical stress analysis during a quench in CLIQ protected 16 T dipole magnets designed for the future circular collider. *Physica C: Superconductivity and its Applications*, 550, 27-34. <https://doi.org/10.1016/j.physc.2018.04.003>
- Zhao, Y., Wang, Y., Zhang, X., Mateos, X., Pan, Z., Loiko, P., ... Petrov, V. (2018). Sub-100 fs pulse generation from a Tm,Ho: CALYO laser mode-locked by a GaSb-based SESAM at ~2043 nm. teoksessa *CLEO: Science and Innovations, CLEO\_SI 2018* OSA - The Optical Society. [https://doi.org/10.1364/CLEO\\_SI.2018.SF2N.1](https://doi.org/10.1364/CLEO_SI.2018.SF2N.1)
- Zhao, J., Stenvall, A., Gao, Y., & Salmi, T. (2020). Analytical and Numerical Methods to Estimate the Effective Mechanical Properties of Rutherford Cables. *IEEE Transactions on Applied Superconductivity*, 30(5), [8400808]. <https://doi.org/10.1109/TASC.2020.2968924>
- Zia, N., Viheriälä, J., Koskinen, R., Koskinen, M., Suomalainen, S., & Guina, M. (2016). Fabrication and characterization of broadband superluminescent diodes for 2 μm wavelength. teoksessa *Light-Emitting Diodes: Materials, Devices, and Applications for Solid State Lighting XX* [97680Q] (Proceedings of SPIE; Vuosikerta 9768). SPIE. <https://doi.org/10.1117/12.2209720>

Zia, N., Viheriälä, J., Koivusalo, E., Aho, A., Suomalainen, S., & Guina, M. (2018). High performance GaSb superluminescent diodes for tunable light source at 2  $\mu\text{m}$  and 2.55  $\mu\text{m}$ . teoksessa *CLEO: Applications and Technology, CLEO\_AT 2018* OSA - The Optical Society. [https://doi.org/10.1364/CLEO\\_AT.2018.JTu2A.28](https://doi.org/10.1364/CLEO_AT.2018.JTu2A.28)

Zolotovskii, I. O., Korobko, D. A., Gumenyuk, R. V., & Okhotnikov, O. G. (2015). Generation of bound states of pulses in a soliton laser with complex relaxation of a saturable absorber. *Quantum Electronics*, *45*(1), 26-34. <https://doi.org/10.1070/QE2015v045n01ABEH015558>

Zolotovskii, I. O., Korobko, D. A., Okhotnikov, O. G., Stolyarov, D. A., & Sysolyatin, A. A. (2015). Generation of a broad IR spectrum and N-soliton compression in a longitudinally inhomogeneous dispersion-shifted fibre. *Quantum Electronics*, *45* (9), 844-852. <https://doi.org/10.1070/QE2015v045n09ABEH015690>

Zolotovskii, I. O., Korobko, D. A., & Okhotnikov, O. G. (2015). Frequency modulation of semiconductor disk laser pulses. *Quantum Electronics*, *45*(7), 628-634. <https://doi.org/10.1070/QE2015v045n07ABEH015670>