

- Haiko, O. et al. "Effect of microstructure on the abrasive wear resistance of steels with hardness 450 HV". *Tribologia*. 2019, 36(1). 54-57. <https://doi.org/10.30678/FJT.82443>
- Matikainen, V. et al. "Slurry and dry particle erosion wear properties of WC-10Co4Cr and Cr<sub>3</sub>C<sub>2</sub>-25NiCr hardmetal coatings deposited by HVOF and HVOF spray processes". *Tribologia*. 2019, 36(1-2). 58-61. <https://doi.org/10.30678/FJT.83590>
- Pitkänen, H. et al. "Ab initio study of the surface properties of austenitic stainless steel alloys". *Surface Science*. 2013, 609. 190-194. <https://doi.org/10.1016/j.susc.2012.12.007>
- Sarjas, Heikki et al. "Abrasive-Erosive Wear of Thermally Sprayed Coatings from Experimental and Commercial Cr<sub>3</sub>C<sub>2</sub>-Based Powders". *Journal of Thermal Spray Technology*. 2017, 26(8). 2020-2029. <https://doi.org/10.1007/s11666-017-0638-2>
- Melcr, Josef et al. "Accurate Binding of Sodium and Calcium to a POPC Bilayer by Effective Inclusion of Electronic Polarization". *Journal of Physical Chemistry B*. 2018, 122(16). 4546-4557. <https://doi.org/10.1021/acs.jpcc.7b12510>
- Mason, Philip E., Erik Wernersson ja Pavel Jungwirth. "Accurate description of aqueous carbonate ions: An effective polarization model verified by neutron scattering". *Journal of Physical Chemistry Part B*. 2012, 116(28). 8145-8153. <https://doi.org/10.1021/jp3008267>
- Kohagen, Miriam, Philip E. Mason ja Pavel Jungwirth. "Accurate description of calcium solvation in concentrated aqueous solutions". *Journal of Physical Chemistry Part B*. 2014, 118(28). 7902-7909. <https://doi.org/10.1021/jp5005693>
- Juoksukangas, J., A. Lehtovaara ja A. Mäntylä. "A comparison of relative displacement fields between numerical predictions and experimental results in fretting contact". *Proceedings of the institution of Mechanical Engineers Part J: Journal of Engineering Tribology*. 2016, 230(10). 1273-1287. <https://doi.org/10.1177/1350650116633573>
- Mylläri, Ville, Tero-Petri Ruoko, ja Seppo Syrjälä. "A comparison of rheology and FTIR in the study of polypropylene and polystyrene photodegradation". *Journal of Applied Polymer Science*. 2015. 132(28). <https://doi.org/10.1002/app.42246>
- Rantala, T. T., A. Rosén ja B. Hellsing. "A Finite Cluster Approach to the Electron-Hole Pair Damping of the Adsorbate Vibration: CO Adsorbed on Cu(100)". *Studies in Surface Science and Catalysis*. 1986, 26(C). 173-181. [https://doi.org/10.1016/S0167-2991\(09\)61238-6](https://doi.org/10.1016/S0167-2991(09)61238-6)
- Ali-Löytty, Harri et al. "Ambient-Pressure XPS Study of a Ni-Fe Electrocatalyst for the Oxygen Evolution Reaction". *Journal of Physical Chemistry C*. 2016, 120(4). 2247-2253. <https://doi.org/10.1021/acs.jpcc.5b10931>
- Vazdar, Mario, Pavel Jungwirth ja Philip E. Mason. "Aqueous guanidinium-carbonate interactions by molecular dynamics and neutron scattering: Relevance to ion-protein interactions". *Journal of Physical Chemistry Part B*. 2013, 117(6). 1844-1848. <https://doi.org/10.1021/jp310719g>
- Yury, Korobov et al. "Arc-sprayed Fe-based coatings from coredwires for wear and corrosion protection in power engineering". *Coatings*. 2018. 8(2). <https://doi.org/10.3390/coatings8020071>
- Heiskanen, J. P. et al. "Aryl end-capped quaterthiophenes applied as anode interfacial layers in inverted organic solar cells". *Thin Solid Films*. 2015, 574. 196-206. <https://doi.org/10.1016/j.tsf.2014.12.007>
- Saarimaa, Ville et al. "Assessment of pitting corrosion in bare and passivated (wet scCO<sub>2</sub>-induced patination and chemical passivation) hot-dip galvanized steel samples with SVET, FTIR, and SEM (EDS)". *Materials and Corrosion*. 2020. <https://doi.org/10.1002/maco.202011653>

Matikainen, V., H. Koivuluoto, ja P. Vuoristo. "A study of Cr<sub>3</sub>C<sub>2</sub>-based HVOF- and HVAF-sprayed coatings: Abrasion, dry particle erosion and cavitation erosion resistance". *Wear*. 2020. 446-447. <https://doi.org/10.1016/j.wear.2020.203188>

Matikainen, V. et al. "A Study of Cr<sub>3</sub>C<sub>2</sub>-Based HVOF- and HVAF-Sprayed Coatings: Microstructure and Carbide Retention". *Journal of Thermal Spray Technology*. 2017, 26(6). 1-18. <https://doi.org/10.1007/s11666-017-0578-x>

Juoksukangas, Janne et al. "Avoiding the initial adhesive friction peak in fretting". *Wear*. 2020. 460-461. <https://doi.org/10.1016/j.wear.2020.203353>

Vazdar, Mario et al. "Behavior of 4-hydroxynonenal in phospholipid membranes". *Journal of Physical Chemistry Part B*. 2012, 116(22). 6411-6415. <https://doi.org/10.1021/jp3044219>

Huttunen-Saarivirta, E. et al. "Behaviour of leaded tin bronze in simulated seawater in the absence and presence of tribological contact with alumina counterbody: Corrosion, wear and tribocorrosion". *Tribology International*. 2019, 129. 257-271. <https://doi.org/10.1016/j.triboint.2018.08.021>

Rasappa, Sozaraj et al. "Block copolymer lithography: Feature size control and extension by an over-etch technique". *Thin Solid Films*. 2012, 522. 318-323. <https://doi.org/10.1016/j.tsf.2012.09.017>

Kulig, Waldemar ja Noam Agmon. "Both zundel and eigen isomers contribute to the IR spectrum of the gas-phase H<sub>9</sub>O<sub>4</sub> + cluster". *Journal of Physical Chemistry Part B*. 2014, 118(1). 278-286. <https://doi.org/10.1021/jp410446d>

Koivusaari, K. Jarmo, Tapio T. Rantala ja Seppo Leppävuori. "Calculated electronic density of states and structural properties of tetrahedral amorphous carbon". *Diamond and Related Materials*. 2000, 9(3). 736-740. [https://doi.org/10.1016/S0925-9635\(99\)00286-1](https://doi.org/10.1016/S0925-9635(99)00286-1)

Mahmood, Nasir et al. "Carbon nanotubes-filled thermoplastic polyurethane-urea and carboxylated acrylonitrile butadiene rubber blend nanocomposites". *Journal of Applied Polymer Science*. 2014. 131(11). <https://doi.org/10.1002/app.40341>

Ma, Li, Kari Laasonen, ja Jaakko Akola. "Catalytic Activity of AuCu Clusters on MgO(100): Effect of Alloy Composition for CO Oxidation". *Journal of Physical Chemistry C*. 2017, 121(20). 10876-10886. <https://doi.org/10.1021/acs.jpcc.6b12054>

Štěpánková, Veronika et al. "Cation-specific effects on enzymatic catalysis driven by interactions at the tunnel mouth". *Journal of Physical Chemistry Part B*. 2013, 117(21). 6394-6402. <https://doi.org/10.1021/jp401506v>

Haiko, Oskari et al. "Characteristics of carbide-free medium-carbon bainitic steels in high-stress abrasive wear conditions". *Wear*. 2020. 456-457. <https://doi.org/10.1016/j.wear.2020.203386>

Harra, Juha et al. "Characteristics of nFOG, an aerosol-based wet thin film coating technique". *Journal of Coatings Technology Research*. 2018, 15(3). 623-632. <https://doi.org/10.1007/s11998-017-0022-7>

Juoksukangas, Janne et al. "Characterization of cracks formed in large flat-on-flat fretting contact". *International Journal of Fatigue*. 2019, 124. 361-370. <https://doi.org/10.1016/j.ijfatigue.2019.03.004>

Kiilakoski, Jarkko et al. "Characterization of High-Velocity Single Particle Impacts on Plasma-Sprayed Ceramic Coatings". *Journal of Thermal Spray Technology*. 2016, 25. 1127-1137. <https://doi.org/10.1007/s11666-016-0428-2>

Kiilakoski, Jarkko et al. "Characterization of Powder-Precursor HVOF-Sprayed Al<sub>2</sub>O<sub>3</sub>-YSZ/ZrO<sub>2</sub> Coatings". *Journal of Thermal Spray Technology*. 2019, 28(1-2). 98-107. <https://doi.org/10.1007/s11666-018-0816-x>

Kiilakoski, J. et al. "Characterizing the micro-impact fatigue behavior of APS and HVOF-sprayed ceramic coatings". *Surface and Coatings Technology*. 2019, 371. 245-254. <https://doi.org/10.1016/j.surfcoat.2018.10.097>

Lehtonen, Joonas et al. "Cold gas spraying of a high-entropy CrFeNiMn equiatomic alloy". *Coatings*. 2020. 10(1). <https://doi.org/10.3390/coatings10010053>

Koivuluoto, Heli et al. "Cold-Sprayed Al6061 coatings: Online spray monitoring and influence of process parameters on coating properties". *Coatings*. 2020. 10(4). <https://doi.org/10.3390/coatings10040348>

Oksanen, V. et al. "Comparison of laboratory rolling-sliding wear tests with in-service wear of nodular cast iron rollers against wire ropes". *Wear*. 2015, 340-341. 73-81. <https://doi.org/10.1016/j.wear.2015.07.006>

Valtonen, Kati et al. "Comparison of various high-stress wear conditions and wear performance of martensitic steels". *Wear*. 2019, 426-427(Part A). 3-13. <https://doi.org/10.1016/j.wear.2018.12.006>

Aho, Arto et al. "Composition dependent growth dynamics in molecular beam epitaxy of GaInNAs solar cells". *Solar Energy Materials and Solar Cells*. 2014, 124. 150-158. <https://doi.org/10.1016/j.solmat.2014.01.044>

Jönkkäri, Ilari et al. "Compounding and characterization of recycled multilayer plastic films". *Journal of Applied Polymer Science*. 2020. <https://doi.org/10.1002/app.49101>

Rahaman, Obaidur et al. "Configurational Disorder of Water Hydrogen-Bond Network at the Protein Dynamical Transition". *Journal of Physical Chemistry Part B*. 2017, 121(28). 6792-6798. <https://doi.org/10.1021/acs.jpcc.7b03888>

Bhagavatheswaran, Eshwaran Subramani et al. "Construction of an Interconnected Nanostructured Carbon Black Network: Development of Highly Stretchable and Robust Elastomeric Conductors". *Journal of Physical Chemistry C*. 2015, 119(37). 21723-21731. <https://doi.org/10.1021/acs.jpcc.5b06629>

Saarimaa, Ville et al. "Convenient extraction method for quantification of thin zinc patina layers". *Surface and Interface Analysis*. 2018, 50(5). 564-570. <https://doi.org/10.1002/sia.6429>

Vikholm-Lundin, Inger et al. "Cysteine-tagged chimeric avidin forms high binding capacity layers directly on gold". *Sensors and Actuators B: Chemical*. 2012, 171-172. 440-448. <https://doi.org/10.1016/j.snb.2012.05.008>

Ghabchi, Arash et al. "Damage mechanisms and cracking behavior of thermal sprayed WC-CoCr coating under scratch testing". *Wear*. 2014, 313(1-2). 97-105. <https://doi.org/10.1016/j.wear.2014.02.017>

Hiltunen, Arto et al. "Design aspects of all atomic layer deposited TiO<sub>2</sub>-Fe<sub>2</sub>O<sub>3</sub> scaffold-absorber photoanodes for water splitting". *Sustainable Energy & Fuels*. 2018, 2(9). 2124-2130. <https://doi.org/10.1039/C8SE00252E>

Vikholm-Lundin, Inger, Sanna Auer ja Ann Charlotte Hellgren. "Detection of 3,4-methylenedioxyamphetamine (MDMA, ecstasy) by displacement of antibodies". *Sensors and Actuators B: Chemical*. 2011, 156(1). 28-34. <https://doi.org/10.1016/j.snb.2011.03.069>

Lehmusto, Juho et al. "Detection of gaseous species during KCl-induced high-temperature corrosion by the means of CPFAAS and CI-APi-TOF". *Materials and Corrosion*. 2019. <https://doi.org/10.1002/maco.201910964>

Mylläri, Ville et al. "Detergent impurity effect on recycled HDPE: Properties after repetitive processing". *Journal of Applied Polymer Science*. 2016. 133(31). <https://doi.org/10.1002/app.43766>

Niittymäki, Minna et al. "Dielectric Breakdown Strength of Thermally Sprayed Ceramic Coatings: Effects of Different Test Arrangements". *Journal of Thermal Spray Technology*. 2015, 24(3). 542-551. <https://doi.org/10.1007/s11666-014-0211-1>

- Singh, Simran et al. "Digital correction of frequency response mismatches in 2-channel time-interleaved ADCs using adaptive I/Q signal processing". *Analog Integrated Circuits and Signal Processing*. 2015, 82(3). 543-555. <https://doi.org/10.1007/s10470-014-0476-9>
- Palivec, Vladimír et al. "DNA lesion can facilitate base ionization: Vertical ionization energies of aqueous 8-oxoguanine and its nucleoside and nucleotide". *Journal of Physical Chemistry Part B*. 2014, 118(48). 13833-13837. <https://doi.org/10.1021/jp5111086>
- Haiko, O. et al. "Effect of finish rolling and quench stop temperatures on impact-abrasive wear resistance of 0.35 % carbon direct-quenched steel". *Tribologia*. 2017, 35(1-2). 5-21.
- Hakola, Hanna et al. "Effect of Hole Transporting Material on Charge Transfer Processes in Zinc Phthalocyanine Sensitized ZnO Nanorods". *Journal of Physical Chemistry C*. 2016, 120(13). 7044-7051. <https://doi.org/10.1021/acs.jpcc.6b01583>
- Song, Xuemei et al. "Effect of melting state on the thermal shock resistance and thermal conductivity of APS ZrO<sub>2</sub>-7.5wt.% Y<sub>2</sub>O<sub>3</sub> coatings". *Surface and Coatings Technology*. 2015, 270. 132-138. <https://doi.org/10.1016/j.surfcoat.2015.03.011>
- Ratia, Vilma et al. "Effect of Multiple Impacts on the Deformation of Wear-Resistant Steels". *Tribology Letters*. 2015. 57(2). <https://doi.org/10.1007/s11249-014-0460-7>
- Matikainen, V. et al. "Effect of nozzle geometry on the microstructure and properties of hvaf-sprayed wc-10co4cr and cr3c2-25nicr coatings". *Journal of Thermal Spray Technology*. 2018, 27(4). 680-694. <https://doi.org/10.1007/s11666-018-0717-z>
- Kwolek, Urszula et al. "Effect of Phosphatidic Acid on Biomembrane: Experimental and Molecular Dynamics Simulations Study". *Journal of Physical Chemistry Part B*. 2015, 119(31). 10042-10051. <https://doi.org/10.1021/acs.jpcc.5b03604>
- Haiko, Oskari et al. "Effect of prior austenite grain size on the abrasive wear resistance of ultra-high strength martensitic steels". *Wear*. 2020. 454-455. <https://doi.org/10.1016/j.wear.2020.203336>
- Kapgate, Bharat P. et al. "Effect of silane integrated sol-gel derived in situ silica on the properties of nitrile rubber". *Journal of Applied Polymer Science*. 2014. 131(15). <https://doi.org/10.1002/app.40531>
- Milanti, A. et al. "Effect of spraying parameters on the microstructural and corrosion properties of HVAF-sprayed Fe-Cr-Ni-B-C coatings". *Surface and Coatings Technology*. 2015, 277. 81-90. <https://doi.org/10.1016/j.surfcoat.2015.07.018>
- Haiko, Oskari et al. "Effect of tempering on the impact-abrasive and abrasive wear resistance of ultra-high strength steels". *Wear*. 2019. 440-441. <https://doi.org/10.1016/j.wear.2019.203098>
- Ojala, Niko et al. "Effects of composition and microstructure on the abrasive wear performance of quenched wear resistant steels". *Wear*. 2014, 317(1-2). 225-232. <https://doi.org/10.1016/j.wear.2014.06.003>
- Durandin, Nikita A. et al. "Efficient photon upconversion at remarkably low annihilator concentrations in a liquid polymer matrix: when less is more". *Chemical Communications*. 2018, 54(99). 14029-14032. <https://doi.org/10.1039/c8cc07592a>
- Lepcha, A. et al. "Electrospun Black Titania Nanofibers: Influence of Hydrogen Plasma-Induced Disorder on the Electronic Structure and Photoelectrochemical Performance". *Journal of Physical Chemistry C*. 2015, 119(33). 18835-18842. <https://doi.org/10.1021/acs.jpcc.5b02767>
- Takahashi, Hideaki et al. "Energetic origin of proton affinity to the air/water interface". *Journal of Physical Chemistry Part B*. 2011, 115(16). 4745-4751. <https://doi.org/10.1021/jp2015676>

Shakun, Alexandra, Essi Sarlin, ja Jyrki Vuorinen. "Energy dissipation in natural rubber latex films: The effect of stabilizers, leaching and acetone-treatment". *Journal of Applied Polymer Science*. 2020. <https://doi.org/10.1002/app.49609>

Vaikuntam, Sankar Raman et al. "Entrapped Styrene Butadiene Polymer Chains by Sol-Gel-Derived Silica Nanoparticles with Hierarchical Raspberry Structures". *Journal of Physical Chemistry B*. 2018, 122(6). 2010-2022. <https://doi.org/10.1021/acs.jpcc.7b11792>

Lindgren, M. et al. "Erosion–corrosion resistance of various stainless steel grades in high-temperature sulfuric acid solution". *Wear*. 2016, 364-365. 10-21. <https://doi.org/10.1016/j.wear.2016.06.007>

Suihkonen, Reija et al. "Erosion wear of vinylester matrix composites in aqueous and acidic environments at elevated temperatures". *Wear*. 2016, 358-359. 7-16. <https://doi.org/10.1016/j.wear.2016.03.026>

Matikainen, V. et al. "Erosion wear performance of WC-10Co4Cr and Cr<sub>3</sub>C<sub>2</sub>-25NiCr coatings sprayed with high-velocity thermal spray processes". *Surface and Coatings Technology*. 2019, 370. 196-212. <https://doi.org/10.1016/j.surfcoat.2019.04.067>

Vuorinen, E. et al. "Erosive-abrasive wear behavior of carbide-free bainitic and boron steels compared in simulated field conditions". *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*. 2018, 232(1). 3-13. <https://doi.org/10.1177/1350650117739125>

Sarlin, Essi et al. "Erosive wear of filled vinylester composites in water and acidic media at elevated temperature". *Wear*. 2017, 390-391. 84-92. <https://doi.org/10.1016/j.wear.2017.07.011>

Lindgren, M., R. Suihkonen, ja J. Vuorinen. "Erosive wear of various stainless steel grades used as impeller blade materials in high temperature aqueous slurry". *Wear*. 2015, 328-329. 391-400. <https://doi.org/10.1016/j.wear.2015.03.014>

Tamminen, Pasi et al. "ESD qualification data used as the basis for building electrostatic discharge protected areas". *Journal of Electrostatics*. 2015, 77. 174-181. <https://doi.org/10.1016/j.elstat.2015.08.009>

Kanerva, Ulla et al. "Evaluation of crushing strength of spray-dried MgAl<sub>2</sub>O<sub>4</sub> granule beds". *Ceramics International*. 2015, 41(7). 8494-8500. <https://doi.org/10.1016/j.ceramint.2015.03.056>

Varis, Tommi et al. "Evaluation of Residual Stresses and Their Influence on Cavitation Erosion Resistance of High Kinetic HVOF and HVOF-Sprayed WC-CoCr Coatings". *Journal of Thermal Spray Technology*. 2020. <https://doi.org/10.1007/s11666-020-01037-2>

Mikkonen, Riikka ja Matti Mäntysalo. "Evaluation of screen printed silver trace performance and long-term reliability against environmental stress on a low surface energy substrate". *Microelectronics Reliability*. 2018, 86. 54-65. <https://doi.org/10.1016/j.microrel.2018.05.010>

Juoksukangas, Janne, Arto Lehtovaara ja Antti Mäntylä. "Experimental and numerical investigation of fretting fatigue behavior in bolted joints". *Tribology International*. 2016, 103. 440-448. <https://doi.org/10.1016/j.triboint.2016.07.021>

Eshwaran, Subramani Bhagavatheswaran et al. "Exploring the role of stearic acid in modified zinc aluminum layered double hydroxides and their acrylonitrile butadiene rubber nanocomposites". *Journal of Applied Polymer Science*. 2015. 132(9). <https://doi.org/10.1002/app.41539>

Song, Xuemei et al. "Fabrication and Characterization of Amorphous Alumina-Yttria-Stabilized Zirconia Coatings by Air Plasma Spraying". *Journal of Thermal Spray Technology*. 2014, 23(8). 1302-1311. <https://doi.org/10.1007/s11666-014-0124-z>

Khan, M. Nuruzzaman ja Michael Zharnikov. "Fabrication of ssDNA/Oligo(ethylene glycol) monolayers and patterns by exchange reaction promoted by ultraviolet light irradiation". *Journal of Physical Chemistry C*. 2013, 117(47). 24883-24893. <https://doi.org/10.1021/jp408819k>

Khan, M. Nuruzzaman ja Michael Zharnikov. "Fabrication of ssDNA/oligo(ethylene glycol) monolayers by promoted exchange reaction with thiol and disulfide substituents". *Journal of Physical Chemistry C*. 2014, 118(6). 3093-3101. <https://doi.org/10.1021/jp411353f>

Kulju, S. et al. "Fluid flow simulations meet high-speed video: Computer vision comparison of droplet dynamics". *Journal of Colloid and Interface Science*. 2018, 522. 48-56. <https://doi.org/10.1016/j.jcis.2018.03.053>

Välimäki, Hannu et al. "Fluorimetric oxygen sensor with an efficient optical read-out for in vitro cell models". *Sensors and Actuators B: Chemical*. 2017, 249. 738-746. <https://doi.org/10.1016/j.snb.2017.04.182>

Hintikka, Jouko, Arto Lehtovaara ja Antti Mäntylä. "Fretting-induced friction and wear in large flat-on-flat contact with quenched and tempered steel". *Tribology International*. 2015, 92. 191-202. <https://doi.org/10.1016/j.triboint.2015.06.008>

Goh, Jing-Qiang, Jaakko Akola ja Riccardo Ferrando. "Geometric Structure and Chemical Ordering of Large AuCu Clusters: A Computational Study". *Journal of Physical Chemistry C*. 2017, 121(20). 10809-10816. <https://doi.org/10.1021/acs.jpcc.6b11958>

Holmberg, Kenneth et al. "Global energy consumption due to friction and wear in the mining industry". *Tribology International*. 2017, 115. 116-139. <https://doi.org/10.1016/j.triboint.2017.05.010>

Allolio, Christoph et al. "Guanidinium Pairing Facilitates Membrane Translocation". *Journal of Physical Chemistry Part B*. 2016, 120(1). 143-153. <https://doi.org/10.1021/acs.jpcc.5b10404>

Kotilainen, Minna et al. "Hafnium oxide thin films as a barrier against copper diffusion in solar absorbers". *Solar Energy Materials and Solar Cells*. 2017, 166. 140-146. <https://doi.org/10.1016/j.solmat.2017.02.033>

Tofanello, Aryane et al. "Hematite Surface Modification toward Efficient Sunlight-Driven Water Splitting Activity: The Role of Gold Nanoparticle Addition". *Journal of Physical Chemistry C*. 2020. <https://doi.org/10.1021/acs.jpcc.9b11966>

Varis, T. et al. "High temperature corrosion of thermally sprayed NiCr and FeCr coatings covered with a KCl-K<sub>2</sub>SO<sub>4</sub> salt mixture". *Surface and Coatings Technology*. 2015, 265. 235-243. <https://doi.org/10.1016/j.surfcoat.2014.11.012>

Kalimeri, Maria et al. "How conformational flexibility stabilizes the hyperthermophilic elongation factor G-domain". *Journal of Physical Chemistry Part B*. 2013, 117(44). 13775-13785. <https://doi.org/10.1021/jp407078z>

Passananti, Monica et al. "How well can we predict cluster fragmentation inside a mass spectrometer?". *Chemical Communications*. 2019, 55(42). 5946-5949. <https://doi.org/10.1039/c9cc02896j>

Janka, L. et al. "HVOF- and HVOF-Sprayed Cr<sub>3</sub>C<sub>2</sub>-NiCr Coatings Deposited from Feedstock Powders of Spherical Morphology: Microstructure Formation and High-Stress Abrasive Wear Resistance Up to 800 °C". *Journal of Thermal Spray Technology*. 2017, 26(7). 1720-1731. <https://doi.org/10.1007/s11666-017-0621-y>

Hladílková, Jana et al. "Hydration of hydroxyl and amino groups examined by molecular dynamics and neutron scattering". *Journal of Physical Chemistry Part B*. 2015, 119(21). 6357-6365. <https://doi.org/10.1021/jp510528u>

Valtonen, Kati et al. "Impact wear and mechanical behavior of steels at subzero temperatures". *Tribology International*. 2019, 129. 476-493. <https://doi.org/10.1016/j.triboint.2018.08.016>

Vuori, Leena et al. "Improved corrosion properties of Hot Dip Galvanized Steel by nanomolecular silane layers as hybrid interface between zinc and top coatings". *Corrosion*. 2017. 73(2). <https://doi.org/10.5006/2206>

Poikelispää, Minna et al. "Improvement of actuation performance of dielectric elastomers by barium titanate and carbon black fillers". *Journal of Applied Polymer Science*. 2016. 133(42). <https://doi.org/10.1002/app.44116>

Janka, Leo et al. "Improving the high temperature abrasion resistance of thermally sprayed Cr<sub>3</sub>C<sub>2</sub>-NiCr coatings by WC addition". *Surface and Coatings Technology*. 2018, 337. 296-305. <https://doi.org/10.1016/j.surfcoat.2018.01.035>

Polojärvi, Ville et al. "Influence of As/group-III flux ratio on defects formation and photovoltaic performance of GaInNAs solar cells". *Solar Energy Materials and Solar Cells*. 2016, 149. 213-220. <https://doi.org/10.1016/j.solmat.2016.01.024>

Janka, Leo et al. "Influence of heat treatment on the abrasive wear resistance of a Cr<sub>3</sub>C<sub>2</sub>-NiCr coating deposited by an ethene-fuelled HVOF spray process". *Surface and Coatings Technology*. 2016, 291. 444-451. <https://doi.org/10.1016/j.surfcoat.2016.02.066>

Varis, Tommi et al. "Influence of powder properties on residual stresses formed in high-pressure liquid fuel HVOF sprayed WC-CoCr coatings". *Surface and Coatings Technology*. 2020. 388. <https://doi.org/10.1016/j.surfcoat.2020.125604>

Kotilainen, M. et al. "Influence of temperature-induced copper diffusion on degradation of selective chromium oxy-nitride solar absorber coatings". *Solar Energy Materials and Solar Cells*. 2016, 145. 323-332. <https://doi.org/10.1016/j.solmat.2015.10.034>

Ojha, N. et al. "Influence of the phosphate glass melt on the corrosion of functional particles occurring during the preparation of glass-ceramics". *Ceramics International*. 2018, 44(10). 11807-11811. <https://doi.org/10.1016/j.ceramint.2018.03.267>

Milanti, A., H. Koivuluoto, ja P. Vuoristo. "Influence of the Spray Gun Type on Microstructure and Properties of HVAF Sprayed Fe-Based Corrosion Resistant Coatings". *Journal of Thermal Spray Technology*. 2015, 24(7). 1312-1322. <https://doi.org/10.1007/s11666-015-0298-z>

Santangelo, Paolo E. et al. "Infrared Thermography as a Non-destructive Testing Solution for Thermal Spray Metal Coatings". *Journal of Thermal Spray Technology*. 2017, 26(8). 1982-1993. <https://doi.org/10.1007/s11666-017-0642-6>

Gupta, Samit K. et al. "Interfacial design and structure of protein/polymer films on oxidized AlGaN surfaces". *Journal of Physics D: Applied Physics*. 2011. 44(3). <https://doi.org/10.1088/0022-3727/44/3/034010>

Heinonen, Saara et al. "Investigation of long-term chemical stability of structured ZnO films in aqueous solutions of varying conditions". *Thin Solid Films*. 2017, 638. 410-419. <https://doi.org/10.1016/j.tsf.2017.07.055>

Pluhařová, Eva et al. "Ionization of purine tautomers in nucleobases, nucleosides, and nucleotides: From the gas phase to the aqueous environment". *Journal of Physical Chemistry Part B*. 2011, 115(5). 1294-1305. <https://doi.org/10.1021/jp110388v>

Khan, M. Nuruzzaman ja Michael Zharnikov. "Irradiation promoted exchange reaction with disulfide substituents". *Journal of Physical Chemistry C*. 2013, 117(28). 14534-14543. <https://doi.org/10.1021/jp4006026>

Cappelluti, F. et al. "Light-trapping enhanced thin-film III-V quantum dot solar cells fabricated by epitaxial lift-off". *Solar Energy Materials and Solar Cells*. 2018, 181. 83-92. <https://doi.org/10.1016/j.solmat.2017.12.014>

- Oksanen, V. T., A. J. Lehtovaara ja M. H. Kallio. "Load capacity of lubricated bismuth bronze bimetal bearing under elliptical sliding motion". *Wear*. 2017, 388-389. 72-80. <https://doi.org/10.1016/j.wear.2017.05.001>
- Baek, Jinseok et al. "Long-Range Observation of Exciplex Formation and Decay Mediated by One-Dimensional Bridges". *Journal of Physical Chemistry C*. 2017, 121(25). 13952-13961. <https://doi.org/10.1021/acs.jpcc.7b04483>
- Donadei, Valentina et al. "Lubricated icephobic coatings prepared by flame spraying with hybrid feedstock injection". *Surface and Coatings Technology*. 2020. 403. <https://doi.org/10.1016/j.surfcoat.2020.126396>
- Ghazy, Amr et al. "Luminescent (Er,Ho)<sub>2</sub>O<sub>3</sub> thin films by ALD to enhance the performance of silicon solar cells". *Solar Energy Materials and Solar Cells*. 2020. 219. <https://doi.org/10.1016/j.solmat.2020.110787>
- Rissanen, Ilari ja Lasse Laurson. "Magnetic non-contact friction from domain wall dynamics actuated by oscillatory mechanical motion". *Journal of Physics D: Applied Physics*. 2019. 52(44). <https://doi.org/10.1088/1361-6463/ab351f>
- Barberi, Jacopo et al. "Mechanical characterization of pore-graded bioactive glass scaffolds produced by robocasting". *Biomedical Glasses*. 2019, 5(1). 140-147. <https://doi.org/10.1515/bglass-2019-0012>
- Rajan, Rathish et al. "Mechanical, thermal, and burning properties of viscose fabric composites: Influence of epoxy resin modification". *Journal of Applied Polymer Science*. 2018. 135(36). <https://doi.org/10.1002/app.46673>
- Magarkar, Aniket et al. "Membrane bound COMT isoform is an interfacial enzyme: General mechanism and new drug design paradigm". *Chemical Communications*. 2018, 54(28). 3440-3443. <https://doi.org/10.1039/c8cc00221e>
- Kuzmin, Michael G. et al. "Microphase mechanism of "superquenching" of luminescent probes in aqueous solutions of DNA and some other polyelectrolytes". *Journal of Physical Chemistry Part B*. 2014, 118(15). 4245-4252. <https://doi.org/10.1021/jp500713q>
- Sorianello, V. et al. "Micro-Raman characterization of Germanium thin films evaporated on various substrates". *Microelectronic Engineering*. 2011, 88(4). 492-495. <https://doi.org/10.1016/j.mee.2010.10.028>
- Tuominen, J. et al. "Microstructural and abrasion wear characteristics of laser-clad tool steel coatings". *Surface Engineering*. 2016, 32(12). 923-933. <https://doi.org/10.1080/02670844.2016.1180496>
- Milanti, A. et al. "Microstructure and Sliding Wear Behavior of Fe-Based Coatings Manufactured with HVOF and HVOF Thermal Spray Processes". *Journal of Thermal Spray Technology*. 2016, 25(5). 1040-1055. <https://doi.org/10.1007/s11666-016-0410-z>
- Palola, S. et al. "Microwave induced hierarchical nanostructures on aramid fibers and their influence on adhesion properties in a rubber matrix". *Applied Surface Science*. 2017, 410. 145-153. <https://doi.org/10.1016/j.apsusc.2017.03.070>
- Karhu, Marjaana et al. "Mining tailings as raw materials for reaction-sintered aluminosilicate ceramics: Effect of mineralogical composition on microstructure and properties". *Ceramics International*. 2019, 45(4). 4840-4848. <https://doi.org/10.1016/j.ceramint.2018.11.180>
- Palmolahti, Lauri et al. "Modification of Surface States of Hematite-Based Photoanodes by Submonolayer of TiO<sub>2</sub> for Enhanced Solar Water Splitting". *Journal of Physical Chemistry C*. 2020, 124(24). 13094-13101. <https://doi.org/10.1021/acs.jpcc.0c00798>
- Milne, D. et al. "Morphological and structural changes in laser CVD of silicon: comparison of theoretical temperature calculations with experimental results". *Applied Surface Science*. 1989, 43(1-4). 81-86. [https://doi.org/10.1016/0169-4332\(89\)90194-3](https://doi.org/10.1016/0169-4332(89)90194-3)

Rasappa, Sozaraj et al. "Morphology evolution of PS-b-PDMS block copolymer and its hierarchical directed self-assembly on block copolymer templates". *Microelectronic Engineering*. 2018, 192. 1-7. <https://doi.org/10.1016/j.mee.2018.02.002>

Salpavaara, Timo et al. "Non-destructive and wireless monitoring of biodegradable polymers". *Sensors and Actuators B: Chemical*. 2017, 251. 1018-1025. <https://doi.org/10.1016/j.snb.2017.05.116>

Timr, Štěpán et al. "Nonlinear Optical Properties of Fluorescent Dyes Allow for Accurate Determination of Their Molecular Orientations in Phospholipid Membranes". *Journal of Physical Chemistry Part B*. 2015, 119(30). 9706-9716. <https://doi.org/10.1021/acs.jpcc.5b05123>

Hintikka, Jouko, Arto Lehtovaara ja Antti Mäntylä. "Normal displacements in non-Coulomb friction conditions during fretting". *Tribology International*. 2016, 94. 633-639. <https://doi.org/10.1016/j.triboint.2015.10.029>

Del Cerro, Paloma Roldán et al. "Novel borosilicate bioactive scaffolds with persistent luminescence". *Biomedical Glasses*. 2020, 6(1). 1-9. <https://doi.org/10.1515/bglass-2020-0001>

Koivuluoto, Heli et al. "Novel Online Diagnostic Analysis for In-Flight Particle Properties in Cold Spraying". *Journal of Thermal Spray Technology*. 2018, 27(3). 423-432. <https://doi.org/10.1007/s11666-018-0685-3>

Levoska, J., T. T. Rantala ja J. Lenkkeri. "Numerical simulation of temperature distributions in layered structures during laser processing". *Applied Surface Science*. 1989, 36(1-4). 12-22. [https://doi.org/10.1016/0169-4332\(89\)90895-7](https://doi.org/10.1016/0169-4332(89)90895-7)

Caglayan, H., I. Bulu ja E. Ozbay. "Observation of off-axis directional beaming via subwavelength asymmetric metallic gratings". *Journal of Physics D: Applied Physics*. 2009, 42(4). <https://doi.org/10.1088/0022-3727/42/4/045105>

Brobbe, Kofi J. et al. "One-step flame synthesis of silver nanoparticles for roll-to-roll production of antibacterial paper". *Applied Surface Science*. 2017, 420. 558-565. <https://doi.org/10.1016/j.apsusc.2017.05.143>

Baratto, Camilla et al. "On the alignment of ZnO nanowires by Langmuir – Blodgett technique for sensing application". *Applied Surface Science*. 2020. 528. <https://doi.org/10.1016/j.apsusc.2020.146959>

Haapanen, Janne et al. "On the limit of superhydrophobicity: Defining the minimum amount of TiO<sub>2</sub> nanoparticle coating". *Materials Research Express*. 2019, 6(3). <https://doi.org/10.1088/2053-1591/aaf2ee>

Colace, L. et al. "Optical power monitors in Ge monolithically integrated on SOI chips". *Microelectronic Engineering*. 2011, 88(4). 514-517. <https://doi.org/10.1016/j.mee.2010.10.033>

Tuurna, S. et al. "Optimised selection of new protective coatings for biofuel boiler applications". *Materials and Corrosion-Werkstoffe und Korrosion*. 2011, 62(7). 642-649. <https://doi.org/10.1002/maco.201005898>

Lampio, Kaj ja Reijo Karvinen. "Optimization of convectively cooled heat sinks". *Microelectronics Reliability*. 2017, 79. 473-479. <https://doi.org/10.1016/j.microrel.2017.06.011>

Varis, T. et al. "Optimization of HVOF Cr3C2-NiCr coating for increased fatigue performance". *Surface and Coatings Technology*. 2016, 305. 123-131. <https://doi.org/10.1016/j.surfcoat.2016.08.012>

Wernersson, Erik et al. "Orientational dependence of the affinity of guanidinium ions to the water surface". *Journal of Physical Chemistry Part B*. 2011, 115(43). 12521-12526. <https://doi.org/10.1021/jp207499s>

- Karilainen, Topi et al. "Oxidation of cholesterol does not alter significantly its uptake into high-density lipoprotein particles". *Journal of Physical Chemistry Part B*. 2015, 119(13). 4594-4600. <https://doi.org/10.1021/acs.jpccb.5b00240>
- Christophliemk, Hanna et al. "Oxygen and water vapor transmission rates of starch-poly(vinyl alcohol) barrier coatings for flexible packaging paper". *Progress in Organic Coatings*. 2017, 113. 218-224. <https://doi.org/10.1016/j.porgcoat.2017.04.019>
- Salpavaara, Timo et al. "Passive resonance sensor based method for monitoring particle suspensions". *Sensors and Actuators B: Chemical*. 2015, 219. 324-330. <https://doi.org/10.1016/j.snb.2015.04.121>
- Dziewciuch, Monika et al. "PEGylated liposomes as carriers of hydrophobic porphyrins". *Journal of Physical Chemistry Part B*. 2015, 119(22). 6646-6657. <https://doi.org/10.1021/acs.jpccb.5b01351>
- Oksa, Maria, Tommi Varis ja Kimmo Ruusuvoori. "Performance testing of iron based thermally sprayed HVOF coatings in a biomass-fired fluidised bed boiler". *Surface and Coatings Technology*. 2014, 251. 191-200. <https://doi.org/10.1016/j.surfcoat.2014.04.025>
- Heinonen, Saara et al. "Photocatalytic and antibacterial properties of ZnO films with different surface topographies on stainless steel substrate". *Thin Solid Films*. 2016, 616. 842-849. <https://doi.org/10.1016/j.tsf.2016.10.002>
- Virkki, Kirsi et al. "Photoinduced Electron Injection from Zinc Phthalocyanines into Zinc Oxide Nanorods: Aggregation Effects". *Journal of Physical Chemistry C*. 2017, 121(17). 9594-9605. <https://doi.org/10.1021/acs.jpcc.7b01562>
- Virkki, Kirsi et al. "Photoinduced Electron Transfer in CdSe/ZnS Quantum Dot-Fullerene Hybrids". *Journal of Physical Chemistry C*. 2015, 119(31). 17561-17572. <https://doi.org/10.1021/acs.jpcc.5b04251>
- Baek, Jinseok et al. "Photophysical properties of porphyrin dimer-single-walled carbon nanotube linked systems". *Journal of Physical Chemistry C*. 2017. 121(39). <https://doi.org/10.1021/acs.jpcc.7b08594>
- Isoaho, Riku et al. "Photovoltaic properties of low-bandgap (0.7–0.9eV) lattice-matched GaInNAsSb solar junctions grown by molecular beam epitaxy on GaAs". *Solar Energy Materials and Solar Cells*. 2019, 195. 198-203. <https://doi.org/10.1016/j.solmat.2019.02.030>
- Selvan, N. Tamil et al. "Piezoresistive natural rubber-multiwall carbon nanotube nanocomposite for sensor applications". *Sensors and Actuators, A: Physical*. 2016, 239. 102-113. <https://doi.org/10.1016/j.sna.2016.01.004>
- Orlowski, Adam et al. "PIP2 and Talin Join Forces to Activate Integrin". *Journal of Physical Chemistry Part B*. 2015, 119(38). 12381-12389. <https://doi.org/10.1021/acs.jpccb.5b06457>
- Borah, D. et al. "Plasma etch technologies for the development of ultra-small feature size transistor devices". *Journal of Physics D: Applied Physics*. 2011. 44(17). <https://doi.org/10.1088/0022-3727/44/17/174012>
- Robison, Aaron D. et al. "Polyarginine Interacts More Strongly and Cooperatively than Polylysine with Phospholipid Bilayers". *Journal of Physical Chemistry Part B*. 2016, 120(35). 9287-9296. <https://doi.org/10.1021/acs.jpccb.6b05604>
- Mäntylä, A. et al. "Prediction of contact condition and surface damage by simulating variable friction coefficient and wear". *Tribology International*. 2019. <https://doi.org/10.1016/j.triboint.2019.106054>
- Heikkinen, Jarkko J. et al. "Printable and flexible macroporous organosilica film with high protein adsorption capacity". *Thin Solid Films*. 2012, 520(6). 1934-1937. <https://doi.org/10.1016/j.tsf.2011.09.041>

- Kiilakoski, Jarkko et al. "Process Parameter Impact on Suspension-HVOF-Sprayed Cr<sub>2</sub>O<sub>3</sub> Coatings". *Journal of Thermal Spray Technology*. 2019. <https://doi.org/10.1007/s11666-019-00940-7>
- Mylläri, Ville et al. "Production of sulfonated polyetheretherketone/polypropylene fibers for photoactive textiles". *Journal of Applied Polymer Science*. 2015. 132(39). <https://doi.org/10.1002/app.42595>
- Sassatelli, Paolo et al. "Properties of HVOF-sprayed Stellite-6 coatings". *Surface and Coatings Technology*. 2018, 338. 45-62. <https://doi.org/10.1016/j.surfcoat.2018.01.078>
- Auer, Sanna et al. "Rapid and sensitive detection of norovirus antibodies in human serum with a bilayer interferometry biosensor". *Sensors and Actuators B: Chemical*. 2015, 221. 507-514. <https://doi.org/10.1016/j.snb.2015.06.088>
- Rasappa, Sozaraj et al. "Rapid, Brushless Self-assembly of a PS-b-PDMS Block Copolymer for Nanolithography". *Colloids and Interface Science Communications*. 2014, 2. 1-5. <https://doi.org/10.1016/j.colcom.2014.07.001>
- Kapgate, Bharat P. et al. "Reinforced chloroprene rubber by in situ generated silica particles: Evidence of bound rubber on the silica surface". *Journal of Applied Polymer Science*. 2016. 133(30). <https://doi.org/10.1002/app.43717>
- Hladilkova, Jana et al. "Release of halide ions from the buried active site of the haloalkane dehalogenase LinB revealed by stopped-flow fluorescence analysis and free energy calculations". *Journal of Physical Chemistry Part B*. 2013, 117(46). 14329-14335. <https://doi.org/10.1021/jp409040u>
- Paterová, Jana et al. "Reversal of the Hofmeister series: Specific ion effects on peptides". *Journal of Physical Chemistry Part B*. 2013, 117(27). 8150-8158. <https://doi.org/10.1021/jp405683s>
- Myllymäki, Sami et al. "RF measurements to pinpoint defects in inkjet-printed, thermally and mechanically stressed coplanar waveguides". *Microelectronics Reliability*. 2016, 65. 142-150. <https://doi.org/10.1016/j.microrel.2016.08.021>
- Chintha, A. R. et al. "Role of fracture toughness in impact-abrasion wear". *Wear*. 2019, 428-429. 430-437. <https://doi.org/10.1016/j.wear.2019.03.028>
- Rahaman, Obaidur et al. "Role of Internal Water on Protein Thermal Stability: The Case of Homologous G Domains". *Journal of Physical Chemistry Part B*. 2015, 119(29). 8939-8949. <https://doi.org/10.1021/jp507571u>
- Javanainen, Matti, O. H. Samuli Ollila ja Hector Martinez-Seara. "Rotational Diffusion of Membrane Proteins in Crowded Membranes". *Journal of Physical Chemistry B*. 2020, 124(15). 2994-3001. <https://doi.org/10.1021/acs.jpcc.0c00884>
- Linjamaa, A. et al. "Running-in effects on friction of journal bearings under slow sliding speeds". *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*. 2019. <https://doi.org/10.1177/1350650119864758>
- Hintikka, Jouko et al. "Running-in in fretting, transition from near-stable friction regime to gross sliding". *Tribology International*. 2019. 143. <https://doi.org/10.1016/j.triboint.2019.106073>
- Goh, Jing-Qiang et al. "Silver sulfide nanoclusters and the superatom model". *Journal of Physical Chemistry C*. 2015, 119(3). 1583-1590. <https://doi.org/10.1021/jp511037x>
- Bolelli, G. et al. "Sliding and abrasive wear behaviour of HVOF- and HVAF-sprayed Cr<sub>3</sub>C<sub>2</sub>-NiCr hardmetal coatings". *Wear*. 2016, 358-359. 32-50. <https://doi.org/10.1016/j.wear.2016.03.034>
- Matikainen, V. et al. "Sliding wear behaviour of HVOF and HVAF sprayed Cr<sub>3</sub>C<sub>2</sub>-based coatings". *Wear*. 2017, 388-389. 57-71. <https://doi.org/10.1016/j.wear.2017.04.001>

- Khan, M. Nuruzzaman et al. "Spectroscopic study of a DNA brush synthesized in situ by surface initiated enzymatic polymerization". *Journal of Physical Chemistry Part B*. 2013, 117(34). 9929-9938. <https://doi.org/10.1021/jp404774x>
- Katava, Marina et al. "Stability and Function at High Temperature. What Makes a Thermophilic GTPase Different from Its Mesophilic Homologue". *Journal of Physical Chemistry Part B*. 2016, 120(10). 2721-2730. <https://doi.org/10.1021/acs.jpcc.6b00306>
- Hintikka, Jouko et al. "Stable and unstable friction in fretting contacts". *Tribology International*. 2019, 131. 73-82. <https://doi.org/10.1016/j.triboint.2018.10.014>
- Alekseev, Alexander et al. "Stable blue phase polymeric Langmuir-Schaefer films based on unsymmetrical hydroxyalkadiynyl N-arylcarbamate derivatives". *Thin Solid Films*. 2018, 645. 108-118. <https://doi.org/10.1016/j.tsf.2017.10.018>
- Christophliemk, Hanna et al. "Starch-poly(vinyl alcohol) barrier coatings for flexible packaging paper and their effects of phase interactions". *Progress in Organic Coatings*. 2017, 111. 13-22. <https://doi.org/10.1016/j.porgcoat.2017.04.018>
- Andersson, P. et al. "Static friction measurements on steel against uncoated and coated cast iron". *Tribologia*. 2016, 34(1-2). 5-40.
- Fatarelle, Enrico et al. "Sulfonated polyetheretherketone/polypropylene polymer blends for the production of photoactive materials". *Journal of Applied Polymer Science*. 2015. 132(8). <https://doi.org/10.1002/app.41509>
- Tuominen, Mikko et al. "Superamphiphobic overhang structured coating on a biobased material". *Applied Surface Science*. 2016, 389. 135-143. <https://doi.org/10.1016/j.apsusc.2016.05.095>
- Goh, Jing Qiang ja Jaakko Akola. "Superatom Model for Ag-S Nanocluster with Delocalized Electrons". *Journal of Physical Chemistry C*. 2015, 119(36). 21165-21172. <https://doi.org/10.1021/acs.jpcc.5b05824>
- Saarimaa, Ville et al. "Supercritical carbon dioxide treatment of hot dip galvanized steel as a surface treatment before coating". *Surface and Coatings Technology*. 2017, 331. 137-142. <https://doi.org/10.1016/j.surfcoat.2017.10.047>
- Werner, Josephina et al. "Surface behavior of hydrated guanidinium and ammonium ions: A comparative study by photoelectron spectroscopy and molecular dynamics". *Journal of Physical Chemistry Part B*. 2014, 118(25). 7119-7127. <https://doi.org/10.1021/jp500867w>
- Ferraris, S. et al. "Surface reactivity and silanization ability of borosilicate and Mg-Sr-based bioactive glasses". *Applied Surface Science*. 2019, 475. 43-55. <https://doi.org/10.1016/j.apsusc.2018.12.218>
- Koskela, Jenni E. et al. "Surface-relief gratings and stable birefringence inscribed using light of broad spectral range in supramolecular polymer-bisazobenzene complexes". *Journal of Physical Chemistry C*. 2012, 116(3). 2363-2370. <https://doi.org/10.1021/jp210706n>
- Sutka, Andris et al. "Switchable light reflectance in dilute magneto-optical colloids based on nickel ferrite nanowires". *e-Journal of Surface Science and Nanotechnology*. 2018, 16. 119-121. <https://doi.org/10.1380/ejssnt.2018.119>
- Abou-Chahine, Fawzi et al. "Synthesis and Photophysical Properties of Two Diazaporphyrin-Porphyrin Hetero Dimers in Polar and Nonpolar Solutions". *Journal of Physical Chemistry Part B*. 2015, 119(24). 7328-7337. <https://doi.org/10.1021/jp510903a>

- Isakov, M. et al. "Systematic analysis of coating-substrate interactions in the presence of flow localization". *Surface and Coatings Technology*. 2017, 324. 264-280. <https://doi.org/10.1016/j.surfcoat.2017.05.040>
- Banerjee, Shib Shankar et al. "Temperature scanning stress relaxation behavior of water responsive and mechanically adaptive elastomer nanocomposites". *Journal of Applied Polymer Science*. 2019. <https://doi.org/10.1002/app.48344>
- Björling, M. et al. "The correlation between gear contact friction and ball on disc friction measurements". *Tribology International*. 2015, 83. 114-119. <https://doi.org/10.1016/j.triboint.2014.11.007>
- Lindroos, Matti et al. "The deformation, strain hardening, and wear behavior of chromium-alloyed hadfield steel in abrasive and impact conditions". *Tribology Letters*. 2015. 57(3). <https://doi.org/10.1007/s11249-015-0477-6>
- Kaunisto, Kimmo et al. "The effect of carbon and nickel additions on the precursor synthesis of Cr<sub>3</sub>C<sub>2</sub>-Ni nanopowder". *Ceramics International*. 2018, 44(8). 9338-9346. <https://doi.org/10.1016/j.ceramint.2018.02.146>
- Lindroos, Matti et al. "The effect of impact conditions on the wear and deformation behavior of wear resistant steels". *Wear*. 2015, 328-329. 197-205. <https://doi.org/10.1016/j.wear.2015.02.032>
- Sarlin, E. et al. "The effect of substrate pre-treatment on durability of rubber-stainless steel adhesion". *Surfaces and Interfaces*. 2020. 21. <https://doi.org/10.1016/j.surfin.2020.100646>
- Goyos-Ball, Lidia et al. "The effects of laser patterning 10CeTzP-Al<sub>2</sub>O<sub>3</sub> nanocomposite disc surfaces: Osseous differentiation and cellular arrangement in vitro". *Ceramics International*. 2018, 44(8). 9472-9478. <https://doi.org/10.1016/j.ceramint.2018.02.164>
- Nurmi, Verner et al. "The formation and characterization of fretting-induced degradation layers using quenched and tempered steel". *Tribology International*. 2019, 131. 258-267. <https://doi.org/10.1016/j.triboint.2018.09.012>
- Alekseev, Alexander et al. "The red, purple and blue modifications of polymeric unsymmetrical hydroxyalkadiynyl-N-arylcarbamate derivatives in Langmuir-Schaefer films". *Thin Solid Films*. 2016, 612. 463-471. <https://doi.org/10.1016/j.tsf.2016.06.044>
- Sorianello, V. et al. "Thermal evaporation of Ge on Si for near infrared detectors: Material and device characterization". *Microelectronic Engineering*. 2011, 88(4). 526-529. <https://doi.org/10.1016/j.mee.2010.09.024>
- Sorianello, V. et al. "Thermally evaporated single-crystal Germanium on Silicon". *Thin Solid Films*. 2011, 519(22). 8037-8040. <https://doi.org/10.1016/j.tsf.2011.06.023>
- Ratia, Vilma et al. "The role of edge-concentrated wear in impact-abrasion testing". *Tribology Online*. 2016, 11(2). 410-416. <https://doi.org/10.2474/trol.11.410>
- Borah, Dipu et al. "The sensitivity of random polymer brush-lamellar polystyrene-b-polymethylmethacrylate block copolymer systems to process conditions". *Journal of Colloid and Interface Science*. 2013, 393(1). 192-202. <https://doi.org/10.1016/j.jcis.2012.10.070>
- Hintikka, Jouko, Arto Lehtovaara ja Antti Mäntylä. "Third Particle Ejection Effects on Wear with Quenched and Tempered Steel Fretting Contact". *TRIBOLOGY TRANSACTIONS*. 2017, 60(1). 70-78. <https://doi.org/10.1080/10402004.2016.1146813>
- Lisitsyna, Ekaterina S. et al. "Time-Resolved Fluorescence Spectroscopy Reveals Fine Structure and Dynamics of Poly(l-lysine) and Polyethylenimine Based DNA Polyplexes". *Journal of Physical Chemistry B*. 2017, 121(48). 10782-10792. <https://doi.org/10.1021/acs.jpcc.7b08394>

Giammarco, James et al. "Towards universal enrichment nanocoating for IR-ATR waveguides". *Chemical Communications*. 2011, 47(32). 9104-9106. <https://doi.org/10.1039/c1cc12780b>

Pluhařová, Eva et al. "Transforming anion instability into stability: Contrasting photoionization of three protonation forms of the phosphate ion upon moving into water". *Journal of Physical Chemistry Part B*. 2012, 116(44). 13254-13264. <https://doi.org/10.1021/jp306348b>

Hongisto, M. et al. "Transparent Yb<sup>3+</sup> doped phosphate glass-ceramics". *Ceramics International*. 2020. <https://doi.org/10.1016/j.ceramint.2020.01.121>

Huttunen-Saarivirta, E. et al. "Tribocorrosion behaviour of tin bronze CuSn12 under a sliding motion in NaCl containing environment: Contact to inert vs. reactive counterbody". *Tribology International*. 2020. 151. <https://doi.org/10.1016/j.triboint.2020.106389>

Mäntyranta, Aino et al. "Tribocorrosion behaviour of two low-alloy steel grades in simulated waste solution". *Tribology International*. 2019, 138. 250-262. <https://doi.org/10.1016/j.triboint.2019.05.032>

Bolelli, Giovanni et al. "Tribology of FeVCrC coatings deposited by HVOF and HVOF thermal spray processes". *Wear*. 2018, 394-395. 113-133. <https://doi.org/10.1016/j.wear.2017.10.014>

Bolelli, G. et al. "Tribology of HVOF- and HVOF-sprayed WC-10Co4Cr hardmetal coatings: A comparative assessment". *Surface and Coatings Technology*. 2015, 265. 125-144. <https://doi.org/10.1016/j.surfcoat.2015.01.048>

Javanainen, Matti et al. "Two cations, two mechanisms: Interactions of sodium and calcium with zwitterionic lipid membranes". *Chemical Communications*. 2017, 53(39). 5380-5383. <https://doi.org/10.1039/c7cc02208e>

Khvorost, Taras A. et al. "Ultrafast Photochemistry of the [Cr(NCS)<sub>6</sub>]<sup>3-</sup> Complex in Dimethyl Sulfoxide and Dimethylformamide upon Excitation into Ligand-Field Electronic State". *Journal of Physical Chemistry B*. 2020, 124(18). 3724-3733. <https://doi.org/10.1021/acs.jpcc.0c00088>

Heyda, Jan et al. "Urea and guanidinium induced denaturation of a Trp-cage miniprotein". *Journal of Physical Chemistry Part B*. 2011, 115(28). 8910-8924. <https://doi.org/10.1021/jp200790h>

Mäkinen, J. et al. "Vacancy-type defect distributions near argon sputtered Al(100) surface studied by variable-energy positrons and molecular dynamics simulations". *Surface Science*. 1986, 175(2). 385-414. [https://doi.org/10.1016/0039-6028\(86\)90242-6](https://doi.org/10.1016/0039-6028(86)90242-6)

Poikelispää, Minna et al. "Vegetable fillers for electric stimuli responsive elastomers". *Journal of Applied Polymer Science*. 2017. 134(28). <https://doi.org/10.1002/app.45081>

Banerjee, Shib Shankar et al. "Water-Responsive and Mechanically Adaptive Natural Rubber Composites by in Situ Modification of Mineral Filler Structures". *Journal of Physical Chemistry B*. 2019, 123(24). 5168-5175. <https://doi.org/10.1021/acs.jpcc.9b02125>

Bolelli, Giovanni et al. "Wear and impact behaviour of High Velocity Air-Fuel sprayed Fe-Cr-Ni-B-C alloy coatings". *Tribology International*. 2016, 95. 372-390. <https://doi.org/10.1016/j.triboint.2015.11.036>

Tkalich, Dmitry et al. "Wear of cemented tungsten carbide percussive drill-bit inserts: Laboratory and field study". *Wear*. 2017, 386-387. 106-117. <https://doi.org/10.1016/j.wear.2017.05.010>

Kiilakoski, J., V. Eronen, ja P. Vuoristo. "Wear Properties of Thermally Sprayed Tungsten-Carbide Coatings in Paper Machine Environments". *Tribologia - Finnish Journal of Tribology*. 2015, 33(2). 29.

Heydari, Golrokh et al. "Wetting hysteresis induced by temperature changes: Supercooled water on hydrophobic surfaces". *Journal of Colloid and Interface Science*. 2016, 468. 21-33. <https://doi.org/10.1016/j.jcis.2016.01.040>

Matikainen, Ville et al. "Advanced coatings by novel high-kinetic thermal spray processes". *Materia*. 2015, 73(1). 46-50.

Kiilakoski, Jarkko et al. "Cavitation wear characteristics of Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>-ceramic coatings deposited by APS and HVOF - processes". *International Thermal Spray Conference ITSC 2017, Conference Proceedings: June 7-9, 2017, Düsseldorf, Germany.. DVS-Berichte / DVS - Deutscher Verband für Schweißen und Verwandte Verfahren e.V.. Düsseldorf: DVS Media GmbH*. 2017, 928-933.

Kiilakoski, Jarkko et al. "Fracture Characteristics of High-Velocity Suspension Flame-Sprayed Aluminum Oxide Coatings". *International Thermal Spray Conference & Exposition, ITSC 2016*. DVS Media GmbH. 2016, 466-471.

Jarnstrom, Lars et al. "Active packaging by paper coating". *14th TAPPI Advanced Coating Symposium 2016*. TAPPI Press. 2016, 88-92.

Stepien, Milcna et al. "Adjustable wetting properties of paperboard by liquid flame spray process". *11th Advanced Coating Fundamentals Symposium Proceedings: The Latest Advances in Coating Research and Development*. 2010, 80-88.

Kiilakoski, Jarkko et al. "Characterization Of High-Velocity Single Particle Impacts On Thermally Sprayed Ceramic Coatings". *International Thermal Spray Conference & Exposition 2015*. 2015.

Rubio Hernandez, Rosana "CLC a Colored Liquid Crystal: Prototype Description and Design Opportunities". *Proceedings of the 11th International Conference: Glass Performace Days*. 2009.

Vuoristo, Petri et al. "Corrosion properties of thermally sprayed bond coatings under plasma sprayed chromia coating in sulfuric acid solutions"., Azarmi, F., Lau, Y., Veilleux, J., Widener, C. Toma, F. Koivuluoto, H. Balani, K. Li, H. Shinoda, K. (toimittaneet). *International Thermal Spray Conference and Exposition, ITSC 2019: New Waves of Thermal Spray Technology for Sustainable Growth*. Proceedings of the International Thermal Spray Conference. ASM International. 2019, 923-930.

Rubio Hernandez, Rosana, Roser Marshall-Berenguer ja Luis De la Flor San Vicente "Envolvente de Vidrio Electrocrómico". *Foro ARCA II. Arquitectura y Calidad de vida. : Edificación y sostenibilidad: un compromiso posible*. 2004.

Ghabchi, A. et al. "HVOF process control enabling strategies". *International Thermal Spray Conference and Exposition, ITSC 2012 - Air, Land, Water and the Human Body: Thermal Spray Science and Applications*. ASM International. 2012, 465-471.

Lahti, Johanna et al. "Improved properties for packaging materials by nanoscale surface modification and ALD barrier coating". *TAPPI International Conference on Nanotechnology for Renewable Materials 2016*. TAPPI Press. 2016, 684-706.

Suokas, E. ja J. Kuusipalo "Process time importance in the product properties evolvment during extrusion coating of different LDPE grades". *15th TAPPI Advanced Coating Fundamentals Symposium 2018: Charlotte; United States; 14 April 2018 through 15 April 2018*. TAPPI Press. 2018, 151-159.

Saarinen, J. J. et al. "Roll-to-roll application of photocatalytic TiO<sub>2</sub> nanoparticles for printed functionality". *Advanced Manufacturing, Electronics and Microsystems: TechConnect Briefs 2016*. TechConnect. 2016, 47-50.

Saari, Jesse, Harri Ali-Löytty, ja Mika Valden *Role of Oxide Defects in ALD grown TiO<sub>2</sub> Coatings on Performance as Photoanode Protection Layer*. 2018.

Hannula, Markku Kalevi et al. *Thermal Modification of ALD Grown Titanium Oxide Ultra Thin Film for Photoanode Applications*. 2016.

Saari, Jesse *Atomikerroskasvatusmenetelmällä kasvatetun titaanidioksidikalvon ominaisuudet valosähkökemiallisessa veden hajottamisessa* 2017.

Thomann, O. et al. "Development and application of HVOF sprayed spinel protective coating for SOFC interconnects". *Journal of Thermal Spray Technology*. 2013, 22(5). 631-639. <https://doi.org/10.1007/s11666-012-9880-9>

Palola, Sarianna et al. "Development in additive methods in aramid fiber surface modification to increase fiber-matrix adhesion: A review". *Coatings*. 2020. 10(6). <https://doi.org/10.3390/COATINGS10060556>

Varis, T. et al. "Formation mechanisms, structure, and properties of HVOF-sprayed WC-CoCr coatings: An approach toward process maps". *Journal of Thermal Spray Technology*. 2014, 23(6). 1009-1018. <https://doi.org/10.1007/s11666-014-0110-5>

Oksa, Maria, Satu Tuurna, ja Tommi Varis. "Increased lifetime for biomass and waste to energy power plant boilers with HVOF coatings: High temperature corrosion testing under chlorine-containing molten salt". *Journal of Thermal Spray Technology*. 2013, 22(5). 783-796. <https://doi.org/10.1007/s11666-013-9928-5>

Stumpel, Jelle E., Dirk J. Broer ja Albertus P H J Schenning. "Stimuli-responsive photonic polymer coatings". *Chemical Communications*. 2014, 50(100). 15839-15848. <https://doi.org/10.1039/c4cc05072j>