

Donadei, V., Koivuluoto, H., Sarlin, E., & Vuoristo, P. (2020). Lubricated icephobic coatings prepared by flame spraying with hybrid feedstock injection. *Surface and Coatings Technology*, 403, [126396]. <https://doi.org/10.1016/j.surfcoat.2020.126396>

Sarlin, E., Honkanen, M., Lindgren, M., Laihonon, P., Juutilainen, M., Vippola, M., & Vuorinen, J. (2020). The effect of substrate pre-treatment on durability of rubber-stainless steel adhesion. *Surfaces and Interfaces*, 21, [100646]. <https://doi.org/10.1016/j.surfin.2020.100646>

Juoksukangas, J., Hintikka, J., Lehtovaara, A., Mäntylä, A., Vaara, J., & Frondelius, T. (2020). Avoiding the initial adhesive friction peak in fretting. *Wear*, 460-461, [203353]. <https://doi.org/10.1016/j.wear.2020.203353>

Haiko, O., Kaikkonen, P., Somani, M., Valtonen, K., & Kömi, J. (2020). Characteristics of carbide-free medium-carbon bainitic steels in high-stress abrasive wear conditions. *Wear*, 456-457, [203386]. <https://doi.org/10.1016/j.wear.2020.203386>

Ojha, N., Bogdan, M., Galatus, R., & Petit, L. (2020). Effect of heat-treatment on the upconversion of NaYF₄:Yb³⁺, Er³⁺ nanocrystals containing silver phosphate glass. *Journal of Non-Crystalline Solids*, 544, [120243]. <https://doi.org/10.1016/j.jnoncrysol.2020.120243>

Olżyńska, A., Kulig, W., Mikkolainen, H., Czerniak, T., Jurkiewicz, P., Cwiklik, L., ... Vattulainen, I. (2020). Tail-Oxidized Cholesterol Enhances Membrane Permeability for Small Solutes. *Langmuir*, 36(35), 10438-10447. <https://doi.org/10.1021/acs.langmuir.0c01590>

Zahra, M., Kempf, I., Haarla, J., Antonov, Y., Khonsari, Z., Miilunpalo, T., ... Ryyänen, J. (2020). A 2-5.5 GHz Beamsteering Receiver IC with 4-Element Vivaldi Antenna Array. *IEEE Transactions on Microwave Theory and Techniques*, 68(9), 3852-3860. <https://doi.org/10.1109/TMTT.2020.2986754>

Waheed, M. Z., Korpi, D., Anttila, L., Kiayani, A., Kosunen, M., Stadius, K., ... Valkama, M. (2020). Passive Intermodulation in Simultaneous Transmit-Receive Systems: Modeling and Digital Cancellation Methods. *IEEE Transactions on Microwave Theory and Techniques*, 68(9), 3633-3652. <https://doi.org/10.1109/TMTT.2020.2996206>

Haiko, O., Javaheri, V., Valtonen, K., Kaijalainen, A., Hannula, J., & Kömi, J. (2020). Effect of prior austenite grain size on the abrasive wear resistance of ultra-high strength martensitic steels. *Wear*, 454-455, [203336]. <https://doi.org/10.1016/j.wear.2020.203336>

Truong, K. N., Rautiainen, J. M., Rissanen, K., & Puttreddy, R. (2020). The C-I...⁻O-N⁺ Halogen Bonds with Tetraiodoethylene and Aromatic N-Oxides. *Crystal Growth and Design*, 20(8), 5330-5337. <https://doi.org/10.1021/acs.cgd.0c00560>

Zhao, J., Stenvall, A., Gao, Y., & Salmi, T. (2020). Analytical and Numerical Methods to Estimate the Effective Mechanical Properties of Rutherford Cables. *IEEE Transactions on Applied Superconductivity*, 30(5), [8400808]. <https://doi.org/10.1109/TASC.2020.2968924>

Nechay, K., Mereuta, A., Paranthoen, C., Brevaille, G., Levallois, C., Alouini, M., ... Guina, M. (2020). High-Power 760 nm VECSEL Based on Quantum Dot Gain Mirror. *IEEE Journal of Quantum Electronics*, 56(4). <https://doi.org/10.1109/JQE.2020.2986770>

Brihuega, A., Anttila, L., & Valkama, M. (2020). Neural-Network-Based Digital Predistortion for Active Antenna Arrays under Load Modulation. *IEEE Microwave and Wireless Components Letters*, 30(8), 843-846. <https://doi.org/10.1109/LMWC.2020.3004003>

Lahtinen, V., & Stenvall, A. (2020). Semantics of HTS AC Loss Modeling: Theories, Models, and Experiments. *IEEE Transactions on Applied Superconductivity*, 30(5), [5900809]. <https://doi.org/10.1109/TASC.2020.2976619>

Lahikainen, M., Zeng, H., & Priimagi, A. (2020). Design principles for non-reciprocal photomechanical actuation. *Soft Matter*, 16(25), 5951-5958. <https://doi.org/10.1039/d0sm00624f>

Sharma, R. O., Rantala, T. T., & Hoggan, P. E. (2020). Selective hydrogen production at Pt(111) investigated by Quantum Monte Carlo methods for metal catalysis. *International Journal of Quantum Chemistry*, 120(11), [e26198]. <https://doi.org/10.1002/qua.26198>

Baratto, C., Golovanova, V., Faglia, G., Hakola, H., Niemi, T., Tkachenko, N., ... Golovanov, V. (2020). On the alignment of ZnO nanowires by Langmuir – Blodgett technique for sensing application. *Applied Surface Science*, 528, [146959]. <https://doi.org/10.1016/j.apsusc.2020.146959>

Matikainen, V., Koivuluoto, H., & Vuoristo, P. (2020). A study of Cr₃C₂-based HVOF- and HVOF-sprayed coatings: Abrasion, dry particle erosion and cavitation erosion resistance. *Wear*, 446-447, [203188]. <https://doi.org/10.1016/j.wear.2020.203188>

Twum, K., Rautiainen, J. M., Yu, S., Truong, K. N., Feder, J., Rissanen, K., ... Beyeh, N. K. (2020). Host-Guest Interactions of Sodiumsulfonatomethyleneresorcinarene and Quaternary Ammonium Halides: An Experimental-Computational Analysis of the Guest Inclusion Properties. *Crystal Growth and Design*, 20(4), 2367-2376. <https://doi.org/10.1021/acs.cgd.9b01540>

Tainio, J. M., Salazar, D. A. A., Nommeots-Nomm, A., Roiland, C., Bureau, B., Neuville, D. R., ... Massera, J. (2020). Structure and in vitro dissolution of Mg and Sr containing borosilicate bioactive glasses for bone tissue engineering. *Journal of Non-Crystalline Solids*, 533, [119893]. <https://doi.org/10.1016/j.jnoncrysol.2020.119893>

Moiseev, E. I., Maximov, M. V., Kryzhanovskaya, N. V., Simchuk, O. I., Kulagina, M. M., Kadinskaya, S. A., ... Zhukov, A. E. (2020). Comparative Analysis of Injection Microdisk Lasers Based on InGaAsN Quantum Wells and InAs/InGaAs Quantum Dots. *Semiconductors*, 54(2), 263-267. <https://doi.org/10.1134/S1063782620020177>

Occhiuzzi, C., & Virkki, J. (2020). RFID Ladies: Spotlight on Recent Scientific and Industrial Advances of Women Engineers [Women in Engineering]. *IEEE Antennas and Propagation Magazine*, 62(1), 55-57. <https://doi.org/10.1109/MAP.2019.2957999>

Julku, A., Peltonen, T. J., Liang, L., Heikkilä, T. T., & Törmä, P. (2020). Superfluid weight and Berezinskii-Kosterlitz-Thouless transition temperature of twisted bilayer graphene. *Physical Review B*, 101(6), [060505]. <https://doi.org/10.1103/PhysRevB.101.060505>

Yildiz, B. C., Bek, A., & Tasgin, M. E. (2020). Plasmon lifetime enhancement in a bright-dark mode coupled system. *Physical Review B*, 101(3), [035416]. <https://doi.org/10.1103/PhysRevB.101.035416>

Wang, Y., Zhao, Y., Pan, Z., Suomalainen, S., Härkönen, A., Guina, M., ... Petrov, V. (2020). 73-fs SESAM mode-locked Tm,Ho:CNGG laser at 2061 nm. teoksessa W. A. Clarkson, & R. K. Shori (Toimittajat), *Solid State Lasers XXIX: Technology and Devices* [1125929] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11259). SPIE. <https://doi.org/10.1117/12.2548180>

Salmi, T., Tarhasaari, T., & Izquierdo-Bermudez, S. (2020). A Database for Storing Magnet Parameters and Analysis of Quench Test Results in HL-LHC Nb₃Sn Short Model Magnets. *IEEE Transactions on Applied Superconductivity*, 30(4), [4703705]. <https://doi.org/10.1109/TASC.2020.2981304>

Phung, H. M., Kahle, H., Penttinen, J.-P., Rajala, P., Ranta, S., & Guina, M. (2020). A membrane external-cavity surface-emitting laser (MECSEL) with emission around 825 nm. teoksessa J. E. Hastie (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELs) X* [112630H] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11263). SPIE. <https://doi.org/10.1117/12.2545980>

Kulya, M. S., Katkovnik, V., Egiazarian, K., & Petrov, N. V. (2020). Complex-domain sparse imaging in terahertz pulse time-domain holography with balance detection. teoksessa L. P. Sadwick, & T. Yang (Toimittajat), *Terahertz, RF, Millimeter, and Submillimeter-Wave Technology and Applications XIII* [1127921] (Proceedings of SPIE; Vuosikerta 11279). SPIE. <https://doi.org/10.1117/12.2549001>

Evans, D. M., Holstad, T. S., Mosberg, A. B., Småbråten, D. R., Vullum, P. E., Dadlani, A. L., ... Meier, D. (2020). Conductivity control via minimally invasive anti-Frenkel defects in a functional oxide. *Nature Materials*. <https://doi.org/10.1038/s41563-020-0765-x>

Vainio, M. (2020). Continuous-wave optical parametric oscillators for mid-infrared spectroscopy. teoksessa P. G. Schunemann, & K. L. Schepler (Toimittajat), *Nonlinear Frequency Generation and Conversion: Materials and Devices XIX* [1126419] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11264). SPIE. <https://doi.org/10.1117/12.2548711>

Jokiaho, T., Santa-aho, S., Peura, P., & Vippola, M. (2020). Cracking and Failure Characteristics of Flame Cut Thick Steel Plates. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 51, 1744-1754. <https://doi.org/10.1007/s11661-020-05639-x>

Nejadsattari, F., Zhang, Y., Jayakody, M. N., Bouchard, F., Larocque, H., Sit, A., ... Karimi, E. (2020). Cyclic quantum walks: Photonic realization and decoherence analysis. teoksessa P. R. Hemmer, A. L. Migdall, & Z. U. Hasan (Toimittajat), *Advanced Optical Techniques for Quantum Information, Sensing, and Metrology* [1129503] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11295). SPIE. <https://doi.org/10.1117/12.2546566>

Donmez, O., Aydin, M., Ardali, Yildirim, S., Tıraş, E., Nutku, F., ... Erol, A. (2020). Electronic transport in n-type modulation-doped AlGaAs/GaAsBi quantum well structures: Influence of Bi and thermal annealing on electron effective mass and electron mobility. *Semiconductor Science and Technology*, 35(2), [025009]. <https://doi.org/10.1088/1361-6641/ab5d8d>

Okonkwo, O., Papirio, S., Trably, E., Escudie, R., Lakaniemi, A-M., & Esposito, G. (2020). Enhancing thermophilic dark fermentative hydrogen production at high glucose concentrations via bioaugmentation with *Thermotoga neapolitana*. *International Journal of Hydrogen Energy*, 45(35), 17241-17249. <https://doi.org/10.1016/j.ijhydene.2020.04.231>

Varis, T., Suhonen, T., Laakso, J., Jokipii, M., & Vuoristo, P. (2020). Evaluation of Residual Stresses and Their Influence on Cavitation Erosion Resistance of High Kinetic HVOF and HVOF-Sprayed WC-CoCr Coatings. *Journal of Thermal Spray Technology*. <https://doi.org/10.1007/s11666-020-01037-2>

Eklund, A., Zhang, H., Zeng, H., Priimägi, A., & Ikkala, O. (2020). Fast Switching of Bright Whiteness in Channeled Hydrogel Networks. *Advanced Functional Materials*, [2000754]. <https://doi.org/10.1002/adfm.202000754>

Jowett, G. M., Norman, M. D. A., Yu, T. T. L., Rosell Arévalo, P., Hoogland, D., Lust, S. T., ... Gentleman, E. (2020). ILC1 drive intestinal epithelial and matrix remodelling. *Nature Materials*. <https://doi.org/10.1038/s41563-020-0783-8>

Varis, T., Suhonen, T., Jokipii, M., & Vuoristo, P. (2020). Influence of powder properties on residual stresses formed in high-pressure liquid fuel HVOF sprayed WC-CoCr coatings. *Surface and Coatings Technology*, 388, [125604]. <https://doi.org/10.1016/j.surfcoat.2020.125604>

Vitola, V., Lahti, V., Bite, I., Spustaka, A., Millers, D., Lastusaari, M., ... Smits, K. (2020). Low temperature afterglow from SrAl₂O₄: Eu, Dy, B containing glass. *Scripta Materialia*, 190, 86-90. <https://doi.org/10.1016/j.scriptamat.2020.08.023>

Nommeots-Nomm, A., Houaoui, A., Pradeepan Packiyannathar, A., Chen, X., Hokka, M., Hill, R., ... Massera, J. (2020). Phosphate/oxyfluorophosphate glass crystallization and its impact on dissolution and cytotoxicity. *Materials Science and Engineering C*, 117, [111269]. <https://doi.org/10.1016/j.msec.2020.111269>

- Donmez, O., Aydin, M., Ardali, Yildirim, S., Tiraş, E., Erol, A., ... Guina, M. (2020). Power loss mechanisms in n-type modulation-doped AlGaAs/GaAsBi quantum well heterostructures. *Semiconductor Science and Technology*, 35(9), [095038]. <https://doi.org/10.1088/1361-6641/ab94d9>
- Kulya, M. S., Sokolenko, B., Gorodetsky, A., & Petrov, N. V. (2020). Propagation dynamics of ultrabroadband terahertz beams with orbital angular momentum for wireless data transfer. teoksessa B. B. Dingel, K. Tsukamoto, & S. Mikroulis (Toimittajat), *Broadband Access Communication Technologies XIV* [113070J] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11307). SPIE. <https://doi.org/10.1117/12.2547695>
- Chronopoulos, A., Thorpe, S. D., Cortes, E., Lachowski, D., Rice, A. J., Mykuliak, V. V., ... del Río Hernández, A. E. (2020). Syndecan-4 tunes cell mechanics by activating the kindlin-integrin-RhoA pathway. *Nature Materials*. <https://doi.org/10.1038/s41563-019-0567-1>
- Saarimaa, V., Kaleva, A., Nikkanen, J. P., Levänen, E., Väisänen, P., & Markkula, A. (2020). Time-of-flight secondary ion mass spectrometry study of zinc carbonation in the presence of stable oxygen-18 and deuterium isotopes. *Materials Chemistry and Physics*, 256, [123673]. <https://doi.org/10.1016/j.matchemphys.2020.123673>
- Huda, M. N., Kezilebieke, S., Ojanen, T., Drost, R., & Liljeroth, P. (2020). Tuneable topological domain wall states in engineered atomic chains. *npj Quantum Materials*, 5(1), [17]. <https://doi.org/10.1038/s41535-020-0219-3>
- Koyama, C., Tahara, S., Kohara, S., Onodera, Y., Småbråten, D. R., Selbach, S. M., ... Sakata, O. (2020). Very sharp diffraction peak in nonglass-forming liquid with the formation of distorted tetraclusters. *NPG ASIA MATERIALS*, 12(1), [43]. <https://doi.org/10.1038/s41427-020-0220-0>
- Haiko, O., Valtonen, K., Kaijalainen, A., Uusikallio, S., Hannula, J., Liimatainen, T., & Kömi, J. (2019). Effect of tempering on the impact-abrasive and abrasive wear resistance of ultra-high strength steels. *Wear*, 440-441. <https://doi.org/10.1016/j.wear.2019.203098>
- Dongho-Nguimdo, G. M., Igumbor, E., Zambou, S., & Joubert, D. P. (2019). First principles prediction of the solar cell efficiency of chalcopyrite materials AgMX_2 (M=In, Al; X=S, Se, Te). *Computational Condensed Matter*, 21, [e00391]. <https://doi.org/10.1016/j.cocom.2019.e00391>
- Rissanen, I., & Laurson, L. (2019). Bursty magnetic friction between polycrystalline thin films with domain walls. *Physical Review B*, 100(14), [144408]. <https://doi.org/10.1103/PhysRevB.100.144408>
- Vetter, C., Steinkopf, R., Bergner, K., Ornigotti, M., Nolte, S., Gross, H., & Szameit, A. (2019). Realization of Free-Space Long-Distance Self-Healing Bessel Beams. *Laser and Photonics Reviews*, 13(10), [1900103]. <https://doi.org/10.1002/lpor.201900103>
- Skaugen, A., Murray, P., & Laurson, L. (2019). Analytical computation of the demagnetizing energy of thin-film domain walls. *Physical Review B*, 100(9), [094440]. <https://doi.org/10.1103/PhysRevB.100.094440>
- Reshef, O., Saad-Bin-Alam, M., Huttunen, M. J., Carlow, G., Sullivan, B. T., Ménard, J. M., ... Boyd, R. W. (2019). Multiresonant High-Q Plasmonic Metasurfaces. *Nano Letters*, 19(9), 6429-6434. <https://doi.org/10.1021/acs.nanolett.9b02638>
- Kiilakoski, J., Langlade, C., Koivuluoto, H., & Vuoristo, P. (2019). Characterizing the micro-impact fatigue behavior of APS and HVOF-sprayed ceramic coatings. *Surface and Coatings Technology*, 371, 245-254. <https://doi.org/10.1016/j.surfcoat.2018.10.097>
- Rissanen, I., & Laurson, L. (2019). Magnetic non-contact friction from domain wall dynamics actuated by oscillatory mechanical motion. *Journal of Physics D: Applied Physics*, 52(44), [445002]. <https://doi.org/10.1088/1361-6463/ab351f>

Ruuskanen, J., Stenvall, A., Lahtinen, V., Nugteren, J. V., Kirby, G., & Murtomäki, J. (2019). Modelling thermodynamics in a high erature superconducting dipole magnet: An inverse problem based approach. *Superconductor Science and Technology*, 32(9), [094007]. <https://doi.org/10.1088/1361-6668/ab2bc9>

Murtomäki, J. S., Van Nugteren, J., Stenvall, A., Kirby, G., & Rossi, L. (2019). 3-D mechanical modeling of 20 T HTS clover leaf end coils - Good practices and lessons learned. *IEEE Transactions on Applied Superconductivity*, 29(5), [8642381]. <https://doi.org/10.1109/TASC.2019.2899317>

Lorin, C., Fleiter, J., Salmi, T., & Schoerling, D. (2019). Exploration of Two Layer Nb₃Sn Designs of the Future Circular Collider Main Quadrupoles. *IEEE Transactions on Applied Superconductivity*, 29(5), [4001005]. <https://doi.org/10.1109/TASC.2019.2892814>

Matikainen, V., Rubio Peregrina, S., Ojala, N., Koivuluoto, H., Schubert, J., Houdková, & Vuoristo, P. (2019). Erosion wear performance of WC-10Co4Cr and Cr₃C₂-25NiCr coatings sprayed with high-velocity thermal spray processes. *Surface and Coatings Technology*, 370, 196-212. <https://doi.org/10.1016/j.surfcoat.2019.04.067>

Kezilebieke, S., Žitko, R., Dvorak, M., Ojanen, T., & Liljeroth, P. (2019). Observation of Coexistence of Yu-Shiba-Rusinov States and Spin-Flip Excitations. *Nano Letters*, 19(7), 4614-4619. <https://doi.org/10.1021/acs.nanolett.9b01583>

Ghalibaf, M., Doddapaneni, T. R. K. C., & Alén, R. (2019). Pyrolytic behavior of lignocellulosic-based polysaccharides. *Journal of Thermal Analysis and Calorimetry*, 137(1), 121-131. <https://doi.org/10.1007/s10973-018-7919-y>

Hilksa, J., Koivusalo, E., Puustinen, J., Suomalainen, S., & Guina, M. (2019). Epitaxial phases of high Bi content GaSbBi alloys. *Journal of Crystal Growth*, 516, 67-71. <https://doi.org/10.1016/j.jcrysgro.2019.03.028>

Chintha, A. R., Valtonen, K., Kuokkala, V. T., Kundu, S., Peet, M. J., & Bhadeshia, H. K. D. H. (2019). Role of fracture toughness in impact-abrasion wear. *Wear*, 428-429, 430-437. <https://doi.org/10.1016/j.wear.2019.03.028>

Sautter, J. D., Xu, L., Miroshnichenko, A. E., Lysevych, M., Volkovskaya, I., Smirnova, D. A., ... Rahmani, M. (2019). Tailoring Second-Harmonic Emission from (111)-GaAs Nanoantennas. *Nano Letters*, 19(6), 3905-3911. <https://doi.org/10.1021/acs.nanolett.9b01112>

Sariola, V. (2019). Analytical Expressions for Spring Constants of Capillary Bridges and Snap-in Forces of Hydrophobic Surfaces. *Langmuir*, 35(22), 7129-7135. <https://doi.org/10.1021/acs.langmuir.9b00152>

Lai, Y., Zhang, H., Sugano, Y., Xie, H., & Kallio, P. (2019). Correlation of Surface Morphology and Interfacial Adhesive Behavior between Cellulose Surfaces: Quantitative Measurements in Peak-Force Mode with the Colloidal Probe Technique. *Langmuir*, 35(22), 7312-7321. <https://doi.org/10.1021/acs.langmuir.8b03503>

Vuornos, K., Ojansivu, M., Koivisto, J. T., Häkkänen, H., Belay, B., Montonen, T., ... Miettinen, S. (2019). Bioactive glass ions induce efficient osteogenic differentiation of human adipose stem cells encapsulated in gellan gum and collagen type I hydrogels. *Materials Science and Engineering C*, 99, 905-918. <https://doi.org/10.1016/j.msec.2019.02.035>

Ayir, N., Trujillo Fierro, M. F., Riihonen, T., & Allen, M. (2019). Experimenting Waveforms and Efficiency in RF Power Transfer. teoksessa *2019 IEEE MTT-S International Microwave Symposium, IMS 2019* (Sivut 1140-1143). (IEEE MTT-S International Microwave Symposium Digest). IEEE. <https://doi.org/10.1109/MWSYM.2019.8700791>

Salmi, T., & Schoerling, D. (2019). Energy density-method: An approach for a quick estimation of quench temperatures in high-field accelerator magnets. *IEEE Transactions on Applied Superconductivity*, 29(4). <https://doi.org/10.1109/TASC.2018.2880340>

Hütner, J., Herranen, T., & Laurson, L. (2019). Multistep Bloch-line-mediated Walker breakdown in ferromagnetic strips. *Physical Review B*, 99(17), [174427]. <https://doi.org/10.1103/PhysRevB.99.174427>

Trainer, D. J., Putilov, A. V., Wang, B., Lane, C., Saari, T., Chang, T. R., ... Iavarone, M. (2019). Moiré superlattices and 2D electronic properties of graphite/MoS₂ heterostructures. *Journal of Physics and Chemistry of Solids*, 128, 325-330. <https://doi.org/10.1016/j.jpics.2017.10.034>

Saari, T., & Nieminen, J. (2019). Spin filtering in silicene by edges and chemically or electrically induced interfaces. *Journal of Physics and Chemistry of Solids*, 128, 316-324. <https://doi.org/10.1016/j.jpics.2017.12.037>

Valtonen, K., Ojala, N., Haiko, O., & Kuokkala, V-T. (2019). Comparison of various high-stress wear conditions and wear performance of martensitic steels. *Wear*, 426-427(Part A), 3-13. <https://doi.org/10.1016/j.wear.2018.12.006>

Kulig, W., Korolainen, H., Zatorska, M., Kwolek, U., Wydro, P., Kepczynski, M., & Róg, T. (2019). Complex Behavior of Phosphatidylcholine-Phosphatidic Acid Bilayers and Monolayers: Effect of Acyl Chain Unsaturation. *Langmuir*, 35(17), 5944-5956. <https://doi.org/10.1021/acs.langmuir.9b00381>

Minarelli, E. L., Poyhönen, K., Van Dalum, G. A. R., Ojanen, T., & Fritz, L. (2019). Engineering of Chern insulators and circuits of topological edge states. *Physical Review B*, 99(16), [165413]. <https://doi.org/10.1103/PhysRevB.99.165413>

Puustinen, J., Hilska, J., & Guina, M. (2019). Analysis of GaAsBi growth regimes in high resolution with respect to As/Ga ratio using stationary MBE growth. *Journal of Crystal Growth*, 511, 33-41. <https://doi.org/10.1016/j.jcrysgro.2019.01.010>

Guandalini, A., Rozzi, C. A., Räsänen, E., & Pittalis, S. (2019). Fundamental gaps of quantum dots on the cheap. *Physical Review B*, 99(12), [125140]. <https://doi.org/10.1103/PhysRevB.99.125140>

Murakami, M., Kohara, S., Kitamura, N., Akola, J., Inoue, H., Hirata, A., ... Ohishi, Y. (2019). Ultrahigh-pressure form of SiO₂ glass with dense pyrite-type crystalline homology. *Physical Review B*, 99(4), [045153]. <https://doi.org/10.1103/PhysRevB.99.045153>

van Nugteren, J., Murtomäki, J., Ruuskanen, J., Kirby, G., Hagen, P., DeRijk, G., ... Rossi, L. (2019). A Fast Quench Protection System for High-Temperature Superconducting Magnets. *IEEE Transactions on Applied Superconductivity*, 29(1), [4700108]. <https://doi.org/10.1109/TASC.2018.2848229>

Kiilakoski, J., Puranen, J., Heinonen, E., Koivuluoto, H., & Vuoristo, P. (2019). Characterization of Powder-Precursor HVOF-Sprayed Al₂O₃-YSZ/ZrO₂ Coatings. *Journal of Thermal Spray Technology*, 28(1-2), 98-107. <https://doi.org/10.1007/s11666-018-0816-x>

Viheriälä, J., Tuorila, H., Zia, N., Cherchi, M., Aalto, T., & Guina, M. (2019). 1.3µm U-bend traveling wave SOA devices for high efficiency coupling to silicon photonics. teoksessa G. T. Reed, & A. P. Knights (Toimittajat), *Silicon Photonics XIV* [109230E] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10923). SPIE, IEEE. <https://doi.org/10.1117/12.2505935>

Mereuta, A., Nechay, K., Caliman, A., Suruceanu, G., Gallo, P., Guina, M., & Kapon, E. (2019). 1.55-µm wavelength wafer-fused OP-VECSELs in flip-chip configuration. teoksessa U. Keller (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELs) IX* [1090103] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10901). SPIE, IEEE. <https://doi.org/10.1117/12.2508342>

Yadav, A., Chichkov, N. B., Gumenyuk, R., Zhrebtsov, E., Melkumov, M. A., Yashkov, M. V., ... Rafailov, E. U. (2019). 405-nm pumped Ce³⁺-doped silica fiber for broadband fluorescence from cyan to red. teoksessa M. J. F. Digonnet, & S. Jiang (Toimittajat), *Optical Components and Materials XVI* [1091406] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10914). SPIE, IEEE. <https://doi.org/10.1117/12.2509599>

- Zakeri, F. S., Bätz, M., Jaschke, T., Keinert, J., & Chuchvara, A. (2019). Benchmarking of several disparity estimation algorithms for light field processing. teoksessa S. Bazeille, N. Verrier, & C. Cudel (Toimittajat), *Fourteenth International Conference on Quality Control by Artificial Vision* [111721C] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11172). SPIE, IEEE. <https://doi.org/10.1117/12.2521747>
- Gonçalves, L. P. L., Wang, J., Vinati, S., Barborini, E., Wei, X. K., Heggen, M., ... Kolen'ko, Y. V. (2019). Combined experimental and theoretical study of acetylene semi-hydrogenation over Pd/Al₂O₃. *International Journal of Hydrogen Energy*. <https://doi.org/10.1016/j.ijhydene.2019.04.086>
- Orelma, H. (2019). Continuum approach to high-cycle fatigue. The finite life-time case with stochastic stress history. *Vestnik Samarskogo Gosudarstvennogo Tekhnicheskogo Universiteta, Seriya Fiziko-Matematicheskie Nauki*, 23(3), 452-463. <https://doi.org/10.14498/vsgtu1705>
- Väläkangas, T., Hærvig, J., Kuuluvainen, H., Dal Maso, M., Peltonen, P., & Vuorinen, V. (2019). Deposition of dry particles on a fin-and-tube heat exchanger by a coupled soft-sphere DEM and CFD. *International Journal of Heat and Mass Transfer*, [119046]. <https://doi.org/10.1016/j.ijheatmasstransfer.2019.119046>
- Houaoui, A., Lyyra, I., Agniel, R., Pauthe, E., Massera, J., & Boissière, M. (2019). Dissolution, bioactivity and osteogenic properties of composites based on polymer and silicate or borosilicate bioactive glass. *Materials Science and Engineering C*, 107, [110340]. <https://doi.org/10.1016/j.msec.2019.110340>
- Kahle, H., Penttinen, J. P., Phung, H. M., Rajala, P., Tukiainen, A., Ranta, S., & Guina, M. (2019). MECSELS with direct emission in the 760 nm to 810 nm spectral range: A single- and double-side pumping comparison and high-power continuous-wave operation. teoksessa U. Keller (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELS) IX* [109010D] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10901). SPIE, IEEE. <https://doi.org/10.1117/12.2512111>
- Järvinen, H., Honkanen, M., Oja, O., Järvenpää, M., & Peura, P. (2019). Microstructure-property relationships of novel ultra-high strength press hardening steels. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 50(2), 816-836. <https://doi.org/10.1007/s11661-018-4967-7>
- Radevici, I., Sadi, T., Tripurari, T., Tiira, J., Ranta, S., Tukiainen, A., ... Oksanen, J. (2019). Observation of local electroluminescent cooling and identifying the remaining challenges. teoksessa D. V. Seletskiy, R. I. Epstein, & M. Sheik-Bahae (Toimittajat), *Photonic Heat Engines: Science and Applications* [109360A] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10936). SPIE, IEEE. <https://doi.org/10.1117/12.2505814>
- Kiilakoski, J., Trache, R., Björklund, S., Joshi, S., & Vuoristo, P. (2019). Process Parameter Impact on Suspension-HVOF-Sprayed Cr₂O₃ Coatings. *Journal of Thermal Spray Technology*. <https://doi.org/10.1007/s11666-019-00940-7>
- Jokiaho, T., Santa-aho, S., Peura, P., & Vippola, M. (2019). Role of Steel Plate Thickness on the Residual Stress Formation and Cracking Behavior During Flame Cutting. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*. <https://doi.org/10.1007/s11661-019-05314-w>
- Saleh, A., Ryczkowski, P., Genty, G., & Toivonen, J. (2019). Short-range supercontinuum based lidar for combustion diagnostics. teoksessa M. Kimata, & C. R. Valenta (Toimittajat), *SPIE Future Sensing Technologies* [111970Y] (Proceedings of SPIE; Vuosikerta 11197). SPIE, IEEE. <https://doi.org/10.1117/12.2542720>
- Kocsis, P., Shevkunov, I., Katkovnik, V., & Egiazarian, K. (2019). Single exposure lensless subpixel phase imaging. teoksessa B. C. Kress, & P. Schelkens (Toimittajat), *Digital Optical Technologies 2019* (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11062). SPIE, IEEE. <https://doi.org/10.1117/12.2525679>
- Xu, L., Saerens, G., Timofeeva, M., Miroshnichenko, A. E., Camacho-Morales, R., Volkovskaya, I., ... Rahmani, M. (2019). Switchable unidirectional second-harmonic emission through GaAs nanoantennas. teoksessa A. Mitchell, & H. Rubinsztein-Dunlop (Toimittajat), *AOS Australian Conference on Optical Fibre Technology, ACOFT 2019 and Australian Conference on Optics, Lasers, and Spectroscopy, ACOLS 2019* [112000J] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11200). SPIE. <https://doi.org/10.1117/12.2539887>

Sautter, J., Xu, L., Miroshnichenko, A., Lysevych, M., Volkovskaya, I., Smirnova, D., ... Rahmani, M. (2019). Tailoring directional scattering of second-harmonic generation from (111)-GaAs nanoantennas. teoksessa A. Mitchell, & H. Rubinsztein-Dunlop (Toimittajat), *AOS Australian Conference on Optical Fibre Technology, ACOFT 2019 and Australian Conference on Optics, Lasers, and Spectroscopy, ACOLS 2019* [112000H] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 11200). SPIE. <https://doi.org/10.1117/12.2539086>

Joost, U., Sutka, A., Oja, M., Smits, K., Doebelin, N., Loot, A., ... Nommiste, E. (2018). Reversible photodoping of TiO₂ nanoparticles. *Chemistry of Materials*, *30*(24), 8968-8974. <https://doi.org/10.1021/acs.chemmater.8b04813>

Czaplicki, R., Kiviniemi, A., Huttunen, M. J., Zang, X., Stolt, T., Vartiainen, I., ... Kauranen, M. (2018). Less Is More: Enhancement of Second-Harmonic Generation from Metasurfaces by Reduced Nanoparticle Density. *Nano Letters*, *18* (12), 7709-7714. <https://doi.org/10.1021/acs.nanolett.8b03378>

Murtomäki, J. S., van Nugteren, J., Kirby, G., DeRijk, G., Rossi, L., & Stenvall, A. (2018). ICED - Inductively Coupled Energy Dissipater for Future High Field Accelerator Magnets. *IEEE Transactions on Applied Superconductivity*, *28*(8), [4009015]. <https://doi.org/10.1109/TASC.2018.2841909>

Gunes, M., Ukelge, M. O., Donmez, O., Erol, A., Gumus, C., Alghamdi, H., ... Guina, M. (2018). Optical properties of GaAs_{1-x}Bi_x/GaAs quantum well structures grown by molecular beam epitaxy on (100) and (311)B GaAs substrates. *Semiconductor Science and Technology*, *33*(12), [124015]. <https://doi.org/10.1088/1361-6641/aaaa2e>

Hegele, L. A., Scagliarini, A., Sbragaglia, M., Mattila, K. K., Philippi, P. C., Puleri, D. F., ... Randles, A. (2018). High-Reynolds-number turbulent cavity flow using the lattice Boltzmann method. *Physical Review E*, *98*(4), [043302]. <https://doi.org/10.1103/PhysRevE.98.043302>

Ponomarenko, M., Egiuzarian, K., Lukin, V., & Abramova, V. (2018). Structural Similarity Index with Predictability of Image Blocks. teoksessa *2018 IEEE 17th International Conference on Mathematical Methods in Electromagnetic Theory, MMET 2018 - Proceedings* (Vuosikerta 2018-July, Sivut 115-118). [8460285] IEEE COMPUTER SOCIETY PRESS. <https://doi.org/10.1109/MMET.2018.8460285>

Aho, A., Isoaho, R., Tukiainen, A., Gori, G., Campesato, R., & Guina, M. (2018). Dilute nitride triple junction solar cells for space applications: Progress towards highest AM0 efficiency. *Progress in Photovoltaics: Research and Applications*, *26* (19), 740-744. <https://doi.org/10.1002/pip.3011>

Sippola, P., Kolehmainen, J., Ozel, A., Liu, X., Saarenrinne, P., & Sundaresan, S. (2018). Experimental and numerical study of wall layer development in a tribocharged fluidized bed. *Journal of Fluid Mechanics*, *849*, 860-884. <https://doi.org/10.1017/jfm.2018.412>

Sajna, M. S., Perumbilavil, S., Prakashan, V. P., Sanu, M. S., Joseph, C., Biju, P. R., & Unnikrishnan, N. V. (2018). Enhanced resonant nonlinear absorption and optical limiting in Er³⁺ ions doped multicomponent tellurite glasses. *Materials Research Bulletin*, *104*, 227-235. <https://doi.org/10.1016/j.materresbull.2018.04.026>

Cemlyn, B., Adams, M., Harbord, E., Li, N., Henning, I. D., Oulton, R., ... Guina, M. (2018). Near-threshold high spin amplification in a 1300 nm GaInNAs spin laser. *Semiconductor Science and Technology*, *33*(9), [094005]. <https://doi.org/10.1088/1361-6641/aad42e>

Lampio, K., & Karvinen, R. (2018). A new method to optimize natural convection heat sinks. *Heat and Mass Transfer/Waerme- und Stoffuebertragung*, *54*(8), 2571-2580. <https://doi.org/10.1007/s00231-017-2106-4>

Prando, G. A., Orsi Gordo, V., Puustinen, J., Hilska, J., Alghamdi, H. M., Som, G., ... Guina, M. (2018). Exciton localization and structural disorder of GaAs_{1-x}Bi_x/GaAs quantum wells grown by molecular beam epitaxy on (311)B GaAs substrates. *Semiconductor Science and Technology*, *33*(8), [084002]. <https://doi.org/10.1088/1361-6641/aad02e>

Zhao, J., Prioli, M., Stenvall, A., Salmi, T., Gao, Y., Caiffi, B., ... Sorbi, M. (2018). Mechanical stress analysis during a quench in CLIQ protected 16 T dipole magnets designed for the future circular collider. *Physica C: Superconductivity and its Applications*, 550, 27-34. <https://doi.org/10.1016/j.physc.2018.04.003>

Mikkonen, R., & Mäntysalo, M. (2018). Evaluation of screen printed silver trace performance and long-term reliability against environmental stress on a low surface energy substrate. *Microelectronics Reliability*, 86, 54-65. <https://doi.org/10.1016/j.microrel.2018.05.010>

Roldán Del Cerro, P., Salminen, T., Lastusaari, M., & Petit, L. (2018). Persistent luminescent borosilicate glasses using direct particles doping method. *Scripta Materialia*, 151, 38-41. <https://doi.org/10.1016/j.scriptamat.2018.03.034>

Todesco, E., Annarella, M., Ambrosio, G., Apollinari, G., Ballarino, A., Bajas, H., ... Yu, M. (2018). Progress on HL-LHC Nb₃Sn Magnets. *IEEE Transactions on Applied Superconductivity*, 28(4), [4008809]. <https://doi.org/10.1109/TASC.2018.2830703>

Murtomäki, J. S., Kouhia, R., Stenvall, A., Bottura, L., Kirby, G., van Nugteren, J., ... Rossi, L. (2018). Investigation of REBCO Roebel Cable Irreversible Critical Current Degradation Under Transverse Pressure. *IEEE Transactions on Applied Superconductivity*, 28(4), [4802506]. <https://doi.org/10.1109/TASC.2018.2829150>

van Nugteren, J., Kirby, G., Murtomaki, J., DeRijk, G., Rossi, L., & Stenvall, A. (2018). Towards REBCO 20T+ Dipoles for Accelerators. *IEEE Transactions on Applied Superconductivity*, 28(4), [4008509]. <https://doi.org/10.1109/TASC.2018.2820177>

Rasappa, S., Schulte, L., Borah, D., Hulkkonen, H., Ndoni, S., Salminen, T., ... Niemi, T. (2018). Morphology evolution of PS-b-PDMS block copolymer and its hierarchical directed self-assembly on block copolymer templates. *Microelectronic Engineering*, 192, 1-7. <https://doi.org/10.1016/j.mee.2018.02.002>

Dessi, P., Porca, E., Frunzo, L., Lakaniemi, A-M., Collins, G., Esposito, G., & Lens, P. N. L. (2018). Inoculum pretreatment differentially affects the active microbial community performing mesophilic and thermophilic dark fermentation of xylose. *International Journal of Hydrogen Energy*, 43(19), 9233-9245. <https://doi.org/10.1016/j.ijhydene.2018.03.117>

Sarcan, F., Mutlu, S., Cokduygulular, E., Donmez, O., Erol, A., Puustinen, J., & Guina, M. (2018). A study of electric transport in n- and p-type modulation-doped GaInNAs/GaAs quantum well structures under a high electric field. *Semiconductor Science and Technology*, 33(6), [064003]. <https://doi.org/10.1088/1361-6641/aabc39>

Sutka, A., Timusk, M., Joost, U., Ignatans, R., & Maiorov, M. (2018). Switchable light reflectance in dilute magneto-optical colloids based on nickel ferrite nanowires. *e-Journal of Surface Science and Nanotechnology*, 16, 119-121. <https://doi.org/10.1380/ejsnt.2018.119>

Nugteren, J. V., Kirby, G., Bajas, H., Bajko, M., Ballarino, A., Bottura, L., ... Yang, Y. (2018). Powering of an HTS dipole insert-magnet operated standalone in helium gas between 5 and 85 K. *Superconductor Science and Technology*, 31(6), [065002]. <https://doi.org/10.1088/1361-6668/aab887>

Matikainen, V., Koivuluoto, H., Vuoristo, P., Schubert, J., & Houdková (2018). Effect of nozzle geometry on the microstructure and properties of hvaf-sprayed wc-10co4cr and cr3c2-25nicr coatings. *Journal of Thermal Spray Technology*, 27(4), 680-694. <https://doi.org/10.1007/s11666-018-0717-z>

Ruuskanen, J., Stenvall, A., Van Nugteren, J., & Lahtinen, V. (2018). Optimization of an E3SPreSSO Energy-Extraction System for High-Field Superconducting Magnets. *IEEE Transactions on Applied Superconductivity*, 28(3), [4700805]. <https://doi.org/10.1109/TASC.2018.2794457>

Petronijevic, E., Leahu, G., Belardini, A., Centini, M., Li Voti, R., Hakkarainen, T., ... Sibilia, C. (2018). Photo-Acoustic Spectroscopy Reveals Extrinsic Optical Chirality in GaAs-Based Nanowires Partially Covered with Gold. *International Journal of Thermophysics*, 39(4), [46]. <https://doi.org/10.1007/s10765-018-2367-2>

Koivusalo, L., Karvinen, J., Sorsa, E., Jönkkäri, I., Väliäho, J., Kallio, P., ... Kellomäki, M. (2018). Hydrazone crosslinked hyaluronan-based hydrogels for therapeutic delivery of adipose stem cells to treat corneal defects. *Materials Science and Engineering C*, 85, 68-78. <https://doi.org/10.1016/j.msec.2017.12.013>

Rossi, L., Badel, A., Bajas, H., Bajko, M., Ballarino, A., Barth, C., ... Zangenberg, N. (2018). The EuCARD2 Future Magnets Program for particle accelerator high field dipoles: review of results and next steps. *IEEE Transactions on Applied Superconductivity*, 28(3). <https://doi.org/10.1109/TASC.2017.2784357>

Sassatelli, P., Bolelli, G., Lassinantti Gualtieri, M., Heinonen, E., Honkanen, M., Lusvarghi, L., ... Vippola, M. (2018). Properties of HVOF-sprayed Stellite-6 coatings. *Surface and Coatings Technology*, 338, 45-62. <https://doi.org/10.1016/j.surfcoat.2018.01.078>

Janka, L., Berger, L. M., Norpoth, J., Trache, R., Thiele, S., Tomastik, C., ... Vuoristo, P. (2018). Improving the high temperature abrasion resistance of thermally sprayed Cr₃C₂-NiCr coatings by WC addition. *Surface and Coatings Technology*, 337, 296-305. <https://doi.org/10.1016/j.surfcoat.2018.01.035>

Petronijevic, E., Leahu, G., Belardini, A., Centini, M., Li Voti, R., Hakkarainen, T., ... Sibilia, C. (2018). Resonant Absorption in GaAs-Based Nanowires by Means of Photo-Acoustic Spectroscopy. *International Journal of Thermophysics*, 39(3), [45]. <https://doi.org/10.1007/s10765-018-2365-4>

Barreca, D., Carraro, G., Maccato, C., Altantzis, T., Kaunisto, K., & Gasparotto, A. (2018). Controlled Growth of Supported ZnO Inverted Nanopyramids with Downward Pointing Tips. *Crystal Growth and Design*, 18(4), 2579-2587. <https://doi.org/10.1021/acs.cgd.8b00198>

Katkovnik, V., Shevkunov, I., Petrov, N. V., & Eguiazarian, K. (2018). Multiwavelength surface contouring from phase-coded diffraction patterns. teoksessa *Unconventional Optical Imaging 2018. Strasbourg, France* [106771B] (Proceedings of SPIE - The International Society for Optical Engineering; Vuosikerta 10677). SPIE. <https://doi.org/10.1117/12.2306127>

Noronen, T., Fedotov, A., Rissanen, J., Gumenyuk, R., Butov, O., Chamorovskii, Y., ... Filippov, V. (2018). Ultra-large mode area single frequency anisotropic MOPA with double clad Yb-doped tapered fiber. teoksessa *Fiber Lasers XV: Technology and Systems* [105121T] (Proceedings of SPIE; Vuosikerta 10512). SPIE, IEEE. <https://doi.org/10.1117/12.2288942>

Murtomaeki, J. S., Kirby, G., van Nugteren, J., Contat, P. A., Fleiter, J., De Frutos, O. S., ... Wolf, F. (2018). 10 kA Joints for HTS Roebel Cables. *IEEE Transactions on Applied Superconductivity*, 28(3). <https://doi.org/10.1109/TASC.2018.2804951>

Voronin, V., Pismenskova, M., Zelensky, A., Cen, Y., Nadykto, A., & Eguiazarian, K. (2018). Action recognition using the 3D dense microblock difference. teoksessa *Counterterrorism, Crime Fighting, Forensics, and Surveillance Technologies II* [108020Q] (Proceedings of SPIE; Vuosikerta 10802). SPIE. <https://doi.org/10.1117/12.2326801>

Glorieux, B., Salminen, T., Massera, J., Lastusaari, M., & Petit, L. (2018). Better understanding of the role of SiO₂, P₂O₅ and Al₂O₃ on the spectroscopic properties of Yb³⁺ doped silica sol-gel glasses. *Journal of Non-Crystalline Solids*, 482, 46-51. <https://doi.org/10.1016/j.jnoncrysol.2017.12.021>

Välikangas, T., & Karvinen, R. (2018). Conjugated Heat Transfer Simulation of a Fin-and-Tube Heat Exchanger. *Heat Transfer Engineering*, 39(13-14), 1192-1200. <https://doi.org/10.1080/01457632.2017.1363628>

Saarimaa, V., Kaleva, A., Paunikallio, T., Nikkanen, J-P., Heinonen, S., Levänen, E., ... Markkula, A. (2018). Convenient extraction method for quantification of thin zinc patina layers. *Surface and Interface Analysis*, 50(5), 564-570. <https://doi.org/10.1002/sia.6429>

Lorin, C., Simon, D., Felice, H., Rifflet, J. M., Salmi, T., & Schoerling, D. (2018). Design of a Nb₃Sn 400 T/m quadrupole for the Future Circular Collider. *IEEE Transactions on Applied Superconductivity*, 28(3), [4004905]. <https://doi.org/10.1109/TASC.2018.2797945>

Ali, S., Orell, O., Kanerva, M., & Hannula, S. P. (2018). Effect of Morphology and Crystal Structure on the Thermal Conductivity of Titania Nanotubes. *Nanoscale Research Letters*, 13, [212]. <https://doi.org/10.1186/s11671-018-2613-3>

Välikangas, T., Singh, S., Sørensen, K., & Condra, T. (2018). Fin-and-tube heat exchanger enhancement with a combined herringbone and vortex generator design. *International Journal of Heat and Mass Transfer*, 118, 602-616. <https://doi.org/10.1016/j.ijheatmasstransfer.2017.11.006>

Mateos, X., Loiko, P., Lamrini, S., Scholle, K., Fuhrberg, P., Suomalainen, S., ... Petrov, V. (2018). Highly-efficient Ho:KY(WO₄)₂ thin-disk lasers at 2.06 μm. teoksessa *Pacific-Rim Laser Damage 2018: Optical Materials for High-Power Lasers* [107130J] (Proceedings of SPIE; Vuosikerta 10713). SPIE, IEEE. <https://doi.org/10.1117/12.2316822>

Karioja, P., Alajoki, T., Cherchi, M., Ollila, J., Harjanne, M., Heinilehto, N., ... Kalinowski, P. (2018). Integrated multi-wavelength mid-IR light source for gas sensing. teoksessa *Next-Generation Spectroscopic Technologies XI* [106570A] (SPIE Conference Proceedings; Vuosikerta 10657). SPIE, IEEE. <https://doi.org/10.1117/12.2305712>

Toral, F., Munilla, J., & Salmi, T. (2018). Magnetic and mechanical design of a 16 T common coil dipole for FCC. *IEEE Transactions on Applied Superconductivity*, 28(3), [4004305]. <https://doi.org/10.1109/TASC.2018.2797909>

Rajan, R., Rainosalu, E., Thomas, S. P., Ramamoorthy, S. K., Zavašnik, J., Vuorinen, J., & Skrifvars, M. (2018). Modification of epoxy resin by silane-coupling agent to improve tensile properties of viscose fabric composites. *Polymer Bulletin*, 75(1), 167-195. <https://doi.org/10.1007/s00289-017-2022-2>

Koivuluoto, H., Matikainen, V., Larjo, J., & Vuoristo, P. (2018). Novel Online Diagnostic Analysis for In-Flight Particle Properties in Cold Spraying. *Journal of Thermal Spray Technology*, 27(3), 423-432. <https://doi.org/10.1007/s11666-018-0685-3>

Stenvall, A., & Lahtinen, V. (2018). Open Material Property Library With Native Simulation Tool Integrations - MASTO. *IEEE Transactions on Applied Superconductivity*. <https://doi.org/10.1109/TASC.2018.2799850>

Dessi, P., Porca, E., Waters, N. R., Lakaniemi, A.-M., Collins, G., & Lens, P. N. L. (2018). Thermophilic versus mesophilic dark fermentation in xylose-fed fluidised bed reactors: Biohydrogen production and active microbial community. *International Journal of Hydrogen Energy*, 43(11), 5473-5485. <https://doi.org/10.1016/j.ijhydene.2018.01.158>

Bolelli, G., Bursi, M., Lusvarghi, L., Manfredini, T., Matikainen, V., Rigon, R., ... Vuoristo, P. (2018). Tribology of FeVCrC coatings deposited by HVOF and HVAF thermal spray processes. *Wear*, 394-395, 113-133. <https://doi.org/10.1016/j.wear.2017.10.014>

Saarimaa, V., Kaleva, A., Nikkanen, J.-P., Heinonen, S., Levänen, E., Väisänen, P., ... Juhanoja, J. (2017). Supercritical carbon dioxide treatment of hot dip galvanized steel as a surface treatment before coating. *Surface and Coatings Technology*, 331, 137-142. <https://doi.org/10.1016/j.surfcoat.2017.10.047>

Santangelo, P. E., Allesina, G., Bolelli, G., Lusvarghi, L., Matikainen, V., & Vuoristo, P. (2017). Infrared Thermography as a Non-destructive Testing Solution for Thermal Spray Metal Coatings. *Journal of Thermal Spray Technology*, 26(8), 1982-1993. <https://doi.org/10.1007/s11666-017-0642-6>

Sarlin, E., Saarimäki, M., Sironen, R., Lindgren, M., Siljander, S., Kanerva, M., & Vuorinen, J. (2017). Erosive wear of filled vinyl ester composites in water and acidic media at elevated temperature. *Wear*, 390-391, 84-92. <https://doi.org/10.1016/j.wear.2017.07.011>

- Ropo, M., Akola, J., & Jones, R. O. (2017). Crystallization of supercooled liquid antimony: A density functional study. *Physical Review B*, 96(18), [184102]. <https://doi.org/10.1103/PhysRevB.96.184102>
- Haavisto, J. M., Kokko, M. E., Lay, C.-H., & Puhakka, J. A. (2017). Effect of hydraulic retention time on continuous electricity production from xylose in up-flow microbial fuel cell. *International Journal of Hydrogen Energy*, 42, 27494-27502. <https://doi.org/10.1016/j.ijhydene.2017.05.068>
- Chen, X., Ma, S., Ukkonen, L., Björninen, T., & Virkki, J. (2017). Antennas and antenna-electronics interfaces made of conductive yarn and paint for cost-effective wearable RFIDs and sensors. teoksessa *2017 IEEE MTT-S International Microwave Symposium, IMS 2017* (Sivut 827-830). IEEE. <https://doi.org/10.1109/MWSYM.2017.8058707>
- He, H., Tajima, J., Sydanheimo, L., Nishikawa, H., Ukkonen, L., & Virkki, J. (2017). Inkjet-printed antenna-electronics interconnections in passive UHF RFID tags. teoksessa *2017 IEEE MTT-S International Microwave Symposium, IMS 2017* (Sivut 598-601). IEEE. <https://doi.org/10.1109/MWSYM.2017.8058638>
- Välimäki, H., Verho, J., Kreutzer, J., Kattiparambil Rajan, D., Rynänen, T., Pekkanen-Mattila, M., ... Lekkala, J. (2017). Fluorimetric oxygen sensor with an efficient optical read-out for in vitro cell models. *Sensors and Actuators B: Chemical*, 249, 738-746. <https://doi.org/10.1016/j.snb.2017.04.182>
- Nguyen, H., Tuomisto, M., Oksa, J., Salminen, T., Lastusaari, M., & Petit, L. (2017). Upconversion in low rare-earth concentrated phosphate glasses using direct NaYF₄: Er³⁺, Yb³⁺ nanoparticles doping. *Scripta Materialia*, 139, 130-133. <https://doi.org/10.1016/j.scriptamat.2017.06.050>
- Keski-Rahkonen, J., Luukko, P. J. J., Kaplan, L., Heller, E. J., & Räsänen, E. (2017). Controllable quantum scars in semiconductor quantum dots. *Physical Review B*, 96(9), [094204]. <https://doi.org/10.1103/PhysRevB.96.094204>
- Isakov, M., Matikainen, V., Koivuluoto, H., & May, M. (2017). Systematic analysis of coating-substrate interactions in the presence of flow localization. *Surface and Coatings Technology*, 324, 264-280. <https://doi.org/10.1016/j.surfcoat.2017.05.040>
- Tkalich, D., Li, C. C., Kane, A., Saai, A., Tkalich, D., Yastrebov, V. A., ... From, A. (2017). Wear of cemented tungsten carbide percussive drill-bit inserts: Laboratory and field study. *Wear*, 386-387, 106-117. <https://doi.org/10.1016/j.wear.2017.05.010>
- Matikainen, V., Bolelli, G., Koivuluoto, H., Honkanen, M., Vippola, M., Lusvarghi, L., & Vuoristo, P. (2017). A Study of Cr₃C₂-Based HVOF- and HVOF-Sprayed Coatings: Microstructure and Carbide Retention. *Journal of Thermal Spray Technology*, 26(6), 1-18. <https://doi.org/10.1007/s11666-017-0578-x>
- Alberucci, A., Laudyn, U. A., Piccardi, A., Kwasny, M., Klus, B., Karpierz, M. A., & Assanto, G. (2017). Nonlinear continuous-wave optical propagation in nematic liquid crystals: Interplay between reorientational and thermal effects. *Physical Review E*, 96(1), [012703]. <https://doi.org/10.1103/PhysRevE.96.012703>
- Schoerling, D., Durante, M., Lorin, C., Martinez, T., Ruuskanen, J., Salmi, T., ... Toral, F. (2017). Considerations on a Cost Model for High-Field Dipole Arc Magnets for FCC. *IEEE Transactions on Applied Superconductivity*, 27(4), [4003105]. <https://doi.org/10.1109/TASC.2017.2657510>
- Kirby, G. A., Van Nugteren, J., Bajas, H., Benda, V., Ballarino, A., Bajko, M., ... Usoskin, A. (2017). First Cold Powering Test of REBCO Roebel Wound Coil for the EuCARD2 Future Magnet Development Project. *IEEE Transactions on Applied Superconductivity*, 27(4), [4003307]. <https://doi.org/10.1109/TASC.2017.2653204>
- Murtomäki, J. S., Van Nugteren, J., Kirby, G., Rossi, L., Ruuskanen, J., & Stenvall, A. (2017). Mechanical Effects of the Nonuniform Current Distribution on HTS Coils for Accelerators Wound With REBCO Roebel Cable. *IEEE Transactions on Applied Superconductivity*, 27(4), [4100405]. <https://doi.org/10.1109/TASC.2017.2665882>

Marinozzi, V., Bellomo, G., Caiffi, B., Fabbricatore, P., Farinon, S., Salmi, T., ... Volpini, G. (2017). Quench Protection Study of the Eurocircol 16 T cos θ Dipole for the Future Circular Collider (FCC). *IEEE Transactions on Applied Superconductivity*, 27(4), [4702505]. <https://doi.org/10.1109/TASC.2017.2656156>

Salmi, T., Prioli, M., Stenvall, A., Ruuskanen, J., Verweij, A. P., Auchmann, B., & Marinozzi, V. (2017). Suitability of Different Quench Protection Methods for a 16 T Block-Type Nb₃Sn Accelerator Dipole Magnet. *IEEE Transactions on Applied Superconductivity*, 27(4), [4702305]. <https://doi.org/10.1109/TASC.2017.2651386>

Tommasini, D., Auchmann, B., Bajas, H., Bajko, M., Ballarino, A., Bellomo, G., ... Wolf, F. (2017). The 16 T Dipole Development Program for FCC. *IEEE Transactions on Applied Superconductivity*, 27(4), [4000405]. <https://doi.org/10.1109/TASC.2016.2634600>

Piccardi, A., Alberucci, A., Kravets, N., Buchnev, O., & Assanto, G. (2017). Nematicon-enhanced spontaneous symmetry breaking. *Molecular Crystals and Liquid Crystals*, 649(1), 59-65. <https://doi.org/10.1080/15421406.2017.1303916>

Mentink, M., & Salmi, T. (2017). Quench absorption coils: A quench protection concept for high-field superconducting accelerator magnets. *Superconductor Science and Technology*, 30(6), [064002]. <https://doi.org/10.1088/1361-6668/aa6678>

Mattila, K. K., Philippi, P. C., & Hegele, L. A. (2017). High-order regularization in lattice-Boltzmann equations. *PHYSICS OF FLUIDS*, 29(4), [046103]. <https://doi.org/10.1063/1.4981227>

Lopez-Iscoa, P., Petit, L., Massera, J., Janner, D., Boetti, N. G., Pugliese, D., ... Milanese, D. (2017). Effect of the addition of Al₂O₃, TiO₂ and ZnO on the thermal, structural and luminescence properties of Er³⁺-doped phosphate glasses. *Journal of Non-Crystalline Solids*, 460, 161-168. <https://doi.org/10.1016/j.jnoncrysol.2017.01.030>

Kuzmin, M., Lahtonen, K., Vuori, L., Sánchez-de-Armas, R., Hirsimäki, M., & Valden, M. (2017). Investigation of the structural anisotropy in a self-assembling glycinate layer on Cu(100) by scanning tunneling microscopy and density functional theory calculations. *Applied Surface Science*, 409, 111-116. <https://doi.org/10.1016/j.apsusc.2017.03.005>

Ruuskanen, J., Stenvall, A., Lahtinen, V., & Pardo, E. (2017). Electromagnetic nonlinearities in a Roebel-cable-based accelerator magnet prototype: Variational approach. *Superconductor Science and Technology*, 30(2), [024008]. <https://doi.org/10.1088/1361-6668/30/2/024008>

Marttila, J., Allén, M., Kosunen, M., Stadius, K., Ryyänen, J., & Valkama, M. (2017). Reference receiver enhanced digital linearization of wideband direct-conversion receivers. *IEEE Transactions on Microwave Theory and Techniques*, 65(2), 607-620. <https://doi.org/10.1109/TMTT.2016.2638840>

Balanta, M. A. G., Orsi Gordo, V., Carvalho, A. R. H., Puustinen, J., Alghamdi, H. M., Henini, M., ... Galvão Gobato, Y. (2017). Polarization resolved photoluminescence in GaAs_{1-x}Bi_x/GaAs quantum wells. *Journal of Luminescence*, 182, 49-52. <https://doi.org/10.1016/j.jlumin.2016.10.008>

Sarjas, H., Surzhenkov, A., Juhani, K., Antonov, M., Adoberg, E., Kulu, P., ... Vuoristo, P. (2017). Abrasive-Erosive Wear of Thermally Sprayed Coatings from Experimental and Commercial Cr₃C₂-Based Powders. *Journal of Thermal Spray Technology*, 26(8), 2020-2029. <https://doi.org/10.1007/s11666-017-0638-2>

Katkovnik, V., Shevkunov, I., Petrov, N. V., & Egiazarian, K. (2017). Computational wavelength resolution for in-line lensless holography: Phase-coded diffraction patterns and wavefront group-sparsity. teoksessa *Digital Optical Technologies 2017* [1033509] (Proceedings of SPIE; Vuosikerta 10335). SPIE. <https://doi.org/10.1117/12.2269327>

Paaso, H., Gulati, N., Patron, D., Hakkarainen, A., Werner, J., Dandekar, K. R., ... Mammela, A. (2017). DoA Estimation Using Compact CRLH Leaky-Wave Antennas: Novel Algorithms and Measured Performance. *IEEE Transactions on Antennas and Propagation*, 4836-4849. <https://doi.org/10.1109/TAP.2017.2724584>

Stoykova, E., Nazarova, D., Berberova, N., Gotchev, A., Ivanov, B., & Mateev, G. (2017). Dynamic laser speckle metrology with binarization of speckle patterns. teoksessa *19th International Conference and School on Quantum Electronics: Laser Physics and Applications* [102260R] (Proceedings of SPIE; Vuosikerta 10226). SPIE. <https://doi.org/10.1117/12.2262330>

Bomberg, M., Miettinen, H., Wahlström, M., Kaartinen, T., Ahoranta, S., Lakaniemi, A-M., & Kinnunen, P. (2017). Evaluation of long-term post process inactivation of bioleaching microorganisms. teoksessa *22nd International Biohydrometallurgy Symposium* (Sivut 57-60). (Solid State Phenomena; Vuosikerta 262 SSP). Trans Tech Publications Ltd. <https://doi.org/10.4028/www.scientific.net/SSP.262.57>

Janka, L., Norpoth, J., Trache, R., Thiele, S., & Berger, L. M. (2017). HVOF- and HVOF-Sprayed Cr₃C₂-NiCr Coatings Deposited from Feedstock Powders of Spherical Morphology: Microstructure Formation and High-Stress Abrasive Wear Resistance Up to 800 °C. *Journal of Thermal Spray Technology*, 26(7), 1720–1731. <https://doi.org/10.1007/s11666-017-0621-y>

Oksanen, V. T., Lehtovaara, A. J., & Kallio, M. H. (2017). Load capacity of lubricated bismuth bronze bimetal bearing under elliptical sliding motion. *Wear*, 388-389, 72-80. <https://doi.org/10.1016/j.wear.2017.05.001>

Zhao, J., Stenvall, A., Salmi, T., Gao, Y., & Lorin, C. (2017). Mechanical behavior of a 16 T FCC dipole magnet during a quench. *IEEE Transactions on Applied Superconductivity*, 27(6), [4004407]. <https://doi.org/10.1109/TASC.2017.2721974>

Salpavaara, T., Hänninen, A., Antniemi, A., Leikkala, J., & Kellomäki, M. (2017). Non-destructive and wireless monitoring of biodegradable polymers. *Sensors and Actuators B: Chemical*, 251, 1018-1025. <https://doi.org/10.1016/j.snb.2017.05.116>

Lindroos, M., Laukkanen, A., Cailletaud, G., & Kuokkala, V-T. (2017). On the effect of deformation twinning and microstructure to strain hardening of high manganese austenitic steel 3D microstructure aggregates at large strains. *International Journal of Solids and Structures*, 125, 68-76. <https://doi.org/10.1016/j.ijsolstr.2017.07.015>

Lampio, K., & Karvinen, R. (2017). Optimization of convectively cooled heat sinks. *Microelectronics Reliability*, 79, 473-479. <https://doi.org/10.1016/j.microrel.2017.06.011>

Filippov, V., Vorotynskii, A., Noronen, T., Gumenyuk, R., Chamorovskii, Y., & Golant, K. (2017). Picosecond MOPA with ytterbium doped tapered double clad fiber. teoksessa *Fiber Lasers XIV: Technology and Systems* (Vuosikerta 10083). [100831H] (Proceedings of SPIE; Nro 10083). SPIE. <https://doi.org/10.1117/12.2252006>

Matikainen, V., Bolelli, G., Koivuluoto, H., Sassatelli, P., Lusvardi, L., & Vuoristo, P. (2017). Sliding wear behaviour of HVOF and HVOF sprayed Cr₃C₂-based coatings. *Wear*, 388-389, 57-71. <https://doi.org/10.1016/j.wear.2017.04.001>

Kolesnik, S., Sitbon, M., Lineykin, S., Batzelis, E., Papathanassiou, S., Suntio, T., & Kuperman, A. (2017). Solar Irradiation Independent Expression for Photovoltaic Generator Maximum Power Line. *IEEE Journal of Photovoltaics*, 7(5), 1416-1420. <https://doi.org/10.1109/JPHOTOV.2017.2713404>

Koivuluoto, H., Milanti, A., Bolelli, G., Latokartano, J., Marra, F., Pulci, G., ... Vuoristo, P. (2017). Structures and properties of laser-assisted cold-sprayed aluminum coatings. teoksessa *THERMEC 2016* (Vuosikerta 879, Sivut 984-989). (Materials Science Forum; Vuosikerta 879). Trans Tech Publications Ltd. <https://doi.org/10.4028/www.scientific.net/MSF.879.984>

Lahbib, I., Valkonen, A., Rzaigui, M., & Smirani, W. (2017). Synthesis, Structural Characterization, Hirshfeld Surface and Antioxidant Activity Analysis of a Novel Organic Cation Antimonate Complex. *Journal of Cluster Science*, 28(4), 2239–2252. <https://doi.org/10.1007/s10876-017-1217-x>

Morandi, A., Ainslie, M. D., Grilli, F., & Stenvall, A. (2017). The 5th international workshop on numerical modelling of high temperature superconductors. *Superconductor Science and Technology*, 30(8), [080201]. <https://doi.org/10.1088/1361-6668/aa7676>

Järveläinen, M., Kaleva, A., Kaitajärvi, A., Laakso, J., Kanerva, U., & Levänen, E. (2016). Compression curve analysis and compressive strength measurement of brittle granule beds in lieu of individual granule measurements. *Particuology*, *29*, 60-68. <https://doi.org/10.1016/j.partic.2015.10.006>

Varis, T., Suhonen, T., Caloniuss, O., Čuban, J., & Pietola, M. (2016). Optimization of HVOF Cr₃C₂-NiCr coating for increased fatigue performance. *Surface and Coatings Technology*, *305*, 123-131. <https://doi.org/10.1016/j.surfcoat.2016.08.012>

Järvinen, H., Isakov, M., Nyssönen, T., Järvenpää, M., & Peura, P. (2016). The effect of initial microstructure on the final properties of press hardened 22MnB5 steels. *Materials Science and Engineering A: Structural Materials Properties Microstructure and Processing*, *676*, 109-120. <https://doi.org/10.1016/j.msea.2016.08.096>

Ärrälä, M., Hafiz, H., Mou, D., Wu, Y., Jiang, R., Riedemann, T., ... Lindroos, M. (2016). Laser angle-resolved photoemission as a probe of initial state kz dispersion, final-state band gaps, and spin texture of Dirac states in the Bi₂Te₃ topological insulator. *Physical Review B*, *94*(15), [155144]. <https://doi.org/10.1103/PhysRevB.94.155144>

Kalikka, J., Akola, J., & Jones, R. O. (2016). Crystallization processes in the phase change material Ge₂Sb₂Te₅: Unbiased density functional/molecular dynamics simulations. *Physical Review B*, *94*(13), [134105]. <https://doi.org/10.1103/PhysRevB.94.134105>

Lindgren, M., Siljander, S., Suihkonen, R., Pohjanne, P., & Vuorinen, J. (2016). Erosion–corrosion resistance of various stainless steel grades in high-temperature sulfuric acid solution. *Wear*, *364-365*, 10-21. <https://doi.org/10.1016/j.wear.2016.06.007>

Myllymäki, S., Putaala, J., Hannu, J., Kunnari, E., & Mäntysalo, M. (2016). RF measurements to pinpoint defects in inkjet-printed, thermally and mechanically stressed coplanar waveguides. *Microelectronics Reliability*, *65*, 142-150. <https://doi.org/10.1016/j.microrel.2016.08.021>

Kylänpää, I., Cavaliere, F., Ziani, N. T., Sasseti, M., & Räsänen, E. (2016). Thermal effects on the Wigner localization and Friedel oscillations in many-electron nanowires. *Physical Review B*, *94*(11), [115417]. <https://doi.org/10.1103/PhysRevB.94.115417>

Pilehrood, M. K., Atashi, A., Sadeghi-Aliabadi, H., Nousiainen, P., & Harlin, A. (2016). 3D micro-nano structured hybrid scaffolds: An investigation into the role of nanofiber coating on viability, proliferation and differentiation of seeded mesenchymal stem cells. *Journal Nanoscience and Nanotechnology*, *16*(9), 9000-9007. <https://doi.org/10.1166/jnn.2016.12740>

Cui, S., Massera, J., Lastusaari, M., Hupa, L., & Petit, L. (2016). Novel oxyfluorophosphate glasses and glass-ceramics. *Journal of Non-Crystalline Solids*, *445-446*, 40-44. <https://doi.org/10.1016/j.jnoncrysol.2016.05.005>

Suihkonen, R., Lindgren, M., Siljander, S., Sarlin, E., & Vuorinen, J. (2016). Erosion wear of vinylester matrix composites in aqueous and acidic environments at elevated temperatures. *Wear*, *358-359*, 7-16. <https://doi.org/10.1016/j.wear.2016.03.026>

Bolelli, G., Berger, L. M., Börner, T., Koivuluoto, H., Matikainen, V., Lusvarghi, L., ... Vuoristo, P. (2016). Sliding and abrasive wear behaviour of HVOF- and HVOF-sprayed Cr₃C₂-NiCr hardmetal coatings. *Wear*, *358-359*, 32-50. <https://doi.org/10.1016/j.wear.2016.03.034>

Trujillo-Sevilla, J. M., Katkovnik, V., Javidi, B., & Rodríguez-Ramos, J. M. (2016). Restoring Integral Images from Focal Stacks Using Compressed Sensing Techniques. *Journal of Display Technology*, *12*(7), 701-706. <https://doi.org/10.1109/JDT.2016.2522922>

- Kiilakoski, J., Lindroos, M., Apostol, M., Koivuluoto, H., Kuokkala, V-T., & Vuoristo, P. (2016). Characterization of High-Velocity Single Particle Impacts on Plasma-Sprayed Ceramic Coatings. *Journal of Thermal Spray Technology*, 25, 1127-1137. <https://doi.org/10.1007/s11666-016-0428-2>
- Ferracin, P., Ambrosio, G., Anerella, M., Ballarino, A., Bajas, H., Bajko, M., ... Yu, M. (2016). Development of MQXF: The Nb₃Sn Low-β Quadrupole for the HiLumi LHC. *IEEE Transactions on Applied Superconductivity*, 26(4), [4000207]. <https://doi.org/10.1109/TASC.2015.2510508>
- Sharma, R., Bhalerao, S., & Gupta, D. (2016). Effect of incorporation of CdS NPs on performance of PTB7: PCBM organic solar cells. *Organic Electronics: physics, materials, applications*, 33, 274-280. <https://doi.org/10.1016/j.orgel.2016.03.030>
- Marchevsky, M., Turqueti, M., Cheng, D. W., Felice, H., Sabbi, G., Salmi, T., ... Todesco, E. (2016). Protection Heater Design Validation for the LARP Magnets Using Thermal Imaging. *IEEE Transactions on Applied Superconductivity*, 26(4), [4003605]. <https://doi.org/10.1109/TASC.2016.2530161>
- Marinozzi, V., Ambrosio, G., Ferracin, P., Izquierdo Bermudez, S., Rysti, J., Salmi, T., ... Todesco, E. (2016). Quench Protection Study of the Updated MQXF for the LHC Luminosity Upgrade (HiLumi LHC). *IEEE Transactions on Applied Superconductivity*, 26(4), [4001805]. <https://doi.org/10.1109/TASC.2016.2523548>
- DiMarco, J., Ambrosio, G., Anerella, M., Bajas, H., Chlachidze, G., Borgnolutti, F., ... Yu, M. (2016). Test Results of the LARP Nb₃Sn Quadrupole HQ03a. *IEEE Transactions on Applied Superconductivity*, 26(4), [4005105]. <https://doi.org/10.1109/TASC.2016.2528283>
- Salmi, T., & Stenvall, A. (2016). The Impact of Protection Heater Delays Distribution on the Hotspot Temperature in a High-Field Accelerator Magnet. *IEEE Transactions on Applied Superconductivity*, 26(4), [4001405]. <https://doi.org/10.1109/TASC.2016.2517238>
- Milanti, A., Matikainen, V., Bolelli, G., Koivuluoto, H., Lusvarghi, L., & Vuoristo, P. (2016). Microstructure and Sliding Wear Behavior of Fe-Based Coatings Manufactured with HVOF and HVOF Thermal Spray Processes. *Journal of Thermal Spray Technology*, 25(5), 1040–1055. <https://doi.org/10.1007/s11666-016-0410-z>
- Kulju, S., Akola, J., Prendergast, D., & Jones, R. O. (2016). Tuning electronic properties of graphene heterostructures by amorphous-to-crystalline phase transitions. *Physical Review B*, 93(19), [195443]. <https://doi.org/10.1103/PhysRevB.93.195443>
- Soto, A. M., Koivisto, J. T., Parraga, J. E., Silva-Correia, J., Oliveira, J. M., Reis, R. L., ... Figueiras, E. (2016). Optical Projection Tomography Technique for Image Texture and Mass Transport Studies in Hydrogels Based on Gellan Gum. *Langmuir*, 32(20), 5173-5182. <https://doi.org/10.1021/acs.langmuir.6b00554>
- Janka, L., Norpoth, J., Trache, R., & Berger, L. M. (2016). Influence of heat treatment on the abrasive wear resistance of a Cr₃C₂NiCr coating deposited by an ethene-fuelled HVOF spray process. *Surface and Coatings Technology*, 291, 444-451. <https://doi.org/10.1016/j.surfcoat.2016.02.066>
- Soltani, I., Hraiech, S., Horchani-Naifer, K., Massera, J., Petit, L., & Férid, M. (2016). Thermal, structural and optical properties of Er³⁺ doped phosphate glasses containing silver nanoparticles. *Journal of Non-Crystalline Solids*, 438, 67-73. <https://doi.org/10.1016/j.jnoncrysol.2015.12.022>
- Aho, V., Mattila, K., Kühn, T., Kekäläinen, P., Pulkkinen, O., Minussi, R. B., ... Timonen, J. (2016). Diffusion through thin membranes: Modeling across scales. *Physical Review E*, 93(4), [043309]. <https://doi.org/10.1103/PhysRevE.93.043309>
- Fernandez-Palacio, F., Saccone, M., Priimägi, A., Terraneo, G., Pilati, T., Metrangolo, P., & Resnati, G. (2016). Coordination networks incorporating halogen-bond donor sites and azobenzene groups. *CrystEngComm*, 18(13), 2251-2257. <https://doi.org/10.1039/c6ce00059b>

Escamez, G., Sirois, F., Lahtinen, V., Stenvall, A., Badel, A., Tixador, P., ... Bruzek, C. É. (2016). 3-D Numerical Modeling of AC Losses in Multifilamentary MgB₂ Wires. *IEEE Transactions on Applied Superconductivity*, 26(3), [4701907]. <https://doi.org/10.1109/TASC.2016.2533024>

Kirby, G., Rossi, L., Badel, A., Bajko, M., Ballarino, A., Bottura, L., ... Zangenberg, N. (2016). Status of the Demonstrator Magnets for the EuCARD-2 Future Magnets Project. *IEEE Transactions on Applied Superconductivity*, 26(3), [4003307]. <https://doi.org/10.1109/TASC.2016.2528544>

Vippola, M., Valkonen, M., Sarlin, E., Honkanen, M., & Huttunen, H. (2016). Insight to Nanoparticle Size Analysis—Novel and Convenient Image Analysis Method Versus Conventional Techniques. *Nanoscale Research Letters*, 11(1), [169]. <https://doi.org/10.1186/s11671-016-1391-z>

Selvan, N. T., Eshwaran, S. B., Das, A., Stöckelhuber, K. W., Wießner, S., Pötschke, P., ... Heinrich, G. (2016). Piezoresistive natural rubber-multiwall carbon nanotube nanocomposite for sensor applications. *Sensors and Actuators, A: Physical*, 239, 102-113. <https://doi.org/10.1016/j.sna.2016.01.004>

Bansod, N. D., Kapgade, B. P., Das, C., Das, A., Basu, D., & Debnath, S. C. (2016). Compatibilization of natural rubber/nitrile rubber blends by sol-gel nano-silica generated by in situ method. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*, 80(2), 548–559. <https://doi.org/10.1007/s10971-016-4114-0>

Pirkkalainen, H., Elovaara, J., & Korpinen, L. (2016). Decreasing the extremely low-frequency electric field exposure with a Faraday cage during work tasks from a man hoist at a 400 kV substation. *Progress In Electromagnetics Research M*, 48, 55-66.

Hupa, L., Fagerlund, S., Massera, J., & Björkvik, L. (2016). Dissolution behavior of the bioactive glass S53P4 when sodium is replaced by potassium, and calcium with magnesium or strontium. *Journal of Non-Crystalline Solids*, 41-46. <https://doi.org/10.1016/j.jnoncrysol.2015.03.026>

Isotalo, T. J., & Niemi, T. (2016). Dots-on-the-fly electron beam lithography. teoksessa C. Bencher (Toimittaja), *SPIE Proceedings: Alternative Lithographic Technologies VIII* (Vuosikerta 9777). [97771E] (Proceedings of SPIE). SPIE. <https://doi.org/10.1117/12.2219136>

Zia, N., Viheriälä, J., Koskinen, R., Koskinen, M., Suomalainen, S., & Guina, M. (2016). Fabrication and characterization of broadband superluminescent diodes for 2 μm wavelength. teoksessa *Light-Emitting Diodes: Materials, Devices, and Applications for Solid State Lighting XX* [97680Q] (Proceedings of SPIE; Vuosikerta 9768). SPIE. <https://doi.org/10.1117/12.2209720>

Rocherullé, J., Massera, J., Oudadesse, H., Calvez, L., Trolès, J., & Zhang, X. H. (2016). Heat capacities of crystalline and glassy lithium metaphosphate up to the transition region. *Journal of Thermal Analysis and Calorimetry*, 123(1), 401-407. <https://doi.org/10.1007/s10973-015-4938-9>

Viheriälä, J., Aho, A. T., Mäkelä, J., Salmi, J., Virtanen, H., Leinonen, T., ... Guina, M. (2016). High-power 1550 nm tapered DBR lasers fabricated using soft UV-nanoimprint lithography. teoksessa *High-Power Diode Laser Technology and Applications XIV* [97330Q] (SPIE Conference Proceedings; Vuosikerta 9733). SPIE. <https://doi.org/10.1117/12.2207423>

Moirangthem, M., Stumpel, J. E., Alp, B., Teunissen, P., Bastiaansen, C. W. M., & Schenning, A. P. H. J. (2016). Hot pen and laser writable photonic polymer films. teoksessa *Emerging Liquid Crystal Technologies XI* (Vuosikerta 9769). [97690Y] SPIE. <https://doi.org/10.1117/12.2209065>

Aalto, T., Harjanne, M., Offrein, B. J., Caër, C., Neumeier, C., Malacarne, A., ... Melanen, P. (2016). Integrating III-V, Si, and polymer waveguides for optical interconnects: RAPIDO. teoksessa *Optical Interconnects XVI* [97530D] (Proceedings of SPIE; Vuosikerta 9753). SPIE. <https://doi.org/10.1117/12.2214786>

Nyysönen, T., Isakov, M., Peura, P., & Kuokkala, V-T. (2016). Iterative Determination of the Orientation Relationship Between Austenite and Martensite from a Large Amount of Grain Pair Misorientations. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 47(6), 2587-2590. <https://doi.org/10.1007/s11661-016-3462-2>

Tuominen, J., Näkki, J., Pajukoski, H., Hyvärinen, L., & Vuoristo, P. (2016). Microstructural and abrasion wear characteristics of laser-clad tool steel coatings. *Surface Engineering*, 32(12), 923-933. <https://doi.org/10.1080/02670844.2016.1180496>

Fotiadi, A. A., Korobko, D. A., Okhotnikov, O. G., & Zolotovskii, I. O. (2016). Optical fiber amplifier with spectral compression elements for high-power laser pulse generation. teoksessa *Nonlinear Optics and its Applications IV* (Vuosikerta 9894). [989411] (Proceedings of SPIE; Vuosikerta 9894). SPIE. <https://doi.org/10.1117/12.2223637>

Sakho, E. H. M., Oluwafemi, O. S., Perumbilavil, S., Philip, R., Kala, M. S., Thomas, S., & Kalarikkal, N. (2016). Rapid and facile synthesis of graphene oxide quantum dots with good linear and nonlinear optical properties. *Journal of Materials Science: Materials in Electronics*, 27(10), 10926–10933. <https://doi.org/10.1007/s10854-016-5204-z>

Frantc, V. A., Makov, S. V., Voronin, V. V., Marchuk, V. I., Semenishchev, E. A., Egiazarian, K. O., & Agaian, S. (2016). Simultaneous binary hash and features learning for image retrieval. teoksessa *Mobile Multimedia/Image Processing, Security, and Applications 2016* [986902] (SPIE Conference Proceedings; Vuosikerta 9869). SPIE. <https://doi.org/10.1117/12.2223605>

Hakkarainen, T., Tommila, J., Schramm, A., Simonen, J., Niemi, T., Strelow, C., ... Guina, M. (2016). Site-controlled InAs Quantum Dots for Plasmonics. teoksessa *Conference on Lasers and Electro-Optics 2016: QELS_Fundamental Science* [FM1B.3] OSA - The Optical Society. https://doi.org/10.1364/CLEO_QELS.2016.FM1B.3

Golovanov, V., Golovanova, V., & Rantala, T. T. (2016). Thermal desorption of molecular oxygen from SnO₂ (110) surface: Insights from first-principles calculations. *Journal of Physics and Chemistry of Solids*, 89, 15-22. <https://doi.org/10.1016/j.jpccs.2015.10.010>

Auer, S., Koho, T., Uusi-Kerttula, H., Vesikari, T., Blazevic, V., & Hytönen, V. P. (2015). Rapid and sensitive detection of norovirus antibodies in human serum with a biolayer interferometry biosensor. *Sensors and Actuators B: Chemical*, 221, 507-514. <https://doi.org/10.1016/j.snb.2015.06.088>

Kimionis, J., Isakov, M., Koh, B. S., Georgiadis, A., & Tentzeris, M. M. (2015). 3D-Printed Origami Packaging with Inkjet-Printed Antennas for RF Harvesting Sensors. *IEEE Transactions on Microwave Theory and Techniques*, 63(12), 4521-4532. [7327248]. <https://doi.org/10.1109/TMTT.2015.2494580>

Bito, J., Hester, J. G., & Tentzeris, M. M. (2015). Ambient RF Energy Harvesting from a Two-Way Talk Radio for Flexible Wearable Wireless Sensor Devices Utilizing Inkjet Printing Technologies. *IEEE Transactions on Microwave Theory and Techniques*, 63(12), 4533-4543. [7331327]. <https://doi.org/10.1109/TMTT.2015.2495289>

Liu, X., Yao, S., Cook, B. S., Tentzeris, M. M., & Georgakopoulos, S. V. (2015). An Origami Reconfigurable Axial-Mode Bifilar Helical Antenna. *IEEE Transactions on Antennas and Propagation*, 63(12), 5897-5903. [7275146]. <https://doi.org/10.1109/TAP.2015.2481922>

He, Y., Pan, Z., Cheng, X., He, Y., Qiao, J., & Tentzeris, M. M. (2015). A Novel Dual-Band, Dual-Polarized, Miniaturized and Low-Profile Base Station Antenna. *IEEE Transactions on Antennas and Propagation*, 63(12), 5399-5408. [7274667]. <https://doi.org/10.1109/TAP.2015.2481488>

Ihalainen, T. O., Aires, L., Herzog, F. A., Schwartlander, R., Moeller, J., & Vogel, V. (2015). Differential basal-to-apical accessibility of lamin A/C epitopes in the nuclear lamina regulated by changes in cytoskeletal tension. *Nature Materials*, 14 (12), 1252-1261. <https://doi.org/10.1038/nmat4389>

Gadelovits, S., Sitbon, M., Suntio, T., & Kuperman, A. (2015). Single-source multibattery solar charger: Case study and implementation issues. *Progress in Photovoltaics: Research and Applications*, 23(12), 1916-1928. <https://doi.org/10.1002/pip.2591>

Kuzmin, M., Laukkanen, P., Yasir, M., Mäkelä, J., Tuominen, M., Dahl, J., ... Guina, M. (2015). Observation of unusual metal-semiconductor interaction and metal-induced gap states at an oxide-semiconductor interface: The case of epitaxial BaO/Ge(100) junction. *Physical Review B*, 92(16), [165311]. <https://doi.org/10.1103/PhysRevB.92.165311>

Oksanen, V., Valtonen, K., Andersson, P., Vaajoki, A., Laukkanen, A., Holmberg, K., & Kuokkala, V. T. (2015). Comparison of laboratory rolling-sliding wear tests with in-service wear of nodular cast iron rollers against wire ropes. *Wear*, 340-341, 73-81. <https://doi.org/10.1016/j.wear.2015.07.006>

Mylläri, V., Ruoko, T-P., Vuorinen, J., & Lemmetyinen, H. (2015). Characterization of thermally aged polyetheretherketone fibres: Mechanical, thermal, rheological and chemical property changes. *Polymer Degradation and Stability*, 120, 419-426. <https://doi.org/10.1016/j.polymdegradstab.2015.08.003>

Bourhis, K., Massera, J., Petit, L., Koponen, J., Fargues, A., Cardinal, T., ... Ferraris, M. (2015). Erbium-doped borosilicate glasses containing various amounts of P2O5 and Al2O3: Influence of the silica content on the structure and thermal, physical, optical and luminescence properties. *Materials Research Bulletin*, 70, 47-54. <https://doi.org/10.1016/j.materresbull.2015.04.017>

Tamminen, P., Viheriäkoski, T., Sydänheimo, L., & Ukkonen, L. (2015). ESD qualification data used as the basis for building electrostatic discharge protected areas. *Journal of Electrostatics*, 77, 174-181. [3024]. <https://doi.org/10.1016/j.elstat.2015.08.009>

Milanti, A., Matikainen, V., Koivuluoto, H., Bolelli, G., Lusvarghi, L., & Vuoristo, P. (2015). Effect of spraying parameters on the microstructural and corrosion properties of HVOF-sprayed Fe-Cr-Ni-B-C coatings. *Surface and Coatings Technology*, 277, 81-90. <https://doi.org/10.1016/j.surfcoat.2015.07.018>

Tukiainen, A., Likonen, J., Toikkanen, L., & Leinonen, T. (2015). Unintentional boron contamination of MBE-grown GaInP/AlGaInP quantum wells. *Journal of Crystal Growth*, 425, 60-63. <https://doi.org/10.1016/j.jcrysgro.2015.02.048>

Barreca, D., Carraro, G., Warwick, M. E. A., Kaunisto, K., Gasparotto, A., Gombac, V., ... Fornasiero, P. (2015). Fe2O3-TiO2 nanosystems by a hybrid PE-CVD/ALD approach: controllable synthesis, growth mechanism, and photocatalytic properties. *CrystEngComm*, 17(32), 6219-6226. <https://doi.org/10.1039/c5ce00883b>

Mäkelä, J., Tuominen, M., Yasir, M., Polojärvi, V., Aho, A., Tukiainen, A., ... Guina, M. (2015). Effects of thinning and heating for TiO2/AlInP junctions. *Journal of Electron Spectroscopy and Related Phenomena*, 205, 6-9. <https://doi.org/10.1016/j.elspec.2015.08.004>

Devassy, L., Jisha, C. P., Alberucci, A., & Kuriakose, V. C. (2015). Parity-time-symmetric solitons in trapped Bose-Einstein condensates and the influence of varying complex potentials: A variational approach. *Physical Review E*, 92(2), [022914]. <https://doi.org/10.1103/PhysRevE.92.022914>

Levin, M., Rojas, E., Vanhala, E., Vippola, M., Liguori, B., Kling, K. I., ... Jensen, K. A. (2015). Influence of relative humidity and physical load during storage on dustiness of inorganic nanomaterials: implications for testing and risk assessment. *Journal of Nanoparticle Research*, 17(8), [337]. <https://doi.org/10.1007/s11051-015-3139-6>

Salmi, T., Chlachidze, G., Marchevsky, M., Bajas, H., Felice, H., & Stenvall, A. (2015). Analysis of uncertainties in protection heater delay time measurements and simulations in Nb3Sn high-field accelerator magnets. *IEEE Transactions on Applied Superconductivity*, 25(4). <https://doi.org/10.1109/TASC.2015.2437332>

- Haaparanta, A.-M., Uppstu, P., Hannula, M., Ellä, V., Rosling, A., & Kellomäki, M. (2015). Improved dimensional stability with bioactive glass fibre skeleton in poly(lactide-co-glycolide) porous scaffolds for tissue engineering. *Materials Science and Engineering C: Materials for Biological Applications*, 56, 457-466. [5584]. <https://doi.org/10.1016/j.msec.2015.07.013>
- Isoniemi, T., Tuukkanen, S., Cameron, D. C., Simonen, J., & Toppari, J. J. (2015). Measuring optical anisotropy in poly(3,4-ethylene dioxythiophene): poly(styrene sulfonate) films with added graphene. *Organic Electronics*, 25, 317-323. <https://doi.org/10.1016/j.orgel.2015.06.037>, <https://doi.org/10.1016/j.orgel.2015.06.037>
- Godec, A., & Metzler, R. (2015). Signal focusing through active transport. *Physical Review E*, 92(1), [010701]. <https://doi.org/10.1103/PhysRevE.92.010701>
- Mattila, K. K., Hegele, L. A., & Philippi, P. C. (2015). Investigation of an entropic stabilizer for the lattice-Boltzmann method. *Physical Review E*, 91(6), [063010]. <https://doi.org/10.1103/PhysRevE.91.063010>
- De Carvalho, S. J., Metzler, R., & Cherstvy, A. G. (2015). Inverted critical adsorption of polyelectrolytes in confinement. *Soft Matter*, 11(22), 4430-4443. <https://doi.org/10.1039/c5sm00635j>
- Salpavaara, T., Järveläinen, M., Seppälä, S., Yli-Hallila, T., Verho, J., Vilkkö, M., ... Levänen, E. (2015). Passive resonance sensor based method for monitoring particle suspensions. *Sensors and Actuators B: Chemical*, 219, 324-330. <https://doi.org/10.1016/j.snb.2015.04.121>
- Kirby, G. A., Van Nugteren, J., Ballarino, A., Bottura, L., Chouika, N., Clement, S., ... Kario, A. (2015). Accelerator-quality HTS dipole magnet demonstrator designs for the EuCARD-2 5-T 40-mm clear aperture magnet. *IEEE Transactions on Applied Superconductivity*, 25(3), [4000805]. <https://doi.org/10.1109/TASC.2014.2361933>
- Järveläinen, M., Humalamäki, J., Laakso, J., & Levänen, E. (2015). Mechanical characterization of fiber ceramics: Effect of temperature. *Advanced Engineering Materials*, 17(6), 821-830. <https://doi.org/10.1002/adem.201400512>
- Borah, D., Rasappa, S., Salaun, M., Zellsman, M., Lorret, O., Liontos, G., ... Morris, M. A. (2015). Soft graphoepitaxy for large area directed self-assembly of polystyrene-block-poly(dimethylsiloxane) block copolymer on nanopatterned substrates fabricated by nanoimprint lithography. *Advanced Functional Materials*, 25(22), 3425-3432. <https://doi.org/10.1002/adfm.201500100>
- Marinozzi, V., Ambrosio, G., Bellomo, G., Chlachidze, G., Felice, H., Marchevsky, M., ... Todesco, E. (2015). Study of quench protection for the Nb₃Sn low-β quadrupole for the LHC luminosity upgrade (HiLumi-LHC). *IEEE Transactions on Applied Superconductivity*, 25(3), [4002905]. <https://doi.org/10.1109/TASC.2014.2383435>
- Lyly, M., Krooshoop, E., Lübke, R., Wessel, S., Stenvall, A., Dhalle, M., & Mikkonen, R. (2015). Suitability of bundle approximation in AC loss analysis of NbTi wires: Simulations and experiment. *IEEE Transactions on Applied Superconductivity*, 25(3). <https://doi.org/10.1109/TASC.2014.2376184>
- Bajas, H., Ambrosio, G., Anerella, M., Bajko, M., Bossert, R., Bottura, L., ... Yu, M. (2015). Test results of the LARP HQ02b magnet at 1.9 K. *IEEE Transactions on Applied Superconductivity*, 25(3), [4003306]. <https://doi.org/10.1109/TASC.2014.2378375>
- Rossi, L., Badel, A., Bajko, M., Ballarino, A., Bottura, L., Dhalle, M. M. J., ... Zangenberg, N. (2015). The EuCARD-2 future magnets European collaboration for accelerator-quality HTS magnets. *IEEE Transactions on Applied Superconductivity*, 25(3), [4001007]. <https://doi.org/10.1109/TASC.2014.2364215>
- Ruuskanen, J., Stenvall, A., & Lahtinen, V. (2015). Utilizing triangular mesh with MMEV to study hysteresis losses of round superconductors obeying critical state model. *IEEE Transactions on Applied Superconductivity*, 25(3), [8200405]. <https://doi.org/10.1109/TASC.2014.2365408>

Song, X., Liu, Z., Suhonen, T., Varis, T., Huang, L., Zheng, X., & Zeng, Y. (2015). Effect of melting state on the thermal shock resistance and thermal conductivity of APS ZrO_2 -7.5wt.% Y_2O_3 coatings. *Surface and Coatings Technology*, 270, 132-138. <https://doi.org/10.1016/j.surfcoat.2015.03.011>

Godec, A., & Metzler, R. (2015). Optimization and universality of Brownian search in a basic model of quenched heterogeneous media. *Physical Review E*, 91(5), [052134]. <https://doi.org/10.1103/PhysRevE.91.052134>

Lahtinen, V., Stenvall, A., Sirois, F., & Pellikka, M. (2015). A Finite Element Simulation Tool for Predicting Hysteresis Losses in Superconductors Using an H-Oriented Formulation with Cohomology Basis Functions. *Journal of Superconductivity and Novel Magnetism*, 28(8), 2345-2354. <https://doi.org/10.1007/s10948-015-3074-x>

Koivisto, A. J., Aromaa, M., Koponen, I. K., Fransman, W., Jensen, K. A., Mäkelä, J. M., & Hämeri, K. J. (2015). Workplace performance of a loose-fitting powered air purifying respirator during nanoparticle synthesis. *Journal of Nanoparticle Research*, 17(4). <https://doi.org/10.1007/s11051-015-2990-9>

Safdari, H., Chechkin, A. V., Jafari, G. R., & Metzler, R. (2015). Aging scaled Brownian motion. *Physical Review E*, 91(4), [042107]. <https://doi.org/10.1103/PhysRevE.91.042107>

Lindgren, M., Suihkonen, R., & Vuorinen, J. (2015). Erosive wear of various stainless steel grades used as impeller blade materials in high temperature aqueous slurry. *Wear*, 328-329, 391-400. <https://doi.org/10.1016/j.wear.2015.03.014>

Lindroos, M., Ratia, V., Apostol, M., Valtonen, K., Laukkanen, A., Molnar, W., ... Kuokkala, V. T. (2015). The effect of impact conditions on the wear and deformation behavior of wear resistant steels. *Wear*, 328-329, 197-205. <https://doi.org/10.1016/j.wear.2015.02.032>

Liu, X., Fan, Y., & Tentzeris, M. M. (2015). An integrated "sense-and-communicate" broad-/narrow-band optically controlled reconfigurable antenna for cognitive radio systems. *Microwave and Optical Technology Letters*, 57(4), 1016-1023. <https://doi.org/10.1002/mop.29004>

Härö, E., Stenvall, A., Van Nugteren, J., & Kirby, G. (2015). Hot spot temperature in an HTS Coil: Simulations with MIITs and finite element method. *IEEE Transactions on Applied Superconductivity*, 25(2). <https://doi.org/10.1109/TASC.2015.2396945>

Romanelli, F., Abhangi, M., Abreu, P., Aftanas, M., Afzal, M., Aggarwal, K. M., ... Zychor, I. (2015). Overview of the JET results. *Nuclear Fusion*, 55(10), [104001]. <https://doi.org/10.1088/0029-5515/55/10/104001>

Kuisma, M., Sakko, A., Rossi, T. P., Larsen, A. H., Enkovaara, J., Lehtovaara, L., & Rantala, T. T. (2015). Localized surface plasmon resonance in silver nanoparticles: Atomistic first-principles time-dependent density-functional theory calculations. *Physical Review B*, 91(11), [115431]. <https://doi.org/10.1103/PhysRevB.91.115431>

Varis, T., Bankiewicz, D., Yrjas, P., Oksa, M., Suhonen, T., Tuurna, S., ... Holmström, S. (2015). High temperature corrosion of thermally sprayed NiCr and FeCr coatings covered with a $KCl-K_2SO_4$ salt mixture. *Surface and Coatings Technology*, 265, 235-243. <https://doi.org/10.1016/j.surfcoat.2014.11.012>

Bolelli, G., Berger, L. M., Börner, T., Koivuluoto, H., Lusvarghi, L., Lyphout, C., ... Vuoristo, P. (2015). Tribology of HVOF- and HVOF-sprayed WC-10Co4Cr hardmetal coatings: A comparative assessment. *Surface and Coatings Technology*, 265, 125-144. <https://doi.org/10.1016/j.surfcoat.2015.01.048>

Valagiannopoulos, C. A., Tukiainen, A., Aho, T., Niemi, T., Guina, M., Tretyakov, S. A., & Simovski, C. R. (2015). Perfect magnetic mirror and simple perfect absorber in the visible spectrum. *Physical Review B*, 91(11), [115305]. <https://doi.org/10.1103/PhysRevB.91.115305>

Wecharine, I., Valkonen, A., Rzaigui, M., Sta, W. S., & Smith, G. (2015). Crystal structure of 2-methylpiperazine-1,4-dium bis(hydrogen maleate). *Acta Crystallographica Section E: Structure Reports Online*, 71(3), o193-o194. <https://doi.org/10.1107/S2056989015003102>

- Sitbon, M., Leppäaho, J., Suntio, T., & Kuperman, A. (2015). Dynamics of photovoltaic-generator-interfacing voltage-controlled buck power stage. *IEEE Journal of Photovoltaics*, *5*(2), 633-640. <https://doi.org/10.1109/JPHOTOV.2014.2379094>
- Subramaniam, N. P., & Hyttinen, J. (2015). Dynamics of intracranial electroencephalographic recordings from epilepsy patients using univariate and bivariate recurrence networks. *Physical Review E*, *91*(2), [022927]. <https://doi.org/10.1103/PhysRevE.91.022927>
- Ray, S., Steven, R. T., Green, F. M., Höök, F., Taskinen, B., Hytönen, V. P., & Shard, A. G. (2015). Neutralized chimeric avidin binding at a reference biosensor surface. *Langmuir*, *31*(6), 1921-1930. <https://doi.org/10.1021/la503213f>
- Miller, T. L., Ärrälä, M., Smallwood, C. L., Zhang, W., Hafiz, H., Barbiellini, B., ... Lanzara, A. (2015). Resolving unoccupied electronic states with laser ARPES in bismuth-based cuprate superconductors. *Physical Review B*, *91*(8), [085109]. <https://doi.org/10.1103/PhysRevB.91.085109>
- Beyeh, N. K., Pan, F., Valkonen, A., & Rissanen, K. (2015). Encapsulation of secondary and tertiary ammonium salts by resorcinarenes and pyrogallarenes: The effect of size and charge concentration. *CrystEngComm*, *17*(5), 1182-1188. <https://doi.org/10.1039/c4ce01927j>
- Bautista, G., Mäkitalo, J., Chen, Y., Dhaka, V., Grasso, M., Karvonen, L., ... Kauranen, M. (2015). Second-harmonic generation imaging of semiconductor nanowires with focused vector beams. *Nano Letters*, *15*(3), 1564-1569. <https://doi.org/10.1021/nl503984b>
- Choi, S., Su, W., Tentzeris, M. M., & Lim, S. (2015). A novel fluid-reconfigurable advanced and delayed phase line using inkjet-printed microfluidic composite right/left-handed transmission line. *IEEE Microwave and Wireless Components Letters*, *25*(2), 142-144. [7008548]. <https://doi.org/10.1109/LMWC.2014.2382685>
- Järvelä, J., Lyly, M., Stenvall, A., Juntunen, R., Souc, J., & Mikkonen, R. (2015). Design, fabrication, and testing of a low AC-loss conduction-cooled cryostat for magnetization loss measurement apparatus. *IEEE Transactions on Applied Superconductivity*, *25*(1). <https://doi.org/10.1109/TASC.2014.2357754>
- Shin, J., Cherstvy, A. G., & Metzler, R. (2015). Kinetics of polymer looping with macromolecular crowding: Effects of volume fraction and crowder size. *Soft Matter*, *11*(3), 472-488. <https://doi.org/10.1039/c4sm02007c>
- Li, Z., Le, T., Wu, Z., Yao, Y., Li, L., Tentzeris, M., ... Wong, C. P. (2015). Rational design of a printable, highly conductive silicone-based electrically conductive adhesive for stretchable radio-frequency antennas. *Advanced Functional Materials*, *25*(3), 464-470. <https://doi.org/10.1002/adfm.201403275>
- Czaplicki, R., Mäkitalo, J., Siikanen, R., Husu, H., Lehtolahti, J., Kuitinen, M., & Kauranen, M. (2015). Second-Harmonic Generation from Metal Nanoparticles: Resonance Enhancement versus Particle Geometry. *Nano Letters*, *15*(1), 530-534. <https://doi.org/10.1021/nl503901e>
- Kalimeri, M., Derreumaux, P., & Sterpone, F. (2015). Are coarse-grained models apt to detect protein thermal stability? the case of OPEP force field. *Journal of Non-Crystalline Solids*, *407*, 494-501. <https://doi.org/10.1016/j.jnoncrysol.2014.07.005>
- Mariotti, C., Cook, B. S., Roselli, L., & Tentzeris, M. M. (2015). State-of-the-art inkjet-printed metal-insulator-metal (MIM) capacitors on silicon substrate. *IEEE Microwave and Wireless Components Letters*, *25*(1), 13-15. [6949681]. <https://doi.org/10.1109/LMWC.2014.2365745>
- Kantola, E., Leinonen, T., Ranta, S., Tavast, M., Penttinen, J-P., & Guina, M. (2015). 1180nm VECSEL with 50 W output power. teoksessa *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 9349). [93490U] SPIE. <https://doi.org/10.1117/12.2079480>

- Rubel, A. S., Lukin, V. V., & Egiazarian, K. (2015). A method for predicting DCT-based denoising efficiency for grayscale images corrupted by AWGN and additive spatially correlated noise. teoksessa *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 9399). [93990P] SPIE. <https://doi.org/10.1117/12.2082533>
- Battisti, F., Carli, M., Stramacci, A., Boev, A., & Gotchev, A. (2015). A perceptual quality metric for high-definition stereoscopic 3D video. teoksessa *Image Processing: Algorithms and Systems XIII* [939916] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2086901>
- Martinez, F., Neculqueo, G., Vasquez, S. O., Lemmetyinen, H., Efimov, A., & Vivo, P. (2015). Branched thiophene oligomer/polymer bulk heterojunction organic solar cell. teoksessa *Materials Research Society Symposium Proceedings* (Vuosikerta 1737, Sivut 19-25). MATERIALS RESEARCH SOCIETY. <https://doi.org/10.1557/opl.2015.529>
- Lukin, V. V., Ponomarenko, N. N., Ieremeiev, O., Egiazarian, K., & Astola, J. (2015). Combining full-reference image visual quality metrics by neural network. teoksessa *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 9394). [93940K] SPIE. <https://doi.org/10.1117/12.2085465>
- Voronin, V. V., Marchuk, V. I., Fisunov, A. V., Tokareva, S. V., & Egiazarian, K. O. (2015). Depth map occlusion filling and scene reconstruction using modified exemplar-based inpainting. teoksessa *Image Processing: Algorithms and Systems XIII* [93990S] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2076506>
- Niittymäki, M., Lahti, K., Suhonen, T., & Metsäjoki, J. (2015). Dielectric Breakdown Strength of Thermally Sprayed Ceramic Coatings: Effects of Different Test Arrangements. *Journal of Thermal Spray Technology*, 24(3), 542-551. <https://doi.org/10.1007/s11666-014-0211-1>
- Ledentsov, N. N., Shchukin, V. A., Lyytikäinen, J., Okhotnikov, O., Cherkashin, N. A., Shernyakov, Y. M., ... Hoffmann, A. (2015). Green (In,Ga,Al)P-GaP light-emitting diodes grown on high-index GaAs surfaces. teoksessa *Proceedings of SPIE: Light-Emitting Diodes: Materials, Devices, and Applications for Solid State Lighting XIX* (Vuosikerta 9383). [93830E] SPIE. <https://doi.org/10.1117/12.2083953>
- Leinonen, T., Penttinen, J. P., Korpijärvi, V. M., Kantola, E., & Guina, M. (2015). >8W GaInNAs VECSEL emitting at 615 nm. teoksessa *Proceedings of SPIE: Vertical External Cavity Surface Emitting Lasers (VECSELs) V* (Vuosikerta 9349). [934909] SPIE. <https://doi.org/10.1117/12.2079162>
- Milanti, A., Koivuluoto, H., & Vuoristo, P. (2015). Influence of the Spray Gun Type on Microstructure and Properties of HVAF Sprayed Fe-Based Corrosion Resistant Coatings. *Journal of Thermal Spray Technology*, 24(7), 1312-1322. <https://doi.org/10.1007/s11666-015-0298-z>
- Borg, T., & Pääkkönen, E. J. (2015). Linear viscoelastic model for different flows based on control theory. *Applied Rheology*, 25(6), [64304]. <https://doi.org/10.3933/AppRheol-25-64304>
- Frosio, I., Egiazarian, K., & Pulli, K. (2015). Machine learning for adaptive bilateral filtering. teoksessa *Image Processing: Algorithms and Systems XIII* (Vuosikerta 9399). [939908] (Proceedings of SPIE - The International Society for Optical Engineering). SPIE. <https://doi.org/10.1117/12.2077733>
- Ye, C., Koponen, J., Aallos, V., Kokki, T., Petit, L., & Kimmelma, O. (2015). Measuring bend losses in large-mode-area fibers. teoksessa *Fiber Lasers XII: Technology, Systems, and Applications* (Vuosikerta 9344). [934425] SPIE. <https://doi.org/10.1117/12.2076813>
- Korpijärvi, V-M., Kantola, E. L., Leinonen, T., & Guina, M. (2015). Monolithic GaInNAsSb/GaAs VECSEL emitting at 1550 nm. teoksessa *SPIE conference proceedings* (Vuosikerta 9349). [93490D] SPIE. <https://doi.org/10.1117/12.2077517>
- Voronin, V. V., Frantc, V. A., Marchuk, V. I., Sherstobitov, A. I., & Egiazarian, K. (2015). No-reference visual quality assessment for image inpainting. teoksessa *Image Processing: Algorithms and Systems XIII* [93990U] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2076507>

Polojärvi, V., Pavelescu, E.-M., Schramm, A., Tukiainen, A., Aho, A., Puustinen, J., & Guina, M. (2015). Optical properties and thermionic emission in solar cells with InAs quantum dots embedded within GaNAs and GalnNAs. *Scripta Materialia*, 108, 122-125. <https://doi.org/10.1016/j.scriptamat.2015.06.033>

Heikkinen, J., Gumenyuk, R., Rantamäki, A., Lyytikäinen, J., Leinonen, T., Zolotovskii, I., ... Okhotnikov, O. G. (2015). Power and wavelength scaling using semiconductor disk laser - bismuth fiber MOPA systems. teoksessa M. Guina (Toimittaja), *Vertical External Cavity Surface Emitting Lasers (VECSELs) V* [93490E] (Proceedings of SPIE; Vuosikerta 9349). BELLINGHAM: SPIE. <https://doi.org/10.1117/12.2076805>

Suominen, O., & Gotchev, A. (2015). Preserving natural scene lighting by strobe-lit video. teoksessa *Image Processing: Algorithms and Systems XIII* [939919] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2185013>

Smirnov, S., & Gotchev, A. (2015). Real-time depth image-based rendering with layered dis-occlusion compensation and aliasing-free composition. teoksessa *Proceedings of SPIE - The International Society for Optical Engineering* [93990T] (SPIE Conference Proceedings; Vuosikerta 9399). SPIE. <https://doi.org/10.1117/12.2086895>

Mäkelä, J. M., Haapanen, J., Aromaa, M., Teisala, H., Tuominen, M., Stepien, M., ... Kuusipalo, J. (2015). Roll-to-roll coating by liquid flame spray nanoparticle deposition. teoksessa *Materials Research Society Symposium Proceedings* (Vuosikerta 1747, Sivut 37-42). MATERIALS RESEARCH SOCIETY. <https://doi.org/10.1557/opl.2015.530>

Stumpel, J. E., Gil, E. R., Spoelstra, A. B., Bastiaansen, C. W. M., Broer, D. J., & Schenning, A. P. H. J. (2015). Stimuli-Responsive Materials Based on Interpenetrating Polymer Liquid Crystal Hydrogels. *Advanced Functional Materials*, 25 (22), 3314–3320. <https://doi.org/10.1002/adfm.201500745>

Maximov, M. V., Kryzhanovskaya, N. V., Nadtochiy, A. M., Moiseev, E. I., Shostak, I. I., Bogdanov, A. A., ... Tommila, J. (2014). Ultrasmall microdisk and microring lasers based on InAs/InGaAs/GaAs quantum dots. *Nanoscale Research Letters*, 9(1), [657]. <https://doi.org/10.1186/1556-276X-9-657>

Kimionis, J., Georgiadis, A., Collado, A., & Tentzeris, M. M. (2014). Enhancement of RF tag backscatter efficiency with low-power reflection amplifiers. *IEEE Transactions on Microwave Theory and Techniques*, 62(12), 3562-3571. [6971048]. <https://doi.org/10.1109/TMTT.2014.2363835>

Song, X., Suhonen, T., Varis, T., Huang, L., Zheng, X., & Zeng, Y. (2014). Fabrication and Characterization of Amorphous Alumina-Yttria-Stabilized Zirconia Coatings by Air Plasma Spraying. *Journal of Thermal Spray Technology*, 23(8), 1302-1311. <https://doi.org/10.1007/s11666-014-0124-z>

Ojala, N., Valtonen, K., Heino, V., Kallio, M., Aaltonen, J., Siitonen, P., & Kuokkala, V. T. (2014). Effects of composition and microstructure on the abrasive wear performance of quenched wear resistant steels. *Wear*, 317(1-2), 225-232. <https://doi.org/10.1016/j.wear.2014.06.003>

Ball, J., Parra, F. I., Barnes, M., Dorland, W., Hammett, G. W., Rodrigues, P., & Loureiro, N. F. (2014). Intrinsic momentum transport in up-down asymmetric tokamaks. *PLASMA PHYSICS AND CONTROLLED FUSION*, 56(9), [095014]. <https://doi.org/10.1088/0741-3335/56/9/095014>

Lång, J. J. K., Punkkinen, M. P. J., Tuominen, M., Hedman, H. P., Vähä-Heikkilä, M., Polojärvi, V., ... Kokko, K. (2014). Unveiling and controlling the electronic structure of oxidized semiconductor surfaces: Crystalline oxidized InSb(100)(1 × 2)-O: Crystalline oxidized InSb(100)(1 × 2)-O. *Physical Review B*, 90(4), 1-9. [045312]. <https://doi.org/10.1103/PhysRevB.90.045312>

Okša, M., Varis, T., & Ruusuvoori, K. (2014). Performance testing of iron based thermally sprayed HVOF coatings in a biomass-fired fluidised bed boiler. *Surface and Coatings Technology*, 251, 191-200. <https://doi.org/10.1016/j.surfcoat.2014.04.025>

Pluhařová, E., Fischer, H. E., Mason, P. E., & Jungwirth, P. (2014). Hydration of the chloride ion in concentrated aqueous solutions using neutron scattering and molecular dynamics. *Molecular Physics*, 112(9-10), 1230-1240. <https://doi.org/10.1080/00268976.2013.875231>

Ghabchi, A., Sampath, S., Holmberg, K., & Varis, T. (2014). Damage mechanisms and cracking behavior of thermal sprayed WC-CoCr coating under scratch testing. *Wear*, 313(1-2), 97-105. <https://doi.org/10.1016/j.wear.2014.02.017>

Ciranna, A., Ferrari, R., Santala, V., & Karp, M. (2014). Inhibitory effects of substrate and soluble end products on biohydrogen production of the alkalithermophile *Caloramator celer*: Kinetic, metabolic and transcription analyses. *International Journal of Hydrogen Energy*, 39(12), 6391-6401. <https://doi.org/10.1016/j.ijhydene.2014.02.047>

Priimagi, A., & Shevchenko, A. (2014). Azopolymer-based micro- and nanopatterning for photonic applications. *Journal of Polymer Science. Part B, Polymer Physics*, 52(3), 163-182. <https://doi.org/10.1002/polb.23390>

Ma, L., Jackson, K. A., Wang, J., Horoi, M., & Jellinek, J. (2014). Investigating the metallic behavior of Na clusters using site-specific polarizabilities. *Physical Review B*, 89(3), [035429]. <https://doi.org/10.1103/PhysRevB.89.035429>

Sorianello, V., Colace, L., Rajamani, S., & Assanto, G. (2014). Design and simulation of optically controlled field effect transistors. *Physica Status Solidi C*, 11(1), 81-84. <https://doi.org/10.1002/pssc.201300128>

Sorianello, V., De Iacovo, A., Colace, L., Fabbri, A., Tortora, L., & Assanto, G. (2014). Spin-on-dopant phosphorus diffusion in germanium thin films for near-infrared detectors. *Physica Status Solidi C*, 11(1), 57-60. <https://doi.org/10.1002/pssc.201300114>

Traille, A., Kim, S., Coustou, A., Aubert, H., & Tentzeris, M. M. (2014). A conformal/rollable monolithic miniaturized ultra-portable ground penetrating radar using additive and inkjet printing. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848398] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848398>

Wang, J., & Ray, A. K. (2014). A full-potential linearized augmented plane wave study of the interaction of CO₂ with α -Pu (020) surface nanolayers. *Journal of Computational and Theoretical Nanoscience*, 11(7), 1710-1717. <https://doi.org/10.1166/jctn.2014.3555>

Sand, A., & Rakkolainen, I. (2014). A hand-held immaterial volumetric display. teoksessa *Proceedings of SPIE-IS and T Electronic Imaging - Stereoscopic Displays and Applications XXV* (Vuosikerta 9011). [90110Q] SPIE. <https://doi.org/10.1117/12.2035280>

Kimionis, J., Georgiadis, A., Kim, S., Collado, A., Niotaki, K., & Tentzeris, M. M. (2014). An enhanced-range RFID tag using an ambient energy powered reflection amplifier. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848653] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848653>

Kim, S., Aubert, H., & Tentzeris, M. M. (2014). An inkjet-printed flexible broadband coupler in substrate integrated waveguide (SIW) technology for sensing, RFID and communication applications. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848580] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848580>

Yao, S., Georgakopoulos, S. V., Cook, B., & Tentzeris, M. (2014). A novel reconfigurable origami accordion antenna. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848571] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848571>

Cho, C., Yi, X., Wang, Y., Tentzeris, M. M., & Leon, R. T. (2014). Compressive strain measurement using RFID patch antenna sensors. teoksessa *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2014* (Vuosikerta 9061). [90610X] SPIE. <https://doi.org/10.1117/12.2045122>

Rasappa, S., Borah, D., Senthamaraiyannan, R., Faulkner, C. C., Holmes, J. D., & Morris, M. A. (2014). Fabrication of 3-D nanodimensioned electric double layer capacitor structures using block copolymer templates. *Journal Nanoscience and Nanotechnology*, 14(7), 5221-5227. <https://doi.org/10.1166/jnn.2014.8668>

Varis, T., Suhonen, T., Ghabchi, A., Valarezo, A., Sampath, S., Liu, X., & Hannula, S. P. (2014). Formation mechanisms, structure, and properties of HVOF-sprayed WC-CoCr coatings: An approach toward process maps. *Journal of Thermal Spray Technology*, 23(6), 1009-1018. <https://doi.org/10.1007/s11666-014-0110-5>

Tehrani, B. K., Bitto, J., Cook, B. S., & Tentzeris, M. M. (2014). Fully inkjet-printed multilayer microstrip and T-resonator structures for the RF characterization of printable materials and interconnects. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848664] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848664>

Vyas, R. J., Bitto, J., Kim, S., & Tentzeris, M. M. (2014). Harvesting wireless signals from two-way talk-radios to power smart meters and displays. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848669] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848669>

Cook, B. S., Mariotti, C., Cooper, J. R., Revier, D., Tehrani, B. K., Aluigi, L., ... Tentzeris, M. M. (2014). Inkjet-printed, vertically-integrated, high-performance inductors and transformers on flexible LCP substrate. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848575] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848575>

Ye, C., Koponen, J., Aallos, V., Petit, L., Kimmelma, O., & Kokki, T. (2014). Mode coupling in few-mode large-mode-area fibers. teoksessa *Fiber Lasers XI: Technology, Systems, and Applications* (Vuosikerta 8961). [89612W] SPIE. <https://doi.org/10.1117/12.2038575>

Stumpel, J. E., Broer, D. J., Bastiaansen, C. W. M., & Schenning, A. P. H. J. (2014). Optical and topographic changes in water-responsive patterned cholesteric liquid crystalline polymer coatings. teoksessa *Proceedings of SPIE: Organic Photonics VI* (Vuosikerta 9137). [91370U] (Proceedings of SPIE: the International Society for Optical Engineering). SPIE. <https://doi.org/10.1117/12.2052678>

Kantola, E., Leinonen, T., Ranta, S., Tavast, M., & Guina, M. (2014). Pulsed high-power yellow-orange VECSEL. teoksessa *Photonics Europe 2014, Semiconductor Lasers and Laser Dynamics VI, April 14-17, 2014, Brussels, Belgium. Proceedings of SPIE* (Vuosikerta 9134). [91340Z] (SPIE Conference Proceedings; Vuosikerta 9134). SPIE. <https://doi.org/10.1117/12.2054716>

Liu, X., Yao, S., Georgakopoulos, S. V., Cook, B. S., & Tentzeris, M. M. (2014). Reconfigurable helical antenna based on an origami structure for wireless communication system. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848553] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848553>

Mokarian-Tabari, P., Cummins, C., Rasappa, S., Simao, C., Torres, C. M. S., Holmes, J. D., & Morris, M. A. (2014). Study of the kinetics and mechanism of rapid self-assembly in block copolymer thin films during solvo-microwave annealing. *Langmuir*, 30(35), 10728-10739. <https://doi.org/10.1021/la503137q>

Mylläri, V., Ruoko, T. P., & Järvelä, P. (2014). The effects of UV irradiation to polyetheretherketone fibres: Characterization by different techniques. *Polymer Degradation and Stability*, 109, 278-284. <https://doi.org/10.1016/j.polyimdegradstab.2014.08.003>

Cooper, J. R., Cook, B. S., & Tentzeris, M. M. (2014). The first hardware-based, anti-collision methodology for frequency doubling transceivers for RFID and wireless sensing applications. teoksessa *2014 IEEE MTT-S International Microwave Symposium, IMS 2014* [6848626] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/MWSYM.2014.6848626>

Wang, Q., Sun, Z., Rotenberg, E., Ronning, F., Bauer, E. D., Lin, H., ... Dessau, D. S. (2013). Symmetry-broken electronic structure and uniaxial Fermi surface nesting of untwinned CaFe₂As₂. *Physical Review B*, *88*(23), [235125]. <https://doi.org/10.1103/PhysRevB.88.235125>

Cook, B. S., Cooper, J. R., & Tentzeris, M. M. (2013). An inkjet-printed microfluidic rfid-enabled platform for wireless lab-on-chip applications. *IEEE Transactions on Microwave Theory and Techniques*, *61*(12), 4714-4723. [6670712]. <https://doi.org/10.1109/TMTT.2013.2287478>

Diban, N., Haimi, S. P., Bolhuis-Versteeg, L., Teixeira, S., Miettinen, S., Poot, A. A., ... Stamatialis, D. (2013). Effect of surface morphology of poly(ϵ -caprolactone) scaffolds on adipose stem cell adhesion and proliferation. *Macromolecular symposia*, *334*(1), 126-132. <https://doi.org/10.1002/masy.201300106>

Gebraad, A. W. H., Miettinen, S., Grijpma, D. W., & Haimi, S. P. (2013). Human adipose stem cells in chondrogenic differentiation medium without growth factors differentiate towards annulus fibrosus phenotype in vitro. *Macromolecular symposia*, *334*(1), 49-56. <https://doi.org/10.1002/masy.201300104>

German, S. J., Behbahani, M., Miettinen, S., Grijpma, D. W., & Haimi, S. P. (2013). Proliferation and differentiation of adipose stem cells towards smooth muscle cells on poly(trimethylene carbonate) membranes. *Macromolecular symposia*, *334*(1), 133-142. <https://doi.org/10.1002/masy.201300100>

Kivistö, A., Santala, V., & Karp, M. (2013). Non-sterile process for biohydrogen and 1,3-propanediol production from raw glycerol. *International Journal of Hydrogen Energy*, *38*(27), 11749-11755. <https://doi.org/10.1016/j.ijhydene.2013.06.119>

Seppälä, J. J., Larjo, A., Aho, T., Yli-Harja, O., Karp, M. T., & Santala, V. (2013). Prospecting hydrogen production of *Escherichia coli* by metabolic network modeling. *International Journal of Hydrogen Energy*, *38*(27), 11780-11789. <https://doi.org/10.1016/j.ijhydene.2013.07.002>

Yi, X., Cho, C., Cooper, J., Wang, Y., Tentzeris, M. M., & Leon, R. T. (2013). Passive wireless antenna sensor for strain and crack sensing - Electromagnetic modeling, simulation, and testing. *Smart Materials and Structures*, *22*(8), [085009]. <https://doi.org/10.1088/0964-1726/22/8/085009>

Borah, D., Rasappa, S., Sentharamaikkannan, R., Holmes, J. D., & Morris, M. A. (2013). Tuning PDMS brush chemistry by UV-O₃ exposure for PS-b-PDMS microphase separation and directed self-assembly. *Langmuir*, *29*(28), 8959-8968. <https://doi.org/10.1021/la401561k>

Cook, B. S., Cooper, J. R., & Tentzeris, M. M. (2013). Multi-layer RF capacitors on flexible substrates utilizing inkjet printed dielectric polymers. *IEEE Microwave and Wireless Components Letters*, *23*(7), 353-355. [6528029]. <https://doi.org/10.1109/LMWC.2013.2264658>

Gordon, T. R., Paik, T., Klein, D. R., Naik, G. V., Caglayan, H., Boltasseva, A., & Murray, C. B. (2013). Shape-dependent plasmonic response and directed self-assembly in a new semiconductor building block, indium-doped cadmium oxide (ICO). *Nano Letters*, *13*(6), 2857-2863. <https://doi.org/10.1021/nl4012003>

Thomann, O., Pihlatie, M., Rautanen, M., Himanen, O., Lagerbom, J., Mäkinen, M., ... Kiviaho, J. (2013). Development and application of HVOF sprayed spinel protective coating for SOFC interconnects. *Journal of Thermal Spray Technology*, *22*(5), 631-639. <https://doi.org/10.1007/s11666-012-9880-9>

Oksa, M., Tuurna, S., & Varis, T. (2013). Increased lifetime for biomass and waste to energy power plant boilers with HVOF coatings: High temperature corrosion testing under chlorine-containing molten salt. *Journal of Thermal Spray Technology*, *22*(5), 783-796. <https://doi.org/10.1007/s11666-013-9928-5>

Pelto, J. M., Haimi, S. P., Siljander, A. S., Miettinen, S. S., Tappura, K. M., Higgins, M. J., & Wallace, G. G. (2013). Surface properties and interaction forces of biopolymer-doped conductive polypyrrole surfaces by atomic force microscopy. *Langmuir*, *29*(20), 6099-6108. <https://doi.org/10.1021/la4009366>

- McManamon, C., Delaney, P., Kavanagh, C., Wang, J. J., Rasappa, S., & Morris, M. A. (2013). Depth profiling of PLGA copolymer in a novel biomedical bilayer using confocal raman spectroscopy. *Langmuir*, *29*(19), 5905-5910. <https://doi.org/10.1021/la400402a>
- Roop, S., Das, A., Stöckelhuber, K. W., Wang, D. Y., Galiatsatos, V., & Heinrich, G. (2013). Understanding the reinforcing behavior of expanded clay particles in natural rubber compounds. *Soft Matter*, *9*(14), 3798-3808. <https://doi.org/10.1039/c3sm27519a>
- Cochrane, C., Mordon, S. R., Lesage, J. C., & Koncar, V. (2013). New design of textile light diffusers for photodynamic therapy. *Materials Science and Engineering C: Materials for Biological Applications*, *33*(3), 1170-1175. <https://doi.org/10.1016/j.msec.2012.12.007>
- Borah, D., Ozmen, M., Rasappa, S., Shaw, M. T., Holmes, J. D., & Morris, M. A. (2013). Molecularly functionalized silicon substrates for orientation control of the microphase separation of PS-b-PMMA and PS-b-PDMS block copolymer systems. *Langmuir*, *29*(9), 2809-2820. <https://doi.org/10.1021/la304140q>
- Barboza, R., Bortolozzo, U., Assanto, G., & Residori, S. (2013). Optical vortex generation in nematic liquid crystal light valves. *Molecular Crystals and Liquid Crystals*, *572*(1), 24-30. <https://doi.org/10.1080/15421406.2012.763206>
- Pitkänen, H., Alatalo, M., Puisto, A., Ropo, M., Kokko, K., & Vitos, L. (2013). Ab initio study of the surface properties of austenitic stainless steel alloys. *Surface Science*, *609*, 190-194. <https://doi.org/10.1016/j.susc.2012.12.007>
- Wang, J., Ma, L., & Wang, G. (2013). Adsorption behavior and electronic properties of Pd_n (n ≤ 10) clusters on silicon carbide nanotubes: A first-principles study. *Journal of Physics: Condensed Matter*, *25*(8), [085302]. <https://doi.org/10.1088/0953-8984/25/8/085302>
- Farman, A. T., Hong, S. H., Caglayan, H., Ye, X., Diroll, B. T., Paik, T., ... Kagan, C. R. (2013). Chemically tailored dielectric-to-metal transition for the design of metamaterials from nanoimprinted colloidal nanocrystals. *Nano Letters*, *13*(2), 350-357. <https://doi.org/10.1021/nl303161d>
- Wang, H., Feng, Y., Zhao, H., Fang, Z., Khan, M., & Guo, J. (2013). A potential nonthrombogenic small-diameter vascular scaffold with polyurethane/poly(ethylene glycol) hybrid materials by electrospinning technique. *Journal Nanoscience and Nanotechnology*, *13*(2), 1578-1582. <https://doi.org/10.1166/jnn.2013.6051>
- Ma, L., & Ray, A. K. (2013). Growth behavior and magnetic properties of spherical uranium oxide nanoclusters. *Journal of Computational and Theoretical Nanoscience*, *10*(2), 334-340. <https://doi.org/10.1166/jctn.2013.2701>
- Quan, X., Li, R., & Tentzeris, M. M. (2013). A broadband omnidirectional circularly polarized antenna. *IEEE Transactions on Antennas and Propagation*, *61*(5), 2363-2370. [6401161]. <https://doi.org/10.1109/TAP.2012.2237532>
- De Paolis, R., Le, T., Coccetti, F., Monti, G., Tarricone, L., Tentzeris, M. M., & Plana, R. (2013). A novel circuit model of nanotechnology-enabled inkjet-printed gas sensors using multi-wall carbon nanotubes. teoksessa *2013 IEEE MTT-S International Microwave Symposium Digest, MTT 2013* [6697790] <https://doi.org/10.1109/MWSYM.2013.6697790>
- Kim, S., Cook, B., Cooper, J., Traille, A., Georgiadis, A., Aubert, H., & Tentzeris, M. M. (2013). A novel dual-band retro-directive reflector array on paper utilizing Substrate Integrated Waveguide (SIW) and inkjet printing technologies for chipless RFID tag and sensor applications. teoksessa *2013 IEEE MTT-S International Microwave Symposium Digest, MTT 2013* [6697704] <https://doi.org/10.1109/MWSYM.2013.6697704>
- Cook, B. S., Cooper, J. R., Kim, S., & Tentzeris, M. M. (2013). A novel inkjet-printed passive microfluidic RFID-based sensing platform. teoksessa *2013 IEEE MTT-S International Microwave Symposium Digest, MTT 2013* [6697592] <https://doi.org/10.1109/MWSYM.2013.6697592>

Vyas, R., Cook, B., Kawahara, Y., & Tentzeris, M. (2013). A self-sustaining, autonomous, wireless-sensor beacon powered from long-range, ambient, RF energy. *teoksessa 2013 IEEE MTT-S International Microwave Symposium Digest, MTT 2013* [6697786] <https://doi.org/10.1109/MWSYM.2013.6697786>

Naishadham, K., Li, R., Yang, L., Wu, T., Hunsicker, W., & Tentzeris, M. (2013). A shared-aperture dual-band planar array with self-similar printed folded dipoles. *IEEE Transactions on Antennas and Propagation*, 61(2), 606-613. [6291750]. <https://doi.org/10.1109/TAP.2012.2216491>

Bajas, H., Ambrosio, G., Anerella, M., Bajko, M., Bossert, R., Caspi, S., ... Yu, M. (2013). Cold test results of the LARP HQ Nb₃Sn quadrupole magnet at 1.9 K. *IEEE Transactions on Applied Superconductivity*, 23(3), [4002606]. <https://doi.org/10.1109/TASC.2013.2245281>

Yi, X., Cho, C., Cook, B., Wang, Y., Tentzeris, M. M., & Leon, R. T. (2013). Design and simulation of a slotted patch antenna sensor for wireless strain sensing. *teoksessa Nondestructive Characterization for Composite Materials, Aerospace Engineering, Civil Infrastructure, and Homeland Security 2013* (Vuosikerta 8694). [86941J] <https://doi.org/10.1117/12.2009233>

Vyas, R. J., Cook, B. B., Kawahara, Y., & Tentzeris, M. M. (2013). E-WEHP: A batteryless embedded sensor-platform wirelessly powered from ambient digital-TV signals. *IEEE Transactions on Microwave Theory and Techniques*, 61(6), 2491-2505. [6513298]. <https://doi.org/10.1109/TMTT.2013.2258168>

Kim, S., Kawahara, Y., Georgiadis, A., Collado, A., & Tentzeris, M. M. (2013). Low-cost inkjet-printed fully passive RFID tags using metamaterial-inspired antennas for capacitive sensing applications. *teoksessa 2013 IEEE MTT-S International Microwave Symposium Digest, MTT 2013* [6697644] <https://doi.org/10.1109/MWSYM.2013.6697644>

Ronkainen, H., Kanerva, U., Varis, T., Ruusuvuori, K., Turunen, E., Peräntie, J., ... Jantunen, H. (2013). Materials for electronics by thermal spraying. *teoksessa Physical and Numerical Simulation of Materials Processing VII* (Vuosikerta 762, Sivut 451-456). (Materials Science Forum; Vuosikerta 762). <https://doi.org/10.4028/www.scientific.net/MSF.762.451>

Alatalo, M., Pitkänen, H., Ropo, M., Kokko, K., & Vitos, L. (2013). Modeling of steels and steel surfaces using quantum mechanical first principles methods. *teoksessa Physical and Numerical Simulation of Materials Processing VII* (Vuosikerta 762, Sivut 445-450). (Materials Science Forum; Vuosikerta 762). <https://doi.org/10.4028/www.scientific.net/MSF.762.445>

Kim, S., Mariotti, C., Alimenti, F., Mezzanotte, P., Georgiadis, A., Collado, A., ... Tentzeris, M. M. (2013). No battery required: Perpetual rfid-enabled wireless sensors for cognitive intelligence applications. *IEEE Microwave Magazine*, 14 (5), 66-77. [6556093]. <https://doi.org/10.1109/MMM.2013.2259398>

Cook, B. S., Le, T., Palacios, S., Traille, A., & Tentzeris, M. M. (2013). Only skin deep: Inkjet-printed zero-power sensors for large-scale RFID-integrated smart skins. *IEEE Microwave Magazine*, 14(3), 103-114. [6492192]. <https://doi.org/10.1109/MMM.2013.2240855>

Wang, H., Feng, Y., Fang, Z., Yuan, W., & Khan, M. (2012). Co-electrospun blends of PU and PEG as potential biocompatible scaffolds for small-diameter vascular tissue engineering. *Materials Science and Engineering C: Materials for Biological Applications*, 32(8), 2306-2315. <https://doi.org/10.1016/j.msec.2012.07.001>

Mahimwalla, Z., Yager, K. G., Mamiya, J. I., Shishido, A., Priimagi, A., & Barrett, C. J. (2012). Azobenzene photomechanics: Prospects and potential applications. *Polymer Bulletin*, 69(8), 967-1006. <https://doi.org/10.1007/s00289-012-0792-0>

Kapgate, B. P., Das, C., Das, A., Basu, D., Reuter, U., & Heinrich, G. (2012). Effect of sol-gel derived in situ silica on the morphology and mechanical behavior of natural rubber and acrylonitrile butadiene rubber blends. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*, 63(3), 501-509. <https://doi.org/10.1007/s10971-012-2812-9>

Vikholm-Lundin, I., Auer, S., Paakkunainen, M., Määttä, J. A. E., Munter, T., Leppiniemi, J., ... Tappura, K. (2012). Cysteine-tagged chimeric avidin forms high binding capacity layers directly on gold. *Sensors and Actuators B: Chemical*, 171-172, 440-448. <https://doi.org/10.1016/j.snb.2012.05.008>

Serak, S. V., Tabiryani, N. V., & Assanto, G. (2012). Nematicons in azobenzene liquid crystals. *Molecular Crystals and Liquid Crystals*, 559, 202-213. <https://doi.org/10.1080/15421406.2012.658710>

Ananthasayanam, B., Joseph, P. F., Joshi, D., Gaylord, S., Petit, L., Blouin, V. Y., ... Tardiff, M. (2012). Final shape of precision molded optics: Part II - Validation and sensitivity to material properties and process parameters. *JOURNAL OF THERMAL STRESSES*, 35(7), 614-636. <https://doi.org/10.1080/01495739.2012.674838>

Priimagi, A., Cavallo, G., Forni, A., Gorynsztejn-Leben, M., Kaivola, M., Metrangolo, P., ... Terraneo, G. (2012). Halogen bonding versus hydrogen bonding in driving self-assembly and performance of light-responsive supramolecular polymers. *Advanced Functional Materials*, 22(12), 2572-2579. <https://doi.org/10.1002/adfm.201200135>

Ananthasayanam, B., Joseph, P. F., Joshi, D., Gaylord, S., Petit, L., Blouin, V. Y., ... Tardiff, M. (2012). Final shape of precision molded optics: Part I - Computational approach, material definitions and the effect of lens shape. *JOURNAL OF THERMAL STRESSES*, 35(6), 550-578. <https://doi.org/10.1080/01495739.2012.674830>

Subramaniam, K., Das, A., Häußler, L., Harnisch, C., Stöckelhuber, K. W., & Heinrich, G. (2012). Enhanced thermal stability of polychloroprene rubber composites with ionic liquid modified MWCNTs. *Polymer Degradation and Stability*, 97(5), 776-785. <https://doi.org/10.1016/j.polymdegradstab.2012.02.001>

Morrison, J. T., Storm, M., Chowdhury, E., Akli, K. U., Feldman, S., Willis, C., ... Freeman, R. R. (2012). Selective deuteron production using target normal sheath acceleration. *Physics of Plasmas*, 19(3), [030707]. <https://doi.org/10.1063/1.3695061>

Viitala, M., Kuisma, M., & Rantala, T. T. (2012). Physisorption of benzene on a tin dioxide surface: Van der Waals interaction. *Physical Review B*, 85(8), 1-5. [085412]. <https://doi.org/10.1103/PhysRevB.85.085412>

Vyas, R., Nishimoto, H., Tentzeris, M., Kawahara, Y., & Asami, T. (2012). A battery-less, energy harvesting device for long range scavenging of wireless power from terrestrial TV broadcasts. teoksessa *IMS 2012 - 2012 IEEE MTT-S International Microwave Symposium* [6259708] <https://doi.org/10.1109/MWSYM.2012.6259708>

Kim, S., Georgiadis, A., Collado, A., & Tentzeris, M. M. (2012). An inkjet-printed solar-powered wireless beacon on paper for identification and wireless power transmission applications. *IEEE Transactions on Microwave Theory and Techniques*, 60(12), 4178-4186. [6353235]. <https://doi.org/10.1109/TMTT.2012.2222922>

Lee, H., Kim, S., De Donno, D., & Tentzeris, M. M. (2012). A novel Universal inkjet-printed EBG-backed flexible RFID for rugged on-body and metal mounted applications. teoksessa *IMS 2012 - 2012 IEEE MTT-S International Microwave Symposium* [6259728] <https://doi.org/10.1109/MWSYM.2012.6259728>

Yang, D., Feng, Y., Behl, M., Lendlein, A., Zhao, H., Khan, M., & Guo, J. (2012). Biomimetic hemo-compatible surfaces of polyurethane by grafting copolymer brushes of poly(ethylene glycol) and poly(phosphorylcholine methacrylate). teoksessa *Multifunctional Polymer-Based Materials* (Vuosikerta 1403, Sivut 171-176) <https://doi.org/10.1557/opl.2012.702>

Borah, D., Rasappa, S., Kosmala, B., Holmes, J. D., & Morris, M. A. (2012). Block copolymer self-assembly on ethylene glycol (EG) self-assembled monolayer (SAM) for nanofabrication. teoksessa *Nanoscale Materials Modification by Photon, Ion, and Electron Beams* (Vuosikerta 1450, Sivut 8-13) <https://doi.org/10.1557/opl.2012.1224>

De Donno, D., Lakafosis, V., Tarricone, L., & Tentzeris, M. M. (2012). Increasing performance of SDR-based collision-free RFID systems. teoksessa *IMS 2012 - 2012 IEEE MTT-S International Microwave Symposium* [6259645] <https://doi.org/10.1109/MWSYM.2012.6259645>

Leuteritz, A., Kutlu, B., Meini, J., Wang, D., Das, A., Wagenknecht, U., & Heinrich, G. (2012). Layered Double Hydroxides (LDH): A multifunctional versatile system for nanocomposites. *Molecular Crystals and Liquid Crystals*, 556, 107-113. <https://doi.org/10.1080/15421406.2012.635923>

De Donno, D., Tarricone, L., Catarinucci, L., Lakafosis, V., & Tentzeris, M. M. (2012). Performance enhancement of the RFID EPC Gen2 protocol by exploiting collision re-recovery. *Progress in Electromagnetics Research B*, (43), 53-72.

Sane, N., Ford, J., Harris, A. I., & Bhattacharyya, S. S. (2012). Prototyping scalable digital signal processing systems for radio astronomy using dataflow models. *Radio Science*, 47(3), [RS3005]. <https://doi.org/10.1029/2011RS004924>

Yi, X., Vyas, R., Cho, C., Fang, C. H., Cooper, J., Wang, Y., ... Tentzeris, M. M. (2012). Thermal effects on a passive wireless antenna sensor for strain and crack sensing. teoksessa *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2012* (Vuosikerta 8345). [83450F] <https://doi.org/10.1117/12.914833>

Georgiadis, A., Collado, A., Kim, S., Lee, H., & Tentzeris, M. M. (2012). UHF solar powered active oscillator antenna on low cost flexible substrate for wireless identification applications. teoksessa *IMS 2012 - 2012 IEEE MTT-S International Microwave Symposium* [6259643] <https://doi.org/10.1109/MWSYM.2012.6259643>

Assanto, G., Marchant, T. R., Minzoni, A. A., & Smyth, N. F. (2011). Reorientational versus Kerr dark and gray solitary waves using modulation theory. *Physical Review E*, 84(6), [066602]. <https://doi.org/10.1103/PhysRevE.84.066602>

Kim, S. T., Choi, J., Chae, K., Beck, S., Kim, S. H., Bien, F., ... Tentzeris, M. M. (2011). A non-interruptive link-variation monitoring circuit for wireless sensor applications. *IEEE Microwave and Wireless Components Letters*, 21(12), 691-693. [6070987]. <https://doi.org/10.1109/LMWC.2011.2170828>

Zhang, T., Li, R., Jin, G., Wei, G., & Tentzeris, M. M. (2011). A novel multiband planar antenna for GSM/UMTS/LTE/Zigbee/RFID mobile devices. *IEEE Transactions on Antennas and Propagation*, 59(11), 4209-4214. [5979187]. <https://doi.org/10.1109/TAP.2011.2164201>

Pakarinen, O. M., Kaparaju, P. L. N., & Rintala, J. A. (2011). Hydrogen and methane yields of untreated, water-extracted and acid (HCl) treated maize in one- and two-stage batch assays. *International Journal of Hydrogen Energy*, 36(22), 14401-14407. <https://doi.org/10.1016/j.ijhydene.2011.08.028>

Zhong, W. P., Belić, M. R., & Assanto, G. (2011). Localized nonlinear wavepackets with radial-azimuthal modulated nonlinearity and an external potential. *Physica Scripta*, 84(5), [055001]. <https://doi.org/10.1088/0031-8949/84/05/055001>

Wang, J., & Ray, A. K. (2011). Adsorption and dissociation of molecular oxygen on α -Pu (0 2 0) surface: A density functional study. *Physica B: Condensed Matter*, 406(17), 3285-3294. <https://doi.org/10.1016/j.physb.2011.05.041>

Vikholm-Lundin, I., Auer, S., & Hellgren, A. C. (2011). Detection of 3,4-methylenedioxyamphetamine (MDMA, ecstasy) by displacement of antibodies. *Sensors and Actuators B: Chemical*, 156(1), 28-34. <https://doi.org/10.1016/j.snb.2011.03.069>

Uusitalo, M. A., Peltonen, J., & Ryhänen, T. (2011). Machine learning: How it can help nanocomputing. *Journal of Computational and Theoretical Nanoscience*, 8(8), 1347-1363. <https://doi.org/10.1166/jctn.2011.1821>

Ropo, M., Kokko, K., Airiskallio, E., Punkkinen, M. P. J., Hogmark, S., Kollr, J., ... Vitos, L. (2011). First-principles atomistic study of surfaces of Fe-rich Fe-Cr. *Journal of Physics: Condensed Matter*, 23(26), [265004]. <https://doi.org/10.1088/0953-8984/23/26/265004>

Assanto, G., Garca-Reimbert, C., Minzoni, A. A., Smyth, N. F., & Worthy, A. L. (2011). Lagrange solution for three wavelength solitary wave clusters in nematic liquid crystals. *Physica D: Nonlinear Phenomena*, 240(14-15), 1213-1219. <https://doi.org/10.1016/j.physd.2011.04.019>

Bottura, L., Bonasia, A., Borgnolutti, F., Gaertner, W., Le Naour, S., Oberli, L., ... Willering, G. (2011). Strand and cable R&D for fast cycled magnets at CERN. *IEEE Transactions on Applied Superconductivity*, 21(3 PART 2), 2354-2358. <https://doi.org/10.1109/TASC.2011.2105236>

Zhong, W. P., Belić, M., Assanto, G., & Huang, T. (2011). Three-dimensional spatiotemporal vector solitary waves. *JOURNAL OF PHYSICS B: ATOMIC MOLECULAR AND OPTICAL PHYSICS*, 44(9), [095403]. <https://doi.org/10.1088/0953-4075/44/9/095403>

Borah, D., Shaw, M. T., Rasappa, S., Farrell, R. A., O'Mahony, C., Faulkner, C. M., ... Morris, M. A. (2011). Plasma etch technologies for the development of ultra-small feature size transistor devices. *Journal of Physics D: Applied Physics*, 44(17), [174012]. <https://doi.org/10.1088/0022-3727/44/17/174012>

Ma, L., & Ray, A. K. (2011). An ab initio study of $\text{PuO}_{2\pm 0.25}$, $\text{UO}_{2\pm 0.25}$, and $\text{U}_0.5\text{Pu}_0.5\text{O}_{2\pm 0.25}$. *European Physical Journal B*, 81(1), 103-113. <https://doi.org/10.1140/epjb/e2011-10759-0>

Manna, M., & Mukhopadhyay, C. (2011). Molecular dynamics simulations of the interactions of kinin peptides with an anionic POPG bilayer. *Langmuir*, 27(7), 3713-3722. <https://doi.org/10.1021/la104046z>

Sorianello, V., Colace, L., Assanto, G., & Nardone, M. (2011). Micro-Raman characterization of Germanium thin films evaporated on various substrates. *Microelectronic Engineering*, 88(4), 492-495. <https://doi.org/10.1016/j.mee.2010.10.028>

Colace, L., Sorianello, V., Romagnoli, M., Socci, L., & Assanto, G. (2011). Optical power monitors in Ge monolithically integrated on SOI chips. *Microelectronic Engineering*, 88(4), 514-517. <https://doi.org/10.1016/j.mee.2010.10.033>

Sorianello, V., Colace, L., Assanto, G., Notargiacomo, A., Armani, N., Rossi, F., & Ferrari, C. (2011). Thermal evaporation of Ge on Si for near infrared detectors: Material and device characterization. *Microelectronic Engineering*, 88(4), 526-529. <https://doi.org/10.1016/j.mee.2010.09.024>

Potapov, I., Volkov, E., & Kuznetsov, A. (2011). Dynamics of coupled repressilators: The role of mRNA kinetics and transcription cooperativity. *Physical Review E*, 83(3), [031901]. <https://doi.org/10.1103/PhysRevE.83.031901>

Alimenti, F., Virili, M., Orecchini, G., Mezzanotte, P., Palazzari, V., Tentzeris, M. M., & Roselli, L. (2011). A new contactless assembly method for paper substrate antennas and UHF RFID chips. *IEEE Transactions on Microwave Theory and Techniques*, 59(3), 627-637. [5705525]. <https://doi.org/10.1109/TMTT.2010.2103210>

Lisjak, D., Lintunen, P., Hujanen, A., Varis, T., Bolelli, G., Lusvarghi, L., ... Drogenik, M. (2011). Hexaferrite/polyethylene Composite coatings prepared with flame spraying. *Materials Letters*, 65(3), 534-536. <https://doi.org/10.1016/j.matlet.2010.10.076>

Petelenz, P., & Kulig, W. (2011). Absorption profile and femtosecond intraband relaxation of the intense upper Davydov component in oligothiophenes. *Physica Status Solidi B: Basic Solid State Physics*, 248(2), 412-415. <https://doi.org/10.1002/pssb.201000640>

Lakafosis, V., Traille, A., Lee, H., Gebara, E., Tentzeris, M. M., Dejean, G. R., & Kirovski, D. (2011). RF fingerprinting physical objects for anticounterfeiting applications. *IEEE Transactions on Microwave Theory and Techniques*, 59(2), 504-514. [5676219]. <https://doi.org/10.1109/TMTT.2010.2095030>

Gupta, S. K., Wu, H. H., Kwak, K. J., Casal, P., Nicholson, T. R., Wen, X., ... Lee, S. C. (2011). Interfacial design and structure of protein/polymer films on oxidized AlGaN surfaces. *Journal of Physics D: Applied Physics*, 44(3), [34010]. <https://doi.org/10.1088/0022-3727/44/3/034010>

- Gilardi, G., Asquini, R., D'Alessandro, A., & Assanto, G. (2011). An electro-optically tunable Bragg reflector based on liquid crystals. *Molecular Crystals and Liquid Crystals*, 549, 62-68. <https://doi.org/10.1080/15421406.2011.581137>
- Lee, H., Shaker, G., Naishadham, K., Song, X., McKinley, M., Wagner, B., & Tentzeris, M. (2011). Carbon-nanotube loaded antenna-based ammonia gas sensor. *IEEE Transactions on Microwave Theory and Techniques*, 59(10 PART 2), 2665-2673. [6016223]. <https://doi.org/10.1109/TMTT.2011.2164093>
- De Paolis, R., Pacchini, S., Coccetti, F., Monti, G., Tarricone, L., Tentzeris, M. M., & Plana, R. (2011). Circuit model of carbon-nanotube inks for microelectronic and microwave tunable devices. *teoksessa 2011 IEEE MTT-S International Microwave Symposium, IMS 2011* [5972853] <https://doi.org/10.1109/MWSYM.2011.5972853>
- Occhiuzzi, C., Rida, A., Marrocco, G., & Tentzeris, M. M. (2011). CNT-based RFID passive gas sensor. *teoksessa 2011 IEEE MTT-S International Microwave Symposium, IMS 2011* [5972715] <https://doi.org/10.1109/MWSYM.2011.5972715>
- Thai, T. T., Aubert, H., Pons, P., Tentzeris, M. M., & Plana, R. (2011). Design of a highly sensitive wireless passive RF strain transducer. *teoksessa 2011 IEEE MTT-S International Microwave Symposium, IMS 2011* [5972980] <https://doi.org/10.1109/MWSYM.2011.5972980>
- Lagerbom, J., Ritvonen, T., Suhonen, T., & Varis, T. (2011). Gas atomized thermal spray powders of various metals and alloys. *teoksessa Proceedings of the Euro International Powder Metallurgy Congress and Exhibition, Euro PM 2011 (Vuosikerta 2)*. European Powder Metallurgy Association (EPMA).
- Sapaev, U. K., Yusupov, D. B., & Assanto, G. (2011). Multicolor nonlinear pulse compression by consecutive optical parametric amplification in quasi-phase matched structures. *teoksessa ICONO 2010: International Conference on Coherent and Nonlinear Optics (Vuosikerta 7993)*. [79930Q] <https://doi.org/10.1117/12.882887>
- Traille, A., & Tentzeris, M. M. (2011). Multi-resolution time-domain and level-set techniques for multi-domain/multi-physics/multi-phase simulations. *teoksessa 2011 IEEE MTT-S International Microwave Symposium, IMS 2011* [5972741] <https://doi.org/10.1109/MWSYM.2011.5972741>
- Occhiuzzi, C., Rida, A., Marrocco, G., & Tentzeris, M. (2011). RFID passive gas sensor integrating carbon nanotubes. *IEEE Transactions on Microwave Theory and Techniques*, 59(10 PART 2), 2674-2684. [6003806]. <https://doi.org/10.1109/TMTT.2011.2163416>
- Yi, X., Wu, T., Lantz, G., Wang, Y., Leon, R. T., & Tentzeris, M. M. (2011). Thickness variation study of RFID-based folded patch antennas for strain sensing. *teoksessa Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2011 (Vuosikerta 7981)*. [79811H] <https://doi.org/10.1117/12.879868>
- Orecchini, G., Yang, L., Tentzeris, M. M., & Roselli, L. (2011). Wearable battery-free active paper printed RFID tag with human-energy scavenger. *teoksessa 2011 IEEE MTT-S International Microwave Symposium, IMS 2011* [5972808] <https://doi.org/10.1109/MWSYM.2011.5972808>
- Rondin, L., Dantelle, G., Slablab, A., Grosshans, F., Treussart, F., Bergonzo, P., ... Roch, J. F. (2010). Surface-induced charge state conversion of nitrogen-vacancy defects in nanodiamonds. *Physical Review B*, 82(11), [115449]. <https://doi.org/10.1103/PhysRevB.82.115449>
- Dantelle, G., Slablab, A., Rondin, L., Lainé, F., Carrel, F., Bergonzo, P., ... Roch, J. F. (2010). Efficient production of NV colour centres in nanodiamonds using high-energy electron irradiation. *Journal of Luminescence*, 130(9), 1655-1658. <https://doi.org/10.1016/j.jlumin.2009.12.003>
- Emmert-Streib, F. (2010). Exploratory analysis of spatiotemporal patterns of cellular automata by clustering compressibility. *Physical Review E*, 81(2), [026103]. <https://doi.org/10.1103/PhysRevE.81.026103>

- Caglayan, H., & Özbay, E. (2010). Observation of cavity structures in composite metamaterials. *Journal of Nanophotonics*, 4(1), [041790]. <https://doi.org/10.1117/1.3475763>
- Emmert-Streib, F., & Dehmer, M. (2009). Fault tolerance of information processing in gene networks. *Physica A: Statistical Mechanics and Its Applications*, 388(4), 541-548. <https://doi.org/10.1016/j.physa.2008.10.032>
- Caglayan, H., Bulu, I., & Ozbay, E. (2009). Observation of off-axis directional beaming via subwavelength asymmetric metallic gratings. *Journal of Physics D: Applied Physics*, 42(4), [045105]. <https://doi.org/10.1088/0022-3727/42/4/045105>
- Caglayan, H., & Ozbay, E. (2009). The magical world of metamaterials. teoksessa *Photonic Materials, Devices, and Applications III* (Vuosikerta 7366). [73660X] (Proceedings of SPIE; Vuosikerta 7366). <https://doi.org/10.1117/12.821407>
- Caglayan, H., Bulu, I., Loncar, M., & Ozbay, E. (2008). Cavity formation in split ring resonators. *Photonics and Nanostructures - Fundamentals and Applications*, 6(3-4), 200-204. <https://doi.org/10.1016/j.photonics.2008.09.001>
- Papadimitriou, C., Kalimeri, M., & Eftaxias, K. (2008). Nonextensivity and universality in the earthquake preparation process. *Physical Review E*, 77(3), [036101]. <https://doi.org/10.1103/PhysRevE.77.036101>
- Özbay, E., Bulu, I., & Caglayan, H. (2007). Transmission, refraction, and focusing properties of labyrinth based left-handed metamaterials. *Physica Status Solidi (B) Basic Research*, 244(4), 1202-1210. <https://doi.org/10.1002/pssb.200674507>
- Bulu, I., Caglayan, H., & Ozbay, E. (2006). Designing materials with desired electromagnetic properties. *Microwave and Optical Technology Letters*, 48(12), 2611-2615. <https://doi.org/10.1002/mop.21988>
- Ozbay, E., Bulu, I., & Caglayan, H. (2006). Labyrinth based left-handed metamaterials and sub-wavelength focusing of electromagnetic waves. teoksessa *Photonic Crystal Materials and Devices IV* (Vuosikerta 6128). [612813] (Proceedings of SPIE; Vuosikerta 6128). <https://doi.org/10.1117/12.649548>
- Wojdyła, M., Bała, W., Derkowska, B., Łukasiak, Z., Czaplicki, R., Sofiani, Z., ... Sahraoui, B. (2006). Photoluminescence and third harmonic generation in ZnPc thin films. *Nonlinear Optics, Quantum Optics*, 35(1-3), 103-119.
- Bulu, I., Caglayan, H., & Ozbay, E. (2005). Negative refraction and focusing of electromagnetic waves by metallodielectric photonic crystals. *Physical Review B - Condensed Matter and Materials Physics*, 72(4), [045124]. <https://doi.org/10.1103/PhysRevB.72.045124>
- Ozbay, E., Bulu, I., Aydin, K., Caglayan, H., Alici, K. B., & Guven, K. (2005). Highly directive radiation and negative refraction using photonic crystals. *Laser Physics*, 15(2), 217-224.
- Söderlund, M., Koponen, J., Tammela, S., Philippov, V., & Po, H. (2005). Design considerations for large-mode-area polarization maintaining double clad fibers. teoksessa R. G. Driggers, & D. A. Huckridge (Toimittajat), *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 5987). [59870A] <https://doi.org/10.1117/12.630474>
- Caglayan, H., Bulu, I., & Ozbay, E. (2005). Highly directional enhanced radiation from sources embedded inside two and three-dimensional photonic crystals. teoksessa *Proceedings of SPIE* (Vuosikerta 5733, Sivut 131-141). (Proceedings of SPIE). SPIE. <https://doi.org/10.1117/12.587503>
- Payne, D. N., Jeong, Y., Nilsson, J., Sahu, J. K., Soh, D. B. S., Alegria, C., ... Turner, P. W. (2005). Kilowatt-class single-frequency fiber sources. teoksessa L. N. Durvasula, A. J. W. Brown, & J. Nilsson (Toimittajat), *Proceedings of SPIE - The International Society for Optical Engineering* (Vuosikerta 5709, Sivut 133-141). [22] <https://doi.org/10.1117/12.601145>
- Ozbay, E., Bulu, I., Aydin, K., Caglayan, H., & Guven, K. (2004). Physics and applications of photonic crystals. *Photonics and Nanostructures - Fundamentals and Applications*, 2(2), 87-95. <https://doi.org/10.1016/j.photonics.2004.08.001>

Bulu, I., Caglayan, H., & Ozbay, E. (2003). Radiation properties of sources inside photonic crystals. *Physical Review B - Condensed Matter and Materials Physics*, 67(20). <https://doi.org/10.1103/PhysRevB.67.205103>

Rantala, T. T., Rantala, T. S., & Lantto, V. (1999). Surface relaxation of the (110) face of rutile SnO₂. *Surface Science*, 420(1), 103-109. [https://doi.org/10.1016/S0039-6028\(98\)00833-4](https://doi.org/10.1016/S0039-6028(98)00833-4)

Valkealahti, S., & Manninen, M. (1998). Diffusion on aluminum-cluster surfaces and the cluster growth. *Physical Review B - Condensed Matter and Materials Physics*, 57(24), 15533-15540. <https://doi.org/10.1103/PhysRevB.57.15533>

Grigore, V., Hatonen, J., Kyyra, J., & Suntio, T. (1998). Dynamics of a buck converter with a constant power load. teoksessa *PESC 1998 - 29th Annual IEEE Power Electronics Specialists Conference* (Sivut 72-78). [701881] (PESC Record - IEEE Annual Power Electronics Specialists Conference; Vuosikerta 1). Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/PESC.1998.701881>

Valkealahti, S., & Manninen, M. (1997). Molecular dynamics simulation of crystallization of liquid copper clusters. *Journal of Physics Condensed Matter*, 9(20), 4041-4050. <https://doi.org/10.1088/0953-8984/9/20/004>

Lorimer, G. W., Dicken, R., Peura, P., Pilkington, R., Younes, C. M., Allen, G. C., & Holt, M. J. (1996). The effect of phosphorous and arsenic on the fracture behaviour of a 2,25% Cr-1% Mo Steel. *Materials Science Forum*, 207-209(PART 2), 645-648.

Rantala, T. T., Rantala, T. S., Lantto, V., & Vaara, J. (1996). Surface relaxation of the (1010) face of wurtzite CdS. *Surface Science*, 352-354, 77-82. [https://doi.org/10.1016/0039-6028\(95\)01094-7](https://doi.org/10.1016/0039-6028(95)01094-7)

Valkealahti, S., Näher, U., & Manninen, M. (1995). Epitaxial growth of fcc clusters. *Physical Review B*, 51(16), 11039-11042. <https://doi.org/10.1103/PhysRevB.51.11039>

Valkealahti, S., & Manninen, M. (1994). Simulation of cluster growth using a lattice gas model. *Physical Review B*, 50(23), 17564-17574. <https://doi.org/10.1103/PhysRevB.50.17564>

Valkealahti, S., & Manninen, M. (1992). Instability of cuboctahedral copper clusters. *Physical Review B*, 45(16), 9459-9462. <https://doi.org/10.1103/PhysRevB.45.9459>

Milne, D., Wilson, J. I. B., Rantala, T. T., & Lenkkeri, J. (1989). Morphological and structural changes in laser CVD of silicon: comparison of theoretical temperature calculations with experimental results. *Applied Surface Science*, 43(1-4), 81-86. [https://doi.org/10.1016/0169-4332\(89\)90194-3](https://doi.org/10.1016/0169-4332(89)90194-3)

Valkealahti, S., & Welch, D. O. (1989). Theoretical studies of structural properties of the high-T_c superconductor Y₁Ba₂Cu₃O_{7-x}. *Physica C: Superconductivity and its Applications*, 162-164(PART 1), 540-541. [https://doi.org/10.1016/0921-4534\(89\)91145-3](https://doi.org/10.1016/0921-4534(89)91145-3)

Levoska, J., Rantala, T. T., & Lenkkeri, J. (1989). Numerical simulation of temperature distributions in layered structures during laser processing. *Applied Surface Science*, 36(1-4), 12-22. [https://doi.org/10.1016/0169-4332\(89\)90895-7](https://doi.org/10.1016/0169-4332(89)90895-7)

Valkealahti, S., & Nieminen, R. M. (1987). Molecular dynamics investigation of the premelting effects of lennard-jones (111) surfaces. *Physica Scripta*, 36(4), 646-650. <https://doi.org/10.1088/0031-8949/36/4/007>

Mäkinen, J., Vehanen, A., Hautojärvi, P., Huomo, H., Lahtinen, J., Nieminen, R. M., & Valkealahti, S. (1986). Vacancy-type defect distributions near argon sputtered Al(100) surface studied by variable-energy positrons and molecular dynamics simulations. *Surface Science*, 175(2), 385-414. [https://doi.org/10.1016/0039-6028\(86\)90242-6](https://doi.org/10.1016/0039-6028(86)90242-6)

Rantala, T. T., Rosén, A., & Helsing, B. (1986). A Finite Cluster Approach to the Electron-Hole Pair Damping of the Adsorbate Vibration: CO Adsorbed on Cu(100). *Studies in Surface Science and Catalysis*, 26(C), 173-181. [https://doi.org/10.1016/S0167-2991\(09\)61238-6](https://doi.org/10.1016/S0167-2991(09)61238-6)

Rantala, T. T., & Rosén, A. (1986). Electronic damping of adsorbate motion: CO vibration on the Cu(100) surface. *Physical Review B*, 34(2), 837-842. <https://doi.org/10.1103/PhysRevB.34.837>

Vehanen, A., Mäkinen, J., Hautajarvi, P., Huomo, H., Lahtinen, J., Nieminen, R. M., & Valkealahti, S. (1985). Near-surface defect profiling with slow positrons: Argon-sputtered Al(110). *Physical Review B*, 32(11), 7561-7563. <https://doi.org/10.1103/PhysRevB.32.7561>

Rantala, T. T. (1983). Spin-density calculations for core-electron photoemission and Auger electron line shapes, x-ray-edge exponents, and solid-state shifts. *Physical Review B*, 28(6), 3182-3192. <https://doi.org/10.1103/PhysRevB.28.3182>

Rantala, T., Väyrynen, J., Kumpula, R., & Aksela, S. (1979). Direct measurement of the kinetic energy shift between the molecular and atomic M4.5N4.5N4.5 Auger spectra of iodine. *Chemical Physics Letters*, 66(2), 384-386. [https://doi.org/10.1016/0009-2614\(79\)85040-X](https://doi.org/10.1016/0009-2614(79)85040-X)

Kumpula, R., Väyrynen, J., Rantala, T., & Aksela, S. (1979). Direct measurement of vapour-metal shifts in photo- and Auger electron spectra of Zn and Cd. *Journal of physics c-Solid state physics*, 12(21), [001]. <https://doi.org/10.1088/0022-3719/12/21/001>

Pessa, M., Vuoristo, A., Vulli, M., Aksela, S., Väyrynen, J., Rantala, T., & Aksela, H. (1979). Solid-state effects in M4,5N4,5N4,5 Auger spectra of elements from In49 to Te52. *Physical Review B*, 20(8), 3115-3123. <https://doi.org/10.1103/PhysRevB.20.3115>