

Sutinen, M., Kontunen, A., Karjalainen, M., Kiiski, J., Hannus, J., Tolonen, T., ... Oksala, N. (2019). Identification of breast tumors from diathermy smoke by differential ion mobility spectrometry. *European Journal of Surgical Oncology*, 45(2), 141-146. <https://doi.org/10.1016/j.ejso.2018.09.005>

Hänninen, A., Salpavaara, T., Lyyra, I., Kroon, M., Lekkala, J., & Kellomäki, M. (2018). Bioresorbable Conductive Wire with Minimal Metal Content. *ACS Biomaterials Science & Engineering*, 5(2), 1134-1140. <https://doi.org/10.1021/acsbiomaterials.8b01292>

Santala, S., Efimova, E., & Santala, V. (2018). Dynamic decoupling of biomass and wax ester biosynthesis in *Acinetobacter baylyi* by an autonomously regulated switch. *Metabolic Engineering Communications*, 7, [e00078]. <https://doi.org/10.1016/j.mec.2018.e00078>

Lehtinen, T. (2018). *Solar Fuels and Chemicals: Engineering Bacterial Platform for the Production of Long-Chain Hydrocarbons from Carbon Dioxide and Electricity*. (Tampere University of Technology. Publication; Vuosikerta 1574). Tampere University of Technology.

Ryynänen, T., Pekkanen-Mattila, M., Shah, D., Kreutzer, J., Kallio, P., Lekkala, J., & Aalto-Setälä, K. (2018). Microelectrode array for noninvasive analysis of cardiomyocytes at the single-cell level. *Japanese Journal of Applied Physics*, 57(11), [117001]. <https://doi.org/10.7567/JJAP.57.117001>

Mehrang, S., Jauhiainen, M., Pietilä, J., Puustinen, J., Ruokolainen, J., & Nieminen, H. (2018). Identification of Parkinson's Disease Utilizing a Single Self-recorded 20-step Walking Test Acquired by Smartphone's Inertial Measurement Unit. teoksessa *40th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBC 2018* (Vuosikerta 2018-July, Sivut 2913-2916). [8512921] Institute of Electrical and Electronics Engineers Inc.. <https://doi.org/10.1109/EMBC.2018.8512921>

Tarniceriu, A., Harju, J., Yousefi, Z. R., Vehkaoja, A., Parak, J., Yli-Hankala, A., & Korhonen, I. (2018). The Accuracy of Atrial Fibrillation Detection from Wrist Photoplethysmography. A Study on Post-Operative Patients. teoksessa *40th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBC 2018* (Vuosikerta 2018-July, Sivut 4844-4847). [8513197] IEEE. <https://doi.org/10.1109/EMBC.2018.8513197>

Bermejo-Velasco, D., Varghese, O. P., P. Oommen, O., Hilborn, J., & Nawale, G. N. (2018). Thiazolidine chemistry revisited: a fast, efficient and stable click-type reaction at physiological pH. *Chemical Communications*, 12507-12510. <https://doi.org/10.1039/c8cc05405c>

Jääntti, V., Ylinen, T., Subramaniam, N. P., Kamata, K., Yli-Hankala, A., Kauppinen, P., & Sonkajärvi, E. (2018). Electroencephalographic signals during anesthesia recorded from surface and depth electrodes. *International Journal of Radiation Biology*, 94(10), 934-943. <https://doi.org/10.1080/09553002.2018.1478159>

Lehtinen, T., Virtanen, H., Santala, S., & Santala, V. (2018). Production of alkanes from CO<sub>2</sub> by engineered bacteria. *Biotechnology for Biofuels*, 11, [228]. <https://doi.org/10.1186/s13068-018-1229-2>

Salmela, M., Sanmark, H., Efimova, E., Efimov, A., Hytönen, V. P., Lamminmäki, U., ... Santala, V. (2018). Molecular tools for selective recovery and detection of lignin-derived molecules. *Green Chemistry*, 20(12), 2829-2839. <https://doi.org/10.1039/c8gc00490k>

Gumulya, Y., Boxall, N. J., Khaleque, H. N., Santala, V., Carlson, R. P., & Kaksonen, A. H. (2018). In a quest for engineering acidophiles for biomining applications: Challenges and opportunities. *Genes*, 9(2), [116]. <https://doi.org/10.3390/genes9020116>

Kainulainen, T. P., Sirviö, J. A., Sethi, J., Hukka, T. I., & Heiskanen, J. P. (2018). UV-Blocking Synthetic Biopolymer from Biomass-Based Bifuran Diester and Ethylene Glycol. *Macromolecules*, 51(5), 1822-1829. <https://doi.org/10.1021/acs.macromol.7b02457>

- Lehtinen, T., Efimova, E., Santala, S., & Santala, V. (2018). Improved fatty aldehyde and wax ester production by overexpression of fatty acyl-CoA reductases. *Microbial Cell Factories*, 17(1), [19]. <https://doi.org/10.1186/s12934-018-0869-z>
- Okonkwo, O., Lakaniemi, A-M., Santala, V., Karp, M., & Mangayil, R. (2018). Quantitative Real-time PCR Monitoring Dynamics Of Thermotoga Neapolitana In Synthetic Co-Culture For Biohydrogen Production. *International Journal of Hydrogen Energy*, 43(6), 3133-3141. <https://doi.org/10.1016/j.ijhydene.2017.12.002>
- Tienaho, J., Poikulainen, E., Sarjala, T., Muilu-Mäkelä, R., Santala, V., & Karp, M. (2018). A Bioscreening Technique for Ultraviolet Irradiation Protective Natural Substances. *Photochemistry and Photobiology*, 94(6), 1273-1280. <https://doi.org/10.1111/php.12954>
- Sippola, R. J., Hadipour, A., Kastinen, T., Vivo, P., Hukka, T. I., Aernouts, T., & Heiskanen, J. P. (2017). Carbazole-based small molecule electron donors: Syntheses, characterization, and material properties. *Dyes and Pigments*, 150, 79-88. [j.dyepig.2017.11.014]. <https://doi.org/10.1016/j.dyepig.2017.11.014>
- Lehtinen, T., Efimova, E., Tremblay, P. L., Santala, S., Zhang, T., & Santala, V. (2017). Production of long chain alkyl esters from carbon dioxide and electricity by a two-stage bacterial process. *Bioresource Technology*, 243, 30-36. <https://doi.org/10.1016/j.biortech.2017.06.073>
- Doan, P., Nguyen, T., Yli-Harja, O., Candeias, N. R., & Kandhavelu, M. (2017). Effect of alkylaminophenols on growth inhibition and apoptosis of bone cancer cells. *European Journal of Pharmaceutical Sciences*, 107, 208–216. <https://doi.org/10.1016/j.ejps.2017.07.016>
- Kaartinen, T., Laine-Ylijoki, J., Ahoranta, S., Korhonen, T., & Neitola, R. (2017). Arsenic Removal from Mine Waters with Sorption Techniques. *Mine Water and the Environment*, 36(2), 199-208. <https://doi.org/10.1007/s10230-017-0450-8>
- Kaksonen, A. H., Särkijärvi, S., Puhakka, J. A., Peuraniemi, E., Junnikkala, S., & Tuovinen, O. H. (2017). Solid phase changes in chemically and biologically leached copper smelter slag. *Minerals Engineering*, 106, 97-101. <https://doi.org/10.1016/j.mineng.2016.08.029>
- L.K. Sulonen, M., Lakaniemi, A-M., Kokko, M. E., & Puhakka, J. A. (2017). The effect of anode potential on bioelectrochemical and electrochemical tetrathionate degradation. *Bioresource Technology*, 226, 173-180. <https://doi.org/10.1016/j.biortech.2016.12.023>
- Kaksonen, A. H., Särkijärvi, S., Peuraniemi, E., Junnikkala, S., Puhakka, J. A., & Tuovinen, O. H. (2017). Metal biorecovery in acid solutions from a copper smelter slag. *Hydrometallurgy*, 168, 135-140. <https://doi.org/10.1016/j.hydromet.2016.08.014>
- Kannisto, M., Efimova, E., Karp, M., & Santala, V. (2016). Growth and wax ester production of an Acinetobacter baylyi ADP1 mutant deficient in exopolysaccharide capsule synthesis. *Journal of Industrial Microbiology and Biotechnology*, 1-7. <https://doi.org/10.1007/s10295-016-1872-1>
- Işildar, A., van de Vossenbergh, J., Rene, E. R., van Hullebusch, E. D., & Lens, P. N. L. (2016). Two-step bioleaching of copper and gold from discarded printed circuit boards (PCB). *Waste Management*, 57, 149–157. <https://doi.org/10.1016/j.wasman.2015.11.033>
- Di Capua, F., Ahoranta, S. H., Papirio, S., Lens, P. N. L., & Esposito, G. (2016). Impacts of sulfur source and temperature on sulfur-driven denitrification by pure and mixed cultures of Thiobacillus. *Process Biochemistry*, 51(10), 1576-1584. <https://doi.org/10.1016/j.procbio.2016.06.010>
- Keipi, T., Tolvanen, K. E. S., Tolvanen, H., & Konttinen, J. (2016). Thermo-catalytic decomposition of methane: The effect of reaction parameters on process design and the utilization possibilities of the produced carbon. *Energy Conversion and Management*, 126, 923-934. <https://doi.org/10.1016/j.enconman.2016.08.060>

Tampio, E., Marttinen, S., & Rintala, J. (2016). Liquid fertilizer products from anaerobic digestion of food waste: Mass, nutrient and energy balance of four digestate liquid treatment systems. *Journal of Cleaner Production*, 125, 22–32. <https://doi.org/10.1016/j.jclepro.2016.03.127>

Dessi, P., Jain, R., Singh, S., Seder-Colomina, M., van Hullebusch, E. D., Rene, E. R., ... Lens, P. N. L. (2016). Effect of temperature on selenium removal from wastewater by UASB reactors. *Water Research*, 94, 146-154. <https://doi.org/10.1016/j.watres.2016.02.007>

Mal, J., Nancharaiah, Y. V., Van Hullebusch, E. D., & Lens, P. N. L. (2016). Metal chalcogenide quantum dots: Biotechnological synthesis and applications. *RSC Advances*, 6(47), 41477-41495. <https://doi.org/10.1039/c6ra08447h>

Butti, S. K., Velvizhi, G., Sulonen, M. L. K., Haavisto, J. M., Oguz Koroglu, E., Yusuf Cetinkaya, A., ... Venkata Mohan, S. (2016). Microbial electrochemical technologies with the perspective of harnessing bioenergy: Maneuvering towards upscaling. *Renewable and Sustainable Energy Reviews*, 53, 462-476. <https://doi.org/10.1016/j.rser.2015.08.058>

Tolvanen, H., Keipi, T., & Raiko, R. (2016). A study on raw, torrefied, and steam-exploded wood: Fine grinding, drop-tube reactor combustion tests in N<sub>2</sub>/O<sub>2</sub> and CO<sub>2</sub>/O<sub>2</sub> atmospheres, particle geometry analysis, and numerical kinetics modeling. *Fuel*, 176, 153-164. <https://doi.org/10.1016/j.fuel.2016.02.071>

Kaksonen, A. H., Särkijärvi, S., Puhakka, J. A., Peuraniemi, E., Junnikkala, S., & Tuovinen, O. H. (2016). Chemical and bacterial leaching of metals from a smelter slag in acid solutions. *Hydrometallurgy*, 159, 46-53. <https://doi.org/10.1016/j.hydromet.2015.10.032>

Jaatinen, S., Lakaniemi, A.-M., & Rintala, J. (2016). Use of diluted urine for cultivation of *Chlorella vulgaris*. *Environmental Technology*, 37(9), 1159-1170. <https://doi.org/10.1080/09593330.2015.1105300>

George Abraham, B. (2015). *Fluorescent Protein Toolbox: Protein Engineering Broadens the Range of in vitro and in vivo Applications of Fluorescent Proteins*. (Tampere University of Technology. Publication; Vuosikerta 1351). Tampere University of Technology.

Marjakangas, J. M., Chen, C. Y., Lakaniemi, A. M., Puhakka, J. A., Whang, L. M., & Chang, J. S. (2015). Simultaneous nutrient removal and lipid production with *Chlorella vulgaris* on sterilized and non-sterilized anaerobically pretreated piggery wastewater. *Biochemical Engineering Journal*, 103, 177-184. <https://doi.org/10.1016/j.bej.2015.07.011>

Marjakangas, J. M., Chen, C.-Y., Lakaniemi, A.-M., Puhakka, J. A., Whang, L.-M., & Chang, J.-S. (2015). Selecting an indigenous microalgal strain for lipid production in anaerobically treated piggery wastewater. *Bioresource Technology*, 191, 369-376. <https://doi.org/10.1016/j.biortech.2015.02.075>

Zou, G., Papirio, S., Lai, X., Wu, Z., Zou, L., Puhakka, J., & Ruan, R. (2015). Column leaching of low-grade sulfide ore from Zijinshan copper mine. *International Journal of Mineral Processing*, 139, 11-16. [2730]. <https://doi.org/10.1016/j.minpro.2015.04.005>

Marjakangas, J. M., Lakaniemi, A. M., Koskinen, P. E. P., Chang, J. S., & Puhakka, J. A. (2015). Lipid production by eukaryotic microorganisms isolated from palm oil mill effluent. *Biochemical Engineering Journal*, 99, 48-54. <https://doi.org/10.1016/j.bej.2015.03.006>

Nybond, S., Karp, M., Yrjönen, T., & Tammela, P. (2015). Bioluminescent whole-cell reporter gene assays as screening tools in the identification of antimicrobial natural product extracts. *Journal of Microbiological Methods*, 114, 54-56. <https://doi.org/10.1016/j.mimet.2015.04.014>

Nancharaiah, Y. V., & Lens, P. N. L. (2015). Selenium biomineralization for biotechnological applications. *Trends in Biotechnology*, 33(6), 323-330. <https://doi.org/10.1016/j.tibtech.2015.03.004>

Santala, S. (2015). *Developing Synthetic Biology Tools and Model Chassis: Production of Bioenergy and High-Value Molecules*. (Tampere University of Technology. Publication; Vuosikerta 1288). Tampere University of Technology.

Mangayil, R. (2015). *Biohydrogen Production: A Protein to Community Level Perspective Study*. (Tampere University of Technology. Publication; Vuosikerta 1282). Tampere University of Technology.

Mangayil, R., Aho, T., Karp, M., & Santala, V. (2015). Improved bioconversion of crude glycerol to hydrogen by statistical optimization of media components. *Renewable Energy*, *75*, 583-589. <https://doi.org/10.1016/j.renene.2014.10.051>

Nybond, S., Ghemtio, L., Nawrot, D. A., Karp, M., Xhaard, H., & Tammela, P. (2015). Integrated in vitro-in silico screening strategy for the discovery of antibacterial compounds. *Assay and Drug Development Technologies*, *13*(1), 25-33. <https://doi.org/10.1089/adt.2014.625>

Rosholm, T., Gois, P. M. P., Franzen, R., & R. Candeias, N. (2015). Glycerol as an Efficient Medium for the Petasis Borono-Mannich Reaction. *Chemistryopen*, *4*(1), 39-46. <https://doi.org/10.1002/open.201402066>

Heiskanen, J. P., Manninen, V. M., Pankov, D., Omar, W. A. E., Kastinen, T., Hukka, T. I., ... Hormi, O. E. O. (2015). Aryl end-capped quaterthiophenes applied as anode interfacial layers in inverted organic solar cells. *Thin Solid Films*, *574*, 196-206. <https://doi.org/10.1016/j.tsf.2014.12.007>

Di Capua, F., Papirio, S., Lens, P. N. L., & Esposito, G. (2015). Chemolithotrophic denitrification in biofilm reactors. *Chemical Engineering Journal*, *280*, 643-657. <https://doi.org/10.1016/j.cej.2015.05.131>

Taskan, E., Özkaya, B., & Hasar, H. (2015). Combination of a novel electrode material and artificial mediators to enhance power generation in an MFC. *Water Science and Technology*, *71*(3), 320-328. <https://doi.org/10.2166/wst.2014.487>

Nancharaiah, Y. V., Venkata Mohan, S., & Lens, P. N. L. (2015). Metals removal and recovery in bioelectrochemical systems: A review. *Bioresource Technology*, *195*, 102-114. <https://doi.org/10.1016/j.biortech.2015.06.058>

Tienaho, J., Sarjala, T., Franzén, R., & Karp, M. (2015). Method with high-throughput screening potential for antioxidative substances using *Escherichia coli* biosensor katG':lux. *Journal of Microbiological Methods*, *118*, 78-80. [4723]. <https://doi.org/10.1016/j.mimet.2015.08.018>

Warwick, M. E. A., Barreca, D., Bontempi, E., Carraro, G., Gasparotto, A., Maccato, C., ... Mathur, S. (2015). Pt-functionalized Fe<sub>2</sub>O<sub>3</sub> photoanodes for solar water splitting: the role of hematite nano-organization and the platinum redox state. *Physical Chemistry Chemical Physics*, *17*(19), 12899-12907. <https://doi.org/10.1039/c5cp01636c>

Warwick, M. E. A., Kaunisto, K., Barreca, D., Carraro, G., Gasparotto, A., Maccato, C., ... Van Tendeloo, G. (2015). Vapor phase processing of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> photoelectrodes for water splitting: An insight into the structure/property interplay. *ACS Applied Materials and Interfaces*, *7*(16), 8667-8676. <https://doi.org/10.1021/acsami.5b00919>

Santala, S., Karp, M., & Santala, V. (2014). Rationally engineered synthetic coculture for improved biomass and product formation. *PLoS ONE*, *9*(12), [e113786]. <https://doi.org/10.1371/journal.pone.0113786>

Ciranna, A. (2014). *Biohydrogen production in extreme conditions: A comprehensive study of the fermentative metabolism of a polyextremophilic bacterium*. (Tampere University of Technology. Publication; Vuosikerta 1228). Tampere: Tampere University of Technology.

Raghuwanshi, S., Deswal, D., Karp, M., & Kuhad, R. C. (2014). Bioprocessing of enhanced cellulase production from a mutant of *Trichoderma asperellum* RCK2011 and its application in hydrolysis of cellulose. *Fuel*, *124*, 183-189. <https://doi.org/10.1016/j.fuel.2014.01.107>

- Ciranna, A., Ferrari, R., Santala, V., & Karp, M. (2014). Inhibitory effects of substrate and soluble end products on biohydrogen production of the alkalithermophile *Caloramator celer*: Kinetic, metabolic and transcription analyses. *International Journal of Hydrogen Energy*, 39(12), 6391-6401. <https://doi.org/10.1016/j.ijhydene.2014.02.047>
- Ciranna, A., Pawar, S. S., Santala, V., Karp, M., & van Niel, E. W. J. (2014). Assessment of metabolic flux distribution in the thermophilic hydrogen producer *Caloramator celer* as affected by external pH and hydrogen partial pressure. *Microbial Cell Factories*, 13(1), [48]. <https://doi.org/10.1186/1475-2859-13-48>
- Santala, S., Efimova, E., Koskinen, P., Karp, M. T., & Santala, V. (2014). Rewiring the wax ester production pathway of *Acinetobacter baylyi* ADP1. *ACS Synthetic Biology*, 3(3), 145-151. <https://doi.org/10.1021/sb4000788>
- Seppälä, J. (2014). *Application of Computational Methods for Fermentative Hydrogen Production*. (Tampere University of Technology. Publication; Vuosikerta 1191). Tampere University of Technology.
- Höhn, J., Lehtonen, E., Rasi, S., & Rintala, J. (2014). A geographical information system (GIS) based methodology for determination of potential biomasses and sites for biogas plants in southern Finland. *Applied Energy*, 113, 1-10. <https://doi.org/10.1016/j.apenergy.2013.07.005>
- Bevilaqua, D., Lahti-Tommila, H., Garcia Jr., O., Puhakka, J. A., & Tuovinen, O. H. (2014). Bacterial and chemical leaching of chalcopyrite concentrates as affected by the redox potential and ferric/ferrous iron ratio at 22 C. *International Journal of Mineral Processing*, 132, 1-7. <https://doi.org/10.1016/j.minpro.2014.08.008>
- Virolainen, N., & Karp, M. (2014). Biosensors, Antibiotics and Food. teoksessa G. Thouand, & R. Marks (Toimittajat), *Bioluminescence: Fundamentals and Applications in Biotechnology - Volume 2* (Sivut 153-185). (Advances in biochemical engineering : biotechnology; Vuosikerta 145). Springer. [https://doi.org/10.1007/978-3-662-43619-6\\_5](https://doi.org/10.1007/978-3-662-43619-6_5)
- Nissilä, M. E., Lay, C-H., & Puhakka, J. A. (2014). Dark fermentative hydrogen production from lignocellulosic hydrolyzates - A review. *Biomass & Bioenergy*, 67, 145-159. <https://doi.org/10.1016/j.biombioe.2014.04.035>
- Papirio, S., Zou, G., Ylinen, A., Di Capua, F., Pirozzi, F., & Puhakka, J. A. (2014). Effect of arsenic on nitrification of simulated mining water. *Bioresource Technology*, 164, 149-154. <https://doi.org/10.1016/j.biortech.2014.04.072>
- Zou, G., Papirio, S., Ylinen, A., Di Capua, F., Lakaniemi, A. M., & Puhakka, J. A. (2014). Fluidized-bed denitrification for mine waters. Part II: effects of Ni and Co. *BIODEGRADATION*, 25, 417-423. <https://doi.org/10.1007/s10532-013-9670-1>
- Abraham, B. G., Santala, V., Tkachenko, N. V., & Karp, M. (2014). Fluorescent protein-based FRET sensor for intracellular monitoring of redox status in bacteria at single cell level. *Analytical and Bioanalytical Chemistry*, 406(28), 7195-7204. <https://doi.org/10.1007/s00216-014-8165-1>
- Männistö, N. M., Ahola, N., Karp, M. T., Veiranto, M., & Kellomäki, M. (2014). In vitro bioluminescence used as a method for real-time inhibition zone testing for antibiotic-releasing composites. *British Microbiology Research Journal*, 4(2), 235-254. <https://doi.org/10.9734/BMRJ/2014/6661>
- Jokela, P., & Lepistö, R. (2014). Lamella dissolved air flotation treatment of fish farming effluents as a part of an integrated farming and effluent treatment concept. *Environmental Technology*, 35(21), 2727-2733. <https://doi.org/10.1080/09593330.2014.919035>
- Kinnunen, H. V., Koskinen, P. E. P., & Rintala, J. (2014). Mesophilic and thermophilic anaerobic laboratory-scale digestion of *Nannochloropsis* microalga residues. *Bioresource Technology*, 155, 314-322. <https://doi.org/10.1016/j.biortech.2013.12.115>

- Kannisto, M., Aho, T., Karp, M., & Santala, V. (2014). Metabolic engineering of *Acinetobacter baylyi* ADP1 for improved growth on gluconate and glucose. *Applied and Environmental Microbiology*, *80*(22), 7021-7027. <https://doi.org/10.1128/AEM.01837-14>
- Guglielmetti, S., Zanoni, I., Balzaretto, S., Miriani, M., Taverniti, V., de Noni, I., ... Granucci, F. (2014). Murein lytic enzyme TgaA of *Bifidobacterium bifidum* MIMBb75 modulates dendritic cell maturation through its cysteine- and histidine-dependent amidohydrolase/peptidase (CHAP) amidase domain. *Applied and Environmental Microbiology*, *80*(17), 5170-5177. <https://doi.org/10.1128/AEM.00761-14>
- Köroglu, E. O., Yilmaz Baysoy, D., Cetinkaya, A. Y., Özkaya, B., & Cakmakci, M. (2014). Novel design of a multitube microbial fuel cell (UM2FC) for energy recovery and treatment of membrane concentrates. *Biomass & Bioenergy*, *69*, 58-65. <https://doi.org/10.1016/j.biombioe.2014.07.014>
- Stuani, L., Lechaplais, C., Salminen, A. V., Segurens, B., Durot, M., Castelli, V., ... Perret, A. (2014). Novel metabolic features in *Acinetobacter baylyi* ADP1 revealed by a multiomics approach. *Metabolomics*. <https://doi.org/10.1007/s11306-014-0662-x>
- Guglielmetti, S., Balzaretto, S., Taverniti, V., Miriani, M., Milani, C., Scarafoni, A., ... Karp, M. (2014). TgaA, a VirB1-like component belonging to a putative type IV secretion system of *Bifidobacterium bifidum* MIMBb75. *Applied and Environmental Microbiology*, *80*(17), 5161-5169. <https://doi.org/10.1128/AEM.01413-14>
- Rasi, S., Läntelä, J., & Rintala, J. (2014). Upgrading landfill gas using a high pressure water absorption process. *Fuel*, *115*, 539-543. <https://doi.org/10.1016/j.fuel.2013.07.082>
- Kivistö, A., Santala, V., & Karp, M. (2013). Non-sterile process for biohydrogen and 1,3-propanediol production from raw glycerol. *International Journal of Hydrogen Energy*, *38*(27), 11749-11755. <https://doi.org/10.1016/j.ijhydene.2013.06.119>
- Seppälä, J. J., Larjo, A., Aho, T., Yli-Harja, O., Karp, M. T., & Santala, V. (2013). Prospecting hydrogen production of *Escherichia coli* by metabolic network modeling. *International Journal of Hydrogen Energy*, *38*(27), 11780-11789. <https://doi.org/10.1016/j.ijhydene.2013.07.002>
- Hassan, S. S., Farhan, M., Mangayil, R., Huttunen, H., & Aho, T. (2013). Bioprocess data mining using regularized regression and random forests. *BMC Systems Biology*, *7*(Suppl 1), [5]. <https://doi.org/10.1186/1752-0509-7-S1-S5>
- Bayr, S., Kaparaju, P., & Rintala, J. (2013). Screening pretreatment methods to enhance thermophilic anaerobic digestion of pulp and paper mill wastewater treatment secondary sludge. *Chemical Engineering Journal*, *223*, 479-486. <https://doi.org/10.1016/j.cej.2013.02.119>
- Tähti, H., Kaparaju, P., & Rintala, J. (2013). Hydrogen and methane production in extreme thermophilic conditions in two-stage (upflow anaerobic sludge bed) UASB reactor system. *International Journal of Hydrogen Energy*, *38*(12), 4997-5002. <https://doi.org/10.1016/j.ijhydene.2013.02.058>
- Rasi, S., Seppälä, M., & Rintala, J. (2013). Organic silicon compounds in biogases produced from grass silage, grass and maize in laboratory batch assays. *Energy*, *52*, 137-142. <https://doi.org/10.1016/j.energy.2013.01.015>
- Kaparaju, P., Rasi, S., & Rintala, J. (2013). Biogas upgrading and compression. teoksessa N. E. Korres, P. O'Kiely, J. A. H. Benzie, & J. S. West (Toimittajat), *Bioenergy Production by Anaerobic Digestion: Using Agricultural Biomass and Organic Wastes* (Sivut 152-182). London: Routledge. <https://doi.org/10.4324/9780203137697>
- Lakaniemi, A.-M., Tuovinen, O. H., & Puhakka, J. A. (2013). Anaerobic conversion of microalgal biomass to sustainable energy carriers - A review. *Bioresource Technology*, *135*(May), 222-231. <https://doi.org/10.1016/j.biortech.2012.08.096>
- Ahola, N., Männistö, N., Veiranto, M., Karp, M., Rich, J., Efimov, A., ... Kellomäki, M. (2013). An in vitro study of composites of poly(L-lactide-co-ε-caprolactone), β-tricalcium phosphate and ciprofloxacin intended for local treatment of osteomyelitis. *Biomatter*, *3*(2), 1-13. [e23162]. <https://doi.org/10.4161/biom.23162>

Nybond, S., Karp, M., & Tammela, P. (2013). Antimicrobial assay optimization and validation for HTS in 384-well format using a bioluminescent *E. coli* K-12 strain. *European Journal of Pharmaceutical Sciences*, 49(4), 782-789. <https://doi.org/10.1016/j.ejps.2013.05.024>

Mäkinen, A. E., Lay, C-H., Nissilä, M. E., & Puhakka, J. A. (2013). Bioelectricity production on xylose with a compost enrichment culture. *International Journal of Hydrogen Energy*, 38(35), 15606-15612. <https://doi.org/10.1016/j.ijhydene.2013.04.137>

Seppälä, M., Pyykkönen, V., Väisänen, A., & Rintala, J. (2013). Biomethane production from maize and liquid cow manure - Effect of share of maize, post-methanation potential and digestate characteristics. *Fuel*, 107, 209-216. <https://doi.org/10.1016/j.fuel.2012.12.069>

Kaartinen, T., Sormunen, K., & Rintala, J. (2013). Case study on sampling, processing and characterization of landfilled municipal solid waste in the view of landfill mining. *Journal of Cleaner Production*, 55, 56-66. <https://doi.org/10.1016/j.jclepro.2013.02.036>

Privalova, E., Rasi, S., Mäki-Arvela, P., Eränen, K., Rintala, J., Murzin, D. Y., & Mikkola, J-P. (2013). CO<sub>2</sub> capture from biogas: absorbent selection. *RSC Advances*, 3(9), 2979-2994. <https://doi.org/10.1039/C2RA23013E>

Lay, C-H., Sen, B., Chen, C-C., Wu, J-H., Lee, S-C., & Lin, C-Y. (2013). Co-fermentation of water hyacinth and beverage wastewater in powder and pellet form for hydrogen production. *Bioresource Technology*, 135, 610-615. <https://doi.org/10.1016/j.biortech.2012.06.094>

Zou, G., Zengling, W., Xiaokang, L., Laichang, Z., Renman, R., Papirio, S., & Puhakka, J. (2013). Column bioleaching of low grade copper sulfide ore at extreme conditions for most mineral processing bacteria. *Advanced Materials Research*, 825, 318-321. <https://doi.org/10.4028/www.scientific.net/AMR.825.318>

Sormunen, K., Laurila, T., & Rintala, J. (2013). Determination of waste decay rate for a large Finnish landfill by calibrating methane generation models on the basis of methane recovery and emissions. *Waste Management and Research*, 31(10), 979-985. <https://doi.org/10.1177/0734242X13490980>

Futagami, T., Morono, Y., Terada, T., Kaksonen, A. H., & Inagaki, F. (2013). Distribution of dehalogenation activity in subseafloor sediments of the Nankai Trough subduction zone. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 368(1616), 1-15. [20120249]. <https://doi.org/10.1098/rstb.2012.0249>

Ciranna, A., Larjo, A., Kivistö, A., Santala, V., Roos, C., & Karp, M. (2013). Draft genome sequence of the hydrogen- and ethanol-producing anaerobic alkalithermophilic bacterium *Caloramator celer*. *Genome Announcements*, 1(4), 1-2. <https://doi.org/10.1128/genomeA.00471-13>

Bevilaqua, D., Lahti, H., Suegama, P., Garcia Jr., O., Benedetti, A., Puhakka, J., & Tuovinen, O. (2013). Effect of Na-chloride on the bioleaching of a chalcopyrite concentrate in shake flasks and stirred tank bioreactors. *Hydrometallurgy*, 138, 1-13. <https://doi.org/10.1016/j.hydromet.2013.06.008>

Özkaya, B., Cetinkaya, A. Y., Cakmakci, M., Karadag, D., & Sahinkaya, E. (2013). Electricity generation from young landfill leachate in a microbial fuel cell with a new electrode material. *Bioprocess and Biosystems Engineering*, 36(4), 399-405. <https://doi.org/10.1007/s00449-012-0796-z>

Nissilä, M. E., Sulonen, M. L. K., & Puhakka, J. A. (2013). Enrichment of electrogens on xylose from anaerobi digester sample. teoksessa *Proceedings of 13th World Congress on Anaerobic Digestion, 25th-28th June 2013, Santiago de Compostela, Spain* (Anaerobic Digestion World Congress). IWA International Water Association.

Papirio, S., Ylinen, A., Zou, G., Peltola, M., Esposito, G., & Puhakka, J. A. (2013). Fluidized-bed denitrification for mine waters. Part I: low pH and temperature operation. *BIODEGRADATION*, 1-11. <https://doi.org/10.1007/s10532-013-9671-0>

Kaparaju, P., & Rintala, J. (2013). Generation of heat and power from biogas for stationary applications: boilers, gas engines and turbines, combined heat and power (CHP) plants and fuel cells. teoksessa A. Wellinger, J. Murphy, & D. Baxter (Toimittajat), *The biogas handbook: Science, production and applications* (Sivut 404-427). Woodhead Publishing.

Kivistö, A., Larjo, A., Ciranna, A., Santala, V., Roos, C., & Karp, M. (2013). Genome Sequence of Halanaerobium saccharolyticum subsp. saccharolyticum Strain DSM 6643T, a Halophilic Hydrogen-Producing Bacterium. *Genome Announcements*, 1(2), 1-2. <https://doi.org/10.1128/genomeA.00187-13>

Isohanni, P., Huehn, S., Aho, T., Alter, T., & Lyhs, U. (2013). Heat stress adaptation induces cross-protection against lethal acid stress conditions in *Arcobacter butzleri* but not in *Campylobacter jejuni*. *Food Microbiology*, 34(2), 431-435. <https://doi.org/10.1016/j.fm.2013.02.001>

Zou, G., Ylinen, A., Di Capua, F., Papirio, S., Lakaniemi, A-M., & Puhakka, J. (2013). Impact of heavy metals on denitrification of simulated mining wastewaters. *Advanced Materials Research*, 825, 500-503. <https://doi.org/10.4028/www.scientific.net/AMR.825.500>

Efimova, E., Marjakangas, J. M., Lakaniemi, A-M., Koskinen, P. E. P., & Puhakka, J. A. (2013). Lipid profile characterization of wastewaters from different origins. *Water Science and Technology*, 68(11), 2505-2514. <https://doi.org/10.2166/wst.2013.538>

Seppälä, J., Larjo, A., Aho, T., Kivistö, A., Karp, M., & Santala, V. (2013). Modification of the Escherichia coli metabolic model LAF1260 based on anaerobic experiments. teoksessa R. Autio, I. Shmulevich, K. Strimmer, C. Wiuf, S. Sarbu, & O. Yli-Harja (Toimittajat), *The 10th International Workshop on Computational Systems Biology, WCSB 2013, June 10-12, Tampere, Finland* (Sivut 80-86). (International Workshop on Computational Systems Biology).

Karadag, D., Özkaya, B., Ölmez, E., Nissilä, M. E., Cakmakci, M., Yildiz, S., & Puhakka, J. A. (2013). Profiling of bacterial community in a full-scale aerobic composting plant. *International Biodeterioration and Biodegradation*, 77, 85-90. <https://doi.org/10.1016/j.ibiod.2012.10.011>

Seppälä, M., Laine, A., & Rintala, J. (2013). Screening of novel plants for biogas production in northern conditions. *Bioresource Technology*, 139, 355-362. <https://doi.org/10.1016/j.biortech.2013.04.014>

Taverniti, V., Stuknyte, M., Minuzzo, M., Arioli, S., De Noni, I., Scabiosi, C., ... Guglielmetti, S. (2013). S-Layer protein mediates the stimulatory effect of lactobacillus helveticus MIMLh5 on innate immunity. *Applied and Environmental Microbiology*, 79(4), 1221-1231. <https://doi.org/10.1128/AEM.03056-12>

Rismani-Yazdi, H., Carver, S. M., Christy, A. D., Yu, Z., Bibby, K., Peccia, J., & Tuovinen, O. H. (2013). Suppression of methanogenesis in cellulose-fed microbial fuel cells in relation to performance, metabolite formation, and microbial population. *Bioresource Technology*, 129, 281-288. <https://doi.org/10.1016/j.biortech.2012.10.137>

Seppälä, M., Pyykkönen, V., Laine, A., & Rintala, J. (2012). Methane production from maize in Finland - Screening for different maize varieties and plant parts. *Biomass & Bioenergy*, 46(November), 282-290. <https://doi.org/10.1016/j.biombioe.2012.08.016>

Bayr, S., & Rintala, J. (2012). Thermophilic anaerobic digestion of pulp and paper mill primary sludge and co-digestion of primary and secondary sludge. *Water Research*, 46(15), 4713-4720. <https://doi.org/10.1016/j.watres.2012.06.033>

Sivula, L., Sormunen, K., & Rintala, J. (2012). Leachate formation and characteristics from gasification and grate incineration bottom ash under landfill conditions. *Waste Management*, 32(4), 780-788. <https://doi.org/10.1016/j.wasman.2011.11.012>

Kivistö, A., Santala, V., & Karp, M. (2012). 1,3-Propanediol production and tolerance of a halophilic fermentative bacterium, Halanaerobium saccharolyticum subsp saccharolyticum. *Journal of Biotechnology*, 158(4), 242-247. <https://doi.org/10.1016/j.jbiotec.2011.10.013>



- Mangayil, R., Karp, M., & Santala, V. (2012). Bioconversion of crude glycerol from biodiesel production to hydrogen. *International Journal of Hydrogen Energy*, 37(17), 12198-12204. <https://doi.org/10.1016/j.ijhydene.2012.06.010>
- Özkaya, B., Akoglu, B., Karadag, D., Aci, G., Taskan, E., & Hasar, H. (2012). Bioelectricity production using a new electrode in a microbial fuel cell. *Bioprocess and Biosystems Engineering*, 35(7), 1219-1227. <https://doi.org/10.1007/s00449-012-0709-1>
- Virolainen, N., Guglielmetti, S., Arioli, S., & Karp, M. (2012). Bioluminescence-based identification of nisin producers - A rapid and simple screening method for nisinogenic bacteria in food samples. *International Journal of Food Microbiology*, 158(12), 126-132. <https://doi.org/10.1016/j.ijfoodmicro.2012.07.007>
- Puhakka, J. A., Karadag, D., & Nissilä, M. E. (2012). Comparison of mesophilic and thermophilic anaerobic hydrogen production by hot spring enrichment culture. *International Journal of Hydrogen Energy*, 37(21), 16453-16459. <https://doi.org/10.1016/j.ijhydene.2012.02.121>
- Nissilä, M. E., Li, Y.-C., Wu, S.-Y., & Puhakka, J. A. (2012). Dark fermentative hydrogen production from neutralized acid hydrolysates of conifer pulp. *Applied Biochemistry and Biotechnology*, 168(8), 2160-2169. <https://doi.org/10.1007/s12010-012-9925-z>
- Mäkinen, A. E., Nissilä, M. E., & Puhakka, J. A. (2012). Dark fermentative hydrogen production from xylose by a hot spring enrichment culture. *International Journal of Hydrogen Energy*, 37(17), 12234-12240. <https://doi.org/10.1016/j.ijhydene.2012.05.158>
- Chu, C.-Y., Sen, B., Lay, C.-H., Lin, Y.-C., & Lin, C.-Y. (2012). Direct fermentation of sweet potato to produce maximal hydrogen and ethanol. *Applied Energy*, 100, 10-18. <https://doi.org/10.1016/j.apenergy.2012.06.023>
- Bayr, S., Pakarinen, O., Korppoo, A., Liuksia, S., Väisänen, A., Kaparaju, P., & Rintala, J. (2012). Effect of additives on process stability of mesophilic anaerobic monodigestion of pig slaughterhouse waste. *Bioresource Technology*, 120 (September), 106-113. <https://doi.org/10.1016/j.biortech.2012.06.009>
- Chen, C.-C., Sen, B., Chuang, Y.-S., Tsai, C.-J., & Lay, C.-H. (2012). Effect of effluent recycle ratio in a continuous anaerobic biohydrogen production system. *Journal of Cleaner Production*, 32, 236-243. <https://doi.org/10.1016/j.jclepro.2012.04.006>
- Hulatt, C. J., Lakaniemi, A.-M., Puhakka, J. A., & Thomas, D. N. (2012). Energy Demands of Nitrogen Supply in Mass Cultivation of Two Commercially Important Microalgal Species, *Chlorella vulgaris* and *Dunaliella tertiolecta*. *BioEnergy Research*, 5(3), 669-684. <https://doi.org/10.1007/s12155-011-9175-x>
- Ciranna, A., Santala, V., & Karp, M. (2012). Enhancing biohydrogen production of the alkalithermophile *Thermobrachium celere*. *International Journal of Hydrogen Energy*, 37(7), 5550-5558. <https://doi.org/10.1016/j.ijhydene.2011.12.105>
- Lakaniemi, A.-M., Hulatt, C. J., Wakeman, K. D., Thomas, D. N., & Puhakka, J. A. (2012). Eukaryotic and prokaryotic microbial communities during microalgal biomass production. *Bioresource Technology*, 124(November), 387-393. <https://doi.org/10.1016/j.biortech.2012.08.048>
- Papirio, S. (2012). *Fluidized-bed bioreactor applications for the treatment of metal-, sulfate- and nitrate-contaminated mine waters*. (Università degli Studi di Cassino e del Lazio Meridionale). Università degli Studi di Cassino e del Lazio Meridionale.
- Lakaniemi, A.-M., Intihar, V. M., Tuovinen, O. H., & Puhakka, J. A. (2012). Growth of *Chlorella vulgaris* and associated bacteria in photobioreactors. *Microbial Biotechnology*, 5(1), 69-78. <https://doi.org/10.1111/j.1751-7915.2011.00298.x>

Lakaniemi, A.-M., Intihar, V. M., Tuovinen, O. H., & Puhakka, J. A. (2012). Growth of *Dunaliella tertiolecta* and associated bacteria in photobioreactors. *Journal of Industrial Microbiology and Biotechnology*, 39(9), 1357-1365. <https://doi.org/10.1007/s10295-012-1133-x>

Carver, S. M., Nelson, M. C., Lepistö, R., Yu, Z., & Tuovinen, O. H. (2012). Hydrogen and volatile fatty acid production during fermentation of cellulosic substrates by a thermophilic consortium at 50 and 60 °C. *Bioresource Technology*, 104 (January), 424-431. <https://doi.org/10.1016/j.biortech.2011.11.013>

Nissilä, M. E., Li, Y.-C., Wu, S.-Y., Lin, C.-Y., & Puhakka, J. A. (2012). Hydrogenic and methanogenic fermentation of birch and conifer pulps. *Applied Energy*, 100(December), 58-65. <https://doi.org/10.1016/j.apenergy.2012.06.015>

Taverniti, V., Minuzzo, M., Arioli, S., Junttila, I., Hämäläinen, S., Turpeinen, H., ... Guglielmetti, S. (2012). In Vitro functional and immunomodulatory properties of the *Lactobacillus helveticus* MIMLh5-*Streptococcus salivarius* ST3 association that are relevant to the development of a Pharyngeal probiotic product. *Applied and Environmental Microbiology*, 78(12), 4209-4216. <https://doi.org/10.1128/AEM.00325-12>

Läntelä, J., Rasi, S., Lehtinen, J., & Rintala, J. (2012). Landfill gas upgrading with pilot-scale water scrubber: Performance assessment with adsorption water recycling. *Applied Energy*, 92(April), 307-314. <https://doi.org/10.1016/j.apenergy.2011.10.011>

Sharma, K. K., Sharma, S., Karp, M., & Kuhad, R. C. (2012). Lignolytic enzymes improve soil DNA purity: Solution to methodological challenges of soil metagenomics. *Journal of Molecular Catalysis B: Enzymatic*, 83(November), 73-79. <https://doi.org/10.1016/j.molcatb.2012.07.010>

Bayr, S., Rantanen, M., Kaparaju, P., & Rintala, J. (2012). Mesophilic and thermophilic anaerobic co-digestion of rendering plant and slaughterhouse wastes. *Bioresource Technology*, 104(January), 28-36. <https://doi.org/10.1016/j.biortech.2011.09.104>

Halinen, A.-K., Beecroft, N. J., Määttä, K., Nurmi, P., Laukkanen, K., Kaksonen, A. H., ... Puhakka, J. A. (2012). Microbial community dynamics during a demonstration-scale bioheap leaching operation. *Hydrometallurgy*, 125-126, 34-41. <https://doi.org/10.1016/j.hydromet.2012.05.001>

Santala, S., Karp, M., & Santala, V. (2012). Monitoring alkane degradation by single biobrick integration to an optimal cellular framework. *ACS Synthetic Biology*, 1(2), 60-64. <https://doi.org/10.1021/sb2000066>

Ahola, N., Veiranto, M., Männistö, N., Karp, M., Rich, J., Efimov, A., ... Kellomäki, M. (2012). Processing and sustained in vitro release of rifampicin containing composites to enhance the treatment of osteomyelitis. *Biomatter*, 2(4), 1-13. <https://doi.org/10.4161/biom.22793>

Lakaniemi, A.-M., Tuovinen, O. H., & Puhakka, J. A. (2012). Production of Electricity and Butanol from Microalgal Biomass in Microbial Fuel Cells. *BioEnergy Research*, 5(2), 481-491. <https://doi.org/10.1007/s12155-012-9186-2>

Kumar, G., Lay, C.-H., Chu, C.-Y., Wu, J.-H., Lee, S.-C., & Lin, C.-Y. (2012). Seed inocula for biohydrogen production from biodiesel solid residues. *International Journal of Hydrogen Energy*, 37(29), 15489-15495. <https://doi.org/10.1016/j.ijhydene.2012.04.016>

Li, Y.-C., Nissilä, M. E., Wu, S.-Y., Lin, C.-Y., & Puhakka, J. A. (2012). Silage as source of bacteria and electrons for dark fermentative hydrogen production. *International Journal of Hydrogen Energy*, 37(20), 15518-15524. <https://doi.org/10.1016/j.ijhydene.2012.04.060>

Kandhavelu, M., Paturu, L., Mizar, A., Mahmudov, K. T., Kopylovich, M. N., Karp, M., ... Ribeiro, A. S. (2012). Synthesis, characterization and antimicrobial activity of arylhydrazones of methylene active compounds. *Pharmaceutical Chemistry Journal*, 46(3), 157-164. <https://doi.org/10.1007/s11094-012-0751-y>

Sivula, L., Oikari, A., & Rintala, J. (2012). Toxicity of waste gasification bottom ash leachate. *Waste Management*, 32(6), 1171-1178. <https://doi.org/10.1016/j.wasman.2012.01.002>

Bomberg, M., Munster, U., Pumpanen, J., Ilvesniemi, H., & Heinonsalo, J. (2011). Archaeal communities in boreal forest tree rhizospheres respond to changing soil temperatures. *Microbial Ecology*, 62(1), 205-217. <https://doi.org/10.1007/s00248-011-9837-4>

Carver, S. M., Vuoriranta, P., & Tuovinen, O. H. (2011). A thermophilic microbial fuel cell design. *Journal of Power Sources*, 196(8), 3757-3760. <https://doi.org/10.1016/j.jpowsour.2010.12.088>

Bevilaqua, D., Garcia Jr, O., Suegama, P. H., Benedetti, A. V., Lahti, H., Puhakka, J., & Tuovinen, O. H. (2011). Avaliacao eletroquimica de residuos de biolixiviacao da calcopirita (CuFeS<sub>2</sub>) por acidithiobacillus ferrooxidans. teoksessa XXIV ENTMME 2011, Encontro Nacional de Tratamento de Minerios e Metalurgia Extrativa, 16 a 19 de outubro de 2011, Salvador/Bahia (Sivut 1179-1186). (Encontro Nacional de Tratamento de Minerios e Metalurgia Extrativa). Encontro Nacional de Tratamento de Minerios e Metalurgia Extrativa.

George Abraham, B., Tkachenko, N. V., Santala, V., Lemmetyinen, H., & Karp, M. (2011). Bidirectional fluorescence resonance energy transfer (FRET) in mutated and chemically modified yellow fluorescent protein (YFP). *Bioconjugate Chemistry*, 22(2), 227-234. <https://doi.org/10.1021/bc100372u>

Lakaniemi, A.-M., Hulatt, C. J., Thomas, D. N., Tuovinen, O. H., & Puhakka, J. A. (2011). Biogenic hydrogen and methane production from *Chlorella vulgaris* and *Dunaliella tertiolecta* biomass. *Biotechnology for Biofuels*, 4(1), 1-12. [34]. <https://doi.org/10.1186/1754-6834-4-34>

Lakaniemi, A.-M., Koskinen, P. E. P., Nevatalo, L. M., Kaksonen, A. H., & Puhakka, J. A. (2011). Biogenic hydrogen and methane production from reed canary grass. *Biomass & Bioenergy*, 35(2), 773-780. <https://doi.org/10.1016/j.biombioe.2010.10.032>

Kaksonen, A. H., Lavonen, L., Kuusenaho, M., Kolli, A., Närhi, H., Vestola, E., ... Tuovinen, O. H. (2011). Bioleaching and recovery of metals from final slag waste of the copper smelting industry. *Minerals Engineering*, 24(11), 1113-1121. <https://doi.org/10.1016/j.mineng.2011.02.011>

Wakeman, K. D., Honkavirta, P., & Puhakka, J. A. (2011). Bioleaching of flotation by-products of talc production permits the separation of nickel and cobalt from iron and arsenic. *Process Biochemistry*, 46, 1589-1598. <https://doi.org/10.1016/j.procbio.2011.04.016>

Smolander, O.-P., Kandhavelu, M., Mannerström, H., Lihavainen, E., Kalaichelvan, S., Healy, S., ... Ribeiro, A. S. (2011). Cell-to-cell diversity in protein levels of a gene driven by a tetracycline inducible promoter. *BMC Molecular Biology*, 12, 1-27. [21]. <https://doi.org/10.1186/1471-2199-12-21>

Kivistö, A., Santala, V., & Karp, M. (2011). Closing the 1,3-propanediol route enhances hydrogen production from glycerol by *Halanaerobium saccharolyticum* subsp. *saccharolyticum*. *International Journal of Hydrogen Energy*, 36(12), 7074-7080. <https://doi.org/10.1016/j.ijhydene.2011.03.012>

Santala, S., Larjo, A., Aho, T., Karp, M., & Santala, V. (2011). Construction and Modelling of an Artificial Microecosystem. teoksessa H. Koepl, J. Acimovic, J. Kesseli, T. Mäki-Marttunen, A. Larjo, & O. Yli-Harja (Toimittajat), *Eight International Workshop on Computational Systems Biology, WCSB 2011, June 6-8, Zurich, Switzerland. TICSP series* (Sivut 225-225). (International Workshop on Computational Systems Biology WCSB; Nro 57). Zurich: WCSB 2011.

Smolander, O.-P., Kandhavelu, M., Mannerström, H., Lihavainen, E., Kalaichelvan, S., Healy, S., ... Ribeiro, A. S. (2011). Dynamics of Gene Expression under Tetracycline Inducible Promoters. teoksessa H. Koepl, J. Acimovic, J. Kesseli, T. Mäki-Marttunen, A. Larjo, & O. Yli-Harja (Toimittajat), *Eight International Workshop on Computational Systems Biology, WCSB 2011, June 6-8, Zurich, Switzerland. TICSP series* (Sivut 227-227). (International Workshop on Computational Systems Biology WCSB; Nro 57). Zurich: WCSB 2011.

Nissilä, M. E., Tähti, H. P., Rintala, J. A., & Puhakka, J. A. (2011). Effects of heat treatment on hydrogen production potential and microbial community of thermophilic compost enrichment cultures. *Bioresource Technology*, *102*(6), 4501-4506. <https://doi.org/10.1016/j.biortech.2010.12.072>

Seppälä, J. J., Puhakka, J. A., Yli-Harja, O., Karp, M. T., & Santala, V. (2011). Fermentative hydrogen production by *Clostridium butyricum* and *Escherichia coli* in pure and cocultures. *International Journal of Hydrogen Energy*, *36*(17), 10701-10708. <https://doi.org/10.1016/j.ijhydene.2011.05.189>

Mangayil, R., Santala, V., & Karp, M. (2011). Fermentative hydrogen production from different sugars by *Citrobacter* sp. CMC-1 in batch culture. *International Journal of Hydrogen Energy*, *36*, 15187-15194. <https://doi.org/10.1016/j.ijhydene.2011.08.076>

Kivistö, A., & Karp, M. T. (2011). Halophilic anaerobic fermentative bacteria: Review. *Journal of Biotechnology*, *152*(4), 114-124. <https://doi.org/10.1016/j.jbiotec.2010.08.014>

Puhakka, J. (2011). *IEA-HIA Task Semiannual Report 2010 from Finland*. IEA.

Santala, S., Efimova, E., Kivinen, V., Larjo, A., Aho, T., Karp, M., & Santala, V. (2011). Improved triacylglycerol production in *Acinetobacter baylyi* ADP1 by metabolic engineering. *Microbial Cell Factories*, *10*(36), 1-10. <https://doi.org/10.1186/1475-2859-10-36>

Lindsasy, M. B. J., Wakeman, K. D., Rowe, O. F., Grail, B. M., Ptacek, C. J., Blowes, D. W., & Johnson, D. B. (2011). Microbiology and geochemistry of mine tailings amended with organic carbon for passive treatment of pore water. *Geomicrobiology Journal*, *28*(3), 229-241. <https://doi.org/10.1080/01490451.2010.493570>

Tolvanen, K. E. S., & Karp, M. T. (2011). Molecular methods for characterizing mixed microbial communities in hydrogen-fermenting systems. *International Journal of Hydrogen Energy*, *36*(9), 5280-5288. <https://doi.org/10.1016/j.ijhydene.2011.01.029>

Santala, S., Efimova, E., Karp, M., & Santala, V. (2011). Real-Time monitoring of intracellular wax ester metabolism. *Microbial Cell Factories*, *10*(1), 1-8. [75]. <https://doi.org/10.1186/1475-2859-10-75>

Tolvanen, K. E. S., Mangayil, R. K., Karp, M. T., & Santala, V. P. (2011). Simple enrichment system for hydrogen producers. *Applied and Environmental Microbiology*, *77*(12), 4246-4248. <https://doi.org/10.1128/AEM.05150-11>

Carver, S. M., Hulatt, C. J., Thomas, D. N., & Tuovinen, O. H. (2011). Thermophilic, anaerobic co-digestion of microalgal biomass and cellulose for H<sub>2</sub> production. *BIODEGRADATION*, *22*(4), 805-814. <https://doi.org/10.1007/s10532-010-9419-z>

Nissilä, M. E., Tähti, H. P., Rintala, J. A., & Puhakka, J. A. (2011). Thermophilic hydrogen production from cellulose with rumen fluid enrichment cultures: Effects of different heat treatments. *International Journal of Hydrogen Energy*, *36*(2), 1482-1490. <https://doi.org/10.1016/j.ijhydene.2010.11.010>

Bhatti, T. M., Bigham, J. M., Vuorinen, A., & Tuovinen, O. H. (2011). Weathering of biotite in *Acidithiobacillus ferrooxidans* cultures. *Geomicrobiology Journal*, *28*(2), 130-134. <https://doi.org/10.1080/01490451003720901>

Bhatti, T. M., Bigham, J. M., Vuorinen, A., & Tuovinen, O. H. (2011). Weathering of phlogopite in simulated bioleaching solutions. *International Journal of Mineral Processing*, *98*(1-2), 30-34. <https://doi.org/10.1016/j.minpro.2010.10.004>

Nevatalo, L. (2010). *Bioreactor applications utilizing mesophilic sulfate-reducing bacteria for treatment of mine wastewaters at 9-35 oC*. (Tampere University of Technology. Publication; Vuosikerta 910). Tampere: Tampere University of Technology.

Vestola, E. A., Kuusenaho, M. K., Närhi, H. M., Tuovinen, O. H., Puhakka, J. A., Plumb, J. J., & Kaksonen, A. H. (2010). Acid bioleaching of solid waste materials from copper, steel and recycling industries. *Hydrometallurgy*, *103*(1-4), 74-79. <https://doi.org/10.1016/j.hydromet.2010.02.017>

Guglielmetti, S., Taverniti, V., Minuzzo, M., Arioli, S., Zanoni, I., Stuknyte, M., ... Mora, D. (2010). A dairy bacterium displays in vitro probiotic properties for the pharyngeal mucosa by antagonizing group A streptococci and modulating the immune response. *Infection and Immunity*, *78*(11), 4734-4743. <https://doi.org/10.1128/IAI.00559-10>

Arioli, S., Ragg, E., Scaglioni, L., Fessas, D., Signorelli, M., Karp, M., ... Mora, D. (2010). Alkalizing reactions streamline cellular metabolism in acidogenic microorganisms. *PLoS ONE*, *5*(11, e15520), 1-8. <https://doi.org/10.1371/journal.pone.0015520>

Bhatti, T. M., Bigham, J. M., Riekkola-Vanhanen, M., & Tuovinen, O. H. (2010). Altered mineralogy associated with stirred tank bioreactor leaching of a black schist ore. *Hydrometallurgy*, *100*(3-4), 181-184. <https://doi.org/10.1016/j.hydromet.2009.11.010>

Välimaa, A-L., Kivistö, A. T., Leskinen, P. I., & Karp, M. T. (2010). A novel biosensor for the detection of zearalenone family mycotoxins in milk. *Journal of Microbiological Methods*, *80*(1), 44-48. <https://doi.org/10.1016/j.mimet.2009.10.017>

Pikkemaat, M. G., Rapallini, M. L. B. A., Karp, M. T., & Elferink, J. W. A. (2010). Application of a luminescent bacterial biosensor for the detection of tetracyclines in routine analysis of poultry muscle samples. *Food Additives and Contaminants Part A: Chemistry Analysis Control Exposure and Risk Assessment*, *27*(8), 1112-1117. <https://doi.org/10.1080/19440041003794866>

Tao, J., Mancl, K. M., & Tuovinen, O. H. (2010). Attenuation of pollutants in sanitary sewer overflow: Comparative evaluation of treatment with fixed media bioreactors. *Bioresource Technology*, *101*(6), 1781-1786. <https://doi.org/10.1016/j.biortech.2009.10.038>

Kolehmainen, R. E., Crochet, L. M., Kortelainen, N. M., Langwaldt, J. H., & Puhakka, J. A. (2010). Biodegradation of aqueous organic matter over seasonal changes: bioreactor experiments with indigenous lake water bacteria. *Journal of Environmental Engineering: ASCE*, *136*(6), 607-615. [https://doi.org/10.1061/\(ASCE\)EE.1943-7870.0000197](https://doi.org/10.1061/(ASCE)EE.1943-7870.0000197)

Kivistö, A., Santala, V., & Karp, M. (2010). Biohydrogen and 1,3-Propanediol production using halophilic fermentative bacteria. teoksessa *ESF-Bielefeld-CeBiTec Conference, Microbes and Industrial Biotechnology, Bielefeld, Germany, 21-24 November 2010, Booklet of Abstracts* (Sivut 21-21)

Nevatalo, L. M., Mäkinen, A. E., Kaksonen, A. H., & Puhakka, J. A. (2010). Biological hydrogen sulfide production in an ethanol-lactate fed fluidized-bed bioreactor. *Bioresource Technology*, *101*(1), 276-284. <https://doi.org/10.1016/j.biortech.2009.07.042>

Nurmi, P., Özkaya, B., Sasaki, K., Kaksonen, A. H., Riekkola-Vanhanen, M., Tuovinen, O. H., & Puhakka, J. A. (2010). Biooxidation and precipitation for iron and sulfate removal from heap bioleaching effluent streams. *Hydrometallurgy*, *101* (1-2), 7-14. <https://doi.org/10.1016/j.hydromet.2009.11.004>

Bigham, J. M., Jones, F. S., Özkaya, B., Sahinkaya, E., Puhakka, J. A., & Tuovinen, O. H. (2010). Characterization of jarosites produced by chemical synthesis over a temperature gradient from 2 to 40 °C. *International Journal of Mineral Processing*, *94*(3-4), 121-128. <https://doi.org/10.1016/j.minpro.2010.01.005>

Sasaki, K., Takatsugi, K., Kaneko, K., Kozai, N., Ohnuki, T., Tuovinen, O. H., & Hirajima, T. (2010). Characterization of secondary arsenic-bearing precipitates formed in the bioleaching of enargite by *Acidithiobacillus ferrooxidans*. *Hydrometallurgy*, *104*(3-4), 424-431. <https://doi.org/10.1016/j.hydromet.2009.12.012>

Karadag, D., & Puhakka, J. A. (2010). Direction of glucose fermentation towards hydrogen or ethanol production through on-line pH control. *International Journal of Hydrogen Energy*, 35(19), 10245-10251. <https://doi.org/10.1016/j.ijhydene.2010.07.139>

Karadag, D., & Puhakka, J. A. (2010). Effect of changing temperature on anaerobic hydrogen production and microbial community composition in an open-mixed culture bioreactor. *International Journal of Hydrogen Energy*, 35(20), 10954-10959. <https://doi.org/10.1016/j.ijhydene.2010.07.070>

Karadag, D., & Puhakka, J. A. (2010). Enhancement of anaerobic hydrogen production by iron and nickel. *International Journal of Hydrogen Energy*, 35(16), 8554-8560. <https://doi.org/10.1016/j.ijhydene.2010.04.174>

Tolvanen, K. E. S., Santala, V. P., & Karp, M. T. (2010). [FeFe]-hydrogenase gene quantification and melting curve analysis from hydrogen-fermenting bioreactor samples. *International Journal of Hydrogen Energy*, 35(8), 3433-3439. <https://doi.org/10.1016/j.ijhydene.2010.01.132>

Gramp, J. P., Bigham, J. M., Jones, F. S., & Tuovinen, O. H. (2010). Formation of Fe-sulfides in cultures of sulfate-reducing bacteria. *Journal of Hazardous Materials*, 175(1-3), 1062-1067. <https://doi.org/10.1016/j.jhazmat.2009.10.119>

Nevatalo, L. M., Bijmans, M. F. M., Lens, P. N. L., Kaksonen, A. H., & Puhakka, J. A. (2010). Hydrogenotrophic sulfate reduction in a gas-lift bioreactor operated at 9°C. *Journal of Microbiology and Biotechnology*, 20(3), 615-621. <https://doi.org/10.4014/jmb.0906.06016>

Kivistö, A., Santala, V., & Karp, M. (2010). Hydrogen production from glycerol using halophilic fermentative bacteria. *Bioresource Technology*, 101, 8671-8677. <https://doi.org/10.1016/j.biortech.2010.06.066>

Carver, S. M., Lepistö, R., & Tuovinen, O. H. (2010). Hydrolysis and metabolism of cellulose by an anaerobic, thermophilic consortium. teoksessa *Third International Symposium on Energy from Biomass and Waste, Venice, Italy, 8-11 November 2010* (Sivut 1-9)

Välilä, A-L. (2010). *In vitro bioassays in bioactivity and residue assessments*. (Tampereen teknillinen yliopisto. Julkaisu; Vuosikerta 933). Tampere: Tampere University of Technology.

Virolainen, N., & Välilä, A-L. (2010). Kehittämishanke: Tettiin lukemisesta jatkuvaan oppimiseen - Tapausesimerkinä Tampereen teknillisen yliopiston Nanobioteknologian opintojakso. teoksessa P. Rutanen, A. Rahkonen, & S. Jutila (Toimittajat), *Tunnista, kehitä, arvioi - vaikuttavia käytäntöjä opetuksen ja opetussuunnitelman kehittämiseen. Uutisia opetuksen kehittämisestä Oulun yliopiston laitoksilla* (Sivut 33-40)

Wang, H., Tolvanen, K., Lehtomäki, A., Puhakka, J., & Rintala, J. (2010). Microbial community structure in anaerobic co-digestion of grass silage and cow manure in a laboratory continuously stirred tank reactor. *BIODEGRADATION*, 21(1), 135-146. <https://doi.org/10.1007/s10532-009-9288-5>

Lakaniemi, A-M., Nevatalo, L. M., Kaksonen, A. H., & Puhakka, J. A. (2010). Mine wastewater treatment using *Phalaris arundinacea* plant material hydrolyzate as substrate for sulfate-reducing bioreactor. *Bioresource Technology*, 101(11), 3931-3939. <https://doi.org/10.1016/j.biortech.2010.01.020>

Tolvanen, K. (2010). *Molecular methods for studying mixed hydrogen-fermenting microbial communities*. (Tampereen teknillinen yliopisto. Julkaisu; Vuosikerta 911). Tampere: Tampere University of Technology.

Guglielmetti, S., Taverniti, V., Minuzzo, M., Arioli, S., Stuknyte, M., Karp, M., & Mora, D. (2010). Oral bacteria as potential probiotics for the pharyngeal mucosa. *Applied and Environmental Microbiology*, 76(12), 3048-3058. <https://doi.org/10.1128/AEM.00109-10>

Bevilaqua, D., Garcia Jr., O., & Tuovinen, O. H. (2010). Oxidative dissolution of bornite by *Acidithiobacillus ferrooxidans*. *Process Biochemistry*, 45(1), 101-106. <https://doi.org/10.1016/j.procbio.2009.08.013>

- Nurmi, P., Özkaya, B., Kaksonen, A. H., Tuovinen, O. H., & Puhakka, J. A. (2010). Predictive modelling of Fe(III) precipitation in iron removal process for bioleaching circuits. *Bioprocess and Biosystems Engineering*, 33(4), 449-456. <https://doi.org/10.1007/s00449-009-0346-5>
- Singh Gaur, R., Cai, L., Tuovinen, O. H., & Mancl, K. M. (2010). Pretreatment of turkey fat-containing wastewater in coarse sand and gravel/coarse sand bioreactors. *Bioresource Technology*, 101(3), 1106-1110. <https://doi.org/10.1016/j.biortech.2009.08.078>
- Wakeman, K. D., Erving, L., Riekkola-Vanhanen, M. L., & Puhakka, J. A. (2010). Silage supports sulfate reduction in the treatment of metals- and sulfate-containing waste waters. *Water Research*, 44(17), 4932-4939. <https://doi.org/10.1016/j.watres.2010.07.025>
- Kaksonen, A. H., Robertson, W. J., Plumb, J. J., Wylie, J. T., Bastow, T. P., Douglas, G. B., ... Puhakka, J. (2010). Sulfate-reducing fluidized-bed bioreactor processes for acidic metal- and sulfate-containing waters. teoksessa *SME Annual Meeting Feb. 28-Mar. 03, 2010, Phoenix, AZ, USA* (Sivut 1-6)
- Ojala, J., Wakeman, K., Määttä, K., Tirola, M., & Puhakka, J. (2010). TEVA-tutkimusprojekti jatkaa tekopohjavesitiedon täydentämistä. *Vesitalous*, (5), 22-25.
- Nevatalo, L. M., Bijmans, M. F. M., Lens, P. N. L., Kaksonen, A. H., & Puhakka, J. A. (2010). The effect of sub-optimal temperature on specific sulfidogenic activity of mesophilic SRB in an H<sub>2</sub>-fed membrane bioreactor. *Process Biochemistry*, 45(3), 363-368. <https://doi.org/10.1016/j.procbio.2009.10.007>
- Li, C., Blencke, H-M., Smith, L. C., Karp, M. T., & Stensvåg, K. (2010). Two recombinant peptides, SpStrongylocins 1 and 2, from *Strongylocentrotus purpuratus*, show antimicrobial activity against Gram-positive and Gram-negative bacteria. *Developmental and Comparative Immunology*, 34(3), 286-292. <https://doi.org/10.1016/j.dci.2009.10.006>
- Lappalainen, J. O., Karp, M. T., Juvonen, R., Virta, M. P. J., & Nurmi, J. (2000). Comparison of the total mercury content in sediment samples with a mercury sensor bacteria test and *Vibrio fischeri* toxicity test. *Environmental Toxicology*, 15(5), 443-448. [https://doi.org/10.1002/1522-7278\(2000\)15:5<443::AID-TOX12>3.0.CO;2-L](https://doi.org/10.1002/1522-7278(2000)15:5<443::AID-TOX12>3.0.CO;2-L)
- Tauriainen, S. M., Virta, M. P. J., & Karp, M. T. (2000). Detecting bioavailable toxic metals and metalloids from natural water samples using luminescent sensor bacteria. *Water Research*, 34(10), 2661-2666. [https://doi.org/10.1016/S0043-1354\(00\)00005-1](https://doi.org/10.1016/S0043-1354(00)00005-1)
- Korpela, M. T., Kurittu, J. S., Karvinen, J. T., & Karp, M. T. (1998). A recombinant *Escherichia coli* sensor strain for the detection of tetracyclines. *Analytical Chemistry*, 70(21), 4457-4462. <https://doi.org/10.1021/ac980740e>
- Suominen, A. I., Karp, M. T., & Mäntsälä, P. I. (1984). Fractionation of DNA with Sephacryl S-1000(R). *Biochemistry Research International*, 8(2), 209-215.
- Karp, M. T., Hemmilä, I., Mäntsälä, P. I., & Suominen, A. I. (1983). Time-resolved europium fluorescence in enzyme activity measurements: a sensitive protease assay. *Journal of applied biochemistry*, 5(6), 399-403.
- Karp, M. T., Raunio, R. P., & Lövgren, T. N-E. (1983). Simultaneous extraction and combined bioluminescent assay of NAD<sup>+</sup> and NADH. *ANALYTICAL BIOCHEMISTRY*, 128(1), 175-180. [https://doi.org/10.1016/0003-2697\(83\)90359-7](https://doi.org/10.1016/0003-2697(83)90359-7)