

Veber, A., Smedskjaer, M. M., & de Ligny, D. (2020). Relaxation behavior of densified sodium aluminoborate glass. *Acta Materialia*, 198, 153-167. <https://doi.org/10.1016/j.actamat.2020.07.068>

Ojha, N., Bogdan, M., Galatus, R., & Petit, L. (2020). Effect of heat-treatment on the upconversion of NaYF₄:Yb³⁺, Er³⁺ nanocrystals containing silver phosphate glass. *Journal of Non-Crystalline Solids*, 544, [120243]. <https://doi.org/10.1016/j.jnoncrysol.2020.120243>

Kleiven, D., & Akola, J. (2020). Precipitate formation in aluminium alloys: Multi-scale modelling approach. *Acta Materialia*, 195, 123-131. <https://doi.org/10.1016/j.actamat.2020.05.050>

Laurikainen, P., Kakkonen, M., von Essen, M., Tanhuanpää, O., Kallio, P., & Sarlin, E. (2020). Identification and compensation of error sources in the microbond test utilising a reliable high-throughput device. *Composites Part A: Applied Science and Manufacturing*, 137, [105988]. <https://doi.org/10.1016/j.compositesa.2020.105988>

Tainio, J. M., Salazar, D. A. A., Nommeots-Nomm, A., Roiland, C., Bureau, B., Neuville, D. R., ... Massera, J. (2020). Structure and in vitro dissolution of Mg and Sr containing borosilicate bioactive glasses for bone tissue engineering. *Journal of Non-Crystalline Solids*, 533, [119893]. <https://doi.org/10.1016/j.jnoncrysol.2020.119893>

Hongisto, M., Veber, A., Boetti, N. G., Danto, S., Jubera, V., & Petit, L. (2020). Transparent Yb³⁺ doped phosphate glass-ceramics. *Ceramics International*. <https://doi.org/10.1016/j.ceramint.2020.01.121>

Eyckens, D. J., Randall, J. D., Stojcevski, F., Sarlin, E., Palola, S., Kakkonen, M., ... Henderson, L. C. (2020). Examining interfacial interactions in a range of polymers using poly(ethylene oxide) functionalized carbon fibers. *Composites Part A: Applied Science and Manufacturing*, 138, [106053]. <https://doi.org/10.1016/j.compositesa.2020.106053>

Karhu, M., Lagerbom, J., Honkanen, M., Huttunen-Saarivirta, E., Kiilakoski, J., Vuoristo, P., ... Kivikytö-Reponen, P. (2020). Mining tailings as a raw material for glass-bonded thermally sprayed ceramic coatings: Microstructure and properties. *Journal of the European Ceramic Society*, 40(12), 4111-4121. <https://doi.org/10.1016/j.jeurceramsoc.2020.04.038>

Del Cerro, P. R., Teittinen, H., Norrbo, I., Lastusaari, M., Massera, J., & Petit, L. (2020). Novel borosilicate bioactive scaffolds with persistent luminescence. *Biomedical Glasses*, 6(1), 1-9. <https://doi.org/10.1515/bglass-2020-0001>

Ruuskanen, J., Stenvall, A., Lahtinen, V., Nugteren, J. V., Kirby, G., & Murtomäki, J. (2019). Modelling thermodynamics in a high erature superconducting dipole magnet: An inverse problem based approach. *Superconductor Science and Technology*, 32(9), [094007]. <https://doi.org/10.1088/1361-6668/ab2bc9>

Hannula, M., Ali-Löytty, H., Lahtonen, K., Saari, J., Tukiainen, A., & Valden, M. (2019). Highly efficient charge separation in model Z-scheme TiO₂/TiSi₂/Si photoanode by micropatterned titanium silicide interlayer. *Acta Materialia*, 174, 237-245. <https://doi.org/10.1016/j.actamat.2019.05.032>

Jokinen, J., & Kanerva, M. (2019). Simulation of Delamination Growth at CFRP-Tungsten Aerospace Laminates Using VCCT and CZM Modelling Techniques. *Applied Composite Materials*, 26(3), 709-721. <https://doi.org/10.1007/s10443-018-9746-5>

Zhang, Z., Pan, J., Luo, W., Ramakrishnan, K. R., & Singh, H. K. (2019). Vibration-based delamination detection in curved composite plates. *Composites Part A: Applied Science and Manufacturing*, 119, 261-274. <https://doi.org/10.1016/j.compositesa.2019.02.002>

Edwards, T. E. J., Di Gioacchino, F., Goodfellow, A. J., Mohanty, G., Wehrs, J., Michler, J., & Clegg, W. J. (2019). Transverse deformation of a lamellar TiAl alloy at high temperature by in situ microcompression. *Acta Materialia*, 166, 85-99. <https://doi.org/10.1016/j.actamat.2018.11.050>

- Karhu, M., Lagerbom, J., Solismaa, S., Honkanen, M., Ismailov, A., Räisänen, M. L., ... Kivikytö-Reponen, P. (2019). Mining tailings as raw materials for reaction-sintered aluminosilicate ceramics: Effect of mineralogical composition on microstructure and properties. *Ceramics International*, *45*(4), 4840-4848. <https://doi.org/10.1016/j.ceramint.2018.11.180>
- Kanerva, M., Korhikoski, S., Lahtonen, K., Jokinen, J., Sarlin, E., Palola, S., ... Valden, M. (2019). DLC-treated aramid-fibre composites: Tailoring nanoscale-coating for macroscale performance. *Composites Science and Technology*, *171*, 62-69. <https://doi.org/10.1016/j.compscitech.2018.11.043>
- Edwards, T. E. J., Di Gioacchino, F., Goodfellow, A. J., Mohanty, G., Wehrs, J., Michler, J., & Clegg, W. J. (2019). Deformation of lamellar γ -TiAl below the general yield stress. *Acta Materialia*, *163*, 122-139. <https://doi.org/10.1016/j.actamat.2018.09.061>
- Lopez-Iscoa, P., Ojha, N., Pugliese, D., Mishra, A., Gumenyuk, R., Boetti, N. G., ... Petit, L. (2019). Design, processing, and characterization of an optical core-bioactive clad phosphate fiber for biomedical applications. *JOURNAL OF THE AMERICAN CERAMIC SOCIETY*. <https://doi.org/10.1111/jace.16553>
- Mereuta, A., Nechay, K., Caliman, A., Suruceanu, G., Rudra, A., Gallo, P., ... Kapon, E. (2019). Flip-chip Wafer-fused OP-VECSELs emitting 3.65 W at the 1.55- μm waveband. *IEEE Journal of Selected Topics in Quantum Electronics*, *25*(6). <https://doi.org/10.1109/JSTQE.2019.2922819>
- Passananti, M., Zapadinsky, E., Zanca, T., Kangasluoma, J., Myllys, N., Rissanen, M. P., ... Vehkamäki, H. (2019). How well can we predict cluster fragmentation inside a mass spectrometer? *Chemical Communications*, *55*(42), 5946-5949. <https://doi.org/10.1039/c9cc02896j>
- Mishra, A., Ojansivu, M., Autio, R., Vanhatupa, S., Miettinen, S., & Massera, J. (Hyväksytty/painossa). In-vitro dissolution characteristics and human adipose stem cell response to novel borophosphate glasses. *Journal of Biomedical Materials Research - Part A*. <https://doi.org/10.1002/jbm.a.36722>
- Barberi, J., Nommeots-Nomm, A., Fiume, E., Verné, E., Massera, J., & Baino, F. (2019). Mechanical characterization of pore-graded bioactive glass scaffolds produced by robocasting. *Biomedical Glasses*, *5*(1), 140-147. <https://doi.org/10.1515/bglass-2019-0012>
- Veber, A., Lu, Z., Vermillac, M., Pigeonneau, F., Blanc, W., & Petit, L. (2019). Nano-structured optical fibers made of glass-ceramics, and phase separated and metallic particle-containing glasses. *Fibers*, *7*(12). <https://doi.org/10.3390/fib7120105>
- Narongthong, J., Das, A., Le, H. H., Wießner, S., & Sirisinha, C. (2018). An efficient highly flexible strain sensor: Enhanced electrical conductivity, piezoresistivity and flexibility of a strongly piezoresistive composite based on conductive carbon black and an ionic liquid. *Composites Part A: Applied Science and Manufacturing*, *113*, 330-338. <https://doi.org/10.1016/j.compositesa.2018.08.004>
- Maina, M. R., Okamoto, Y., Okada, A., Närhi, M., Kangastupa, J., & Vihinen, J. (2018). High surface quality welding of aluminum using adjustable ring-mode fiber laser. *Journal of Materials Processing Technology*, *258*, 180-188. <https://doi.org/10.1016/j.jmatprotec.2018.03.030>
- Kaunisto, K., Kotilainen, M., Karhu, M., Lagerbom, J., Vuorinen, T., Honkanen, M., ... Turunen, E. (2018). The effect of carbon and nickel additions on the precursor synthesis of Cr_3C_2 -Ni nanopowder. *Ceramics International*, *44*(8), 9338-9346. <https://doi.org/10.1016/j.ceramint.2018.02.146>
- Ojha, N., Laihinen, T., Salminen, T., Lastusaari, M., & Petit, L. (2018). Influence of the phosphate glass melt on the corrosion of functional particles occurring during the preparation of glass-ceramics. *Ceramics International*, *44*(10), 11807-11811. <https://doi.org/10.1016/j.ceramint.2018.03.267>
- Goyos-Ball, L., Prado, C., Díaz, R., Fernández, E., Ismailov, A., Kumpulainen, T., ... Fernández, A. (2018). The effects of laser patterning $10\text{CeTZP-Al}_2\text{O}_3$ nanocomposite disc surfaces: Osseous differentiation and cellular arrangement in vitro. *Ceramics International*, *44*(8), 9472-9478. <https://doi.org/10.1016/j.ceramint.2018.02.164>

- Nugteren, J. V., Kirby, G., Bajas, H., Bajko, M., Ballarino, A., Bottura, L., ... Yang, Y. (2018). Powering of an HTS dipole insert-magnet operated standalone in helium gas between 5 and 85 K. *Superconductor Science and Technology*, 31(6), [065002]. <https://doi.org/10.1088/1361-6668/aab887>
- Magarkar, A., Parkkila, P., Viitala, T., Lajunen, T., Mobarak, E., Licari, G., ... Bunker, A. (2018). Membrane bound COMT isoform is an interfacial enzyme: General mechanism and new drug design paradigm. *Chemical Communications*, 54(28), 3440-3443. <https://doi.org/10.1039/c8cc00221e>
- Glorieux, B., Salminen, T., Massera, J., Lastusaari, M., & Petit, L. (2018). Better understanding of the role of SiO₂, P₂O₅ and Al₂O₃ on the spectroscopic properties of Yb³⁺ doped silica sol-gel glasses. *Journal of Non-Crystalline Solids*, 482, 46-51. <https://doi.org/10.1016/j.jnoncrysol.2017.12.021>
- Orell, O., Vuorinen, J., Jokinen, J., Kettunen, H., Hytönen, P., Turunen, J., & Kanerva, M. (2018). Characterization of elastic constants of anisotropic composites in compression using digital image correlation. *Composite Structures*, 185, 176-185. <https://doi.org/10.1016/j.compstruct.2017.11.008>
- Järvinen, H., Honkanen, M., Järvenpää, M., & Peura, P. (2018). Effect of paint baking treatment on the properties of press hardened boron steels. *Journal of Materials Processing Technology*, 252, 90-104. <https://doi.org/10.1016/j.jmatprotec.2017.08.027>
- Durandin, N. A., Isokuortti, J., Efimov, A., Vuorimaa-Laukkanen, E., Tkachenko, N. V., & Laaksonen, T. (2018). Efficient photon upconversion at remarkably low annihilator concentrations in a liquid polymer matrix: when less is more. *Chemical Communications*, 54(99), 14029-14032. <https://doi.org/10.1039/c8cc07592a>
- Kiilakoski, J., Musalek, R., Lukac, F., Koivuluoto, H., & Vuoristo, P. (2018). Evaluating the toughness of APS and HVOF-sprayed Al₂O₃-ZrO₂-coatings by in-situ- and macroscopic bending. *Journal of the European Ceramic Society*, 38(4), 1908-1918. <https://doi.org/10.1016/j.jeurceramsoc.2017.11.056>
- Saarinen, M., Nommeots-Nomm, A., Hokka, M., Laurila, J., Norrbo, I., Lastusaari, M., ... Petit, L. (2018). Persistent luminescent particles containing bioactive glasses: Prospect toward tracking in-vivo implant mineralization using biophotonic ceramics. *Journal of the European Ceramic Society*, 38(1), 287-295. <https://doi.org/10.1016/j.jeurceramsoc.2017.08.024>
- Layek, R. K., Uddin, M. E., Kim, N. H., Tak Lau, A. K., & Lee, J. H. (2017). Noncovalent functionalization of reduced graphene oxide with pluronic F127 and its nanocomposites with gum arabic. *Composites Part B : Engineering*, 128, 155-163. <https://doi.org/10.1016/j.compositesb.2017.07.010>
- Sethi, J., Sarlin, E., Meysami, S. S., Suihkonen, R., Santha Kumar, A. R. S., Honkanen, M., ... Vuorinen, J. (2017). The effect of multi-wall carbon nanotube morphology on electrical and mechanical properties of polyurethane nanocomposites. *Composites Part A: Applied Science and Manufacturing*, 102, 305-313. <https://doi.org/10.1016/j.compositesa.2017.08.014>
- Sarlin, E., Sironen, R., Pärnänen, T., Lindgren, M., Kanerva, M., & Vuorinen, J. (2017). The effect of matrix type on ageing of thick vinyl ester glass-fibre-reinforced laminates. *Composite Structures*, 168, 840-850. <https://doi.org/10.1016/j.compstruct.2017.02.086>
- Mentink, M., & Salmi, T. (2017). Quench absorption coils: A quench protection concept for high-field superconducting accelerator magnets. *Superconductor Science and Technology*, 30(6), [064002]. <https://doi.org/10.1088/1361-6668/aa6678>
- Lopez-Iscoa, P., Petit, L., Massera, J., Janner, D., Boetti, N. G., Pugliese, D., ... Milanese, D. (2017). Effect of the addition of Al₂O₃, TiO₂ and ZnO on the thermal, structural and luminescence properties of Er³⁺-doped phosphate glasses. *Journal of Non-Crystalline Solids*, 460, 161-168. <https://doi.org/10.1016/j.jnoncrysol.2017.01.030>

- Karhu, M., Lagerbom, J., Kivikytö-Reponen, P., Ismailov, A., & Levänen, E. (2017). Reaction heat utilization in aluminosilicate-based ceramics synthesis and sintering. *Journal of Ceramic Science and Technology*, 8(1), 101-112. <https://doi.org/10.4416/JCST2016-00094>
- Ruuskanen, J., Stenvall, A., Lahtinen, V., & Pardo, E. (2017). Electromagnetic nonlinearities in a Roebel-cable-based accelerator magnet prototype: Variational approach. *Superconductor Science and Technology*, 30(2), [024008]. <https://doi.org/10.1088/1361-6668/30/2/024008>
- Morandi, A., Ainslie, M. D., Grilli, F., & Stenvall, A. (2017). The 5th international workshop on numerical modelling of high temperature superconductors. *Superconductor Science and Technology*, 30(8), [080201]. <https://doi.org/10.1088/1361-6668/aa7676>
- Javanainen, M., Melcrová, A., Magarkar, A., Jurkiewicz, P., Hof, M., Jungwirth, P., & Martinez-Seara, H. (2017). Two cations, two mechanisms: Interactions of sodium and calcium with zwitterionic lipid membranes. *Chemical Communications*, 53(39), 5380-5383. <https://doi.org/10.1039/c7cc02208e>
- Cui, S., Massera, J., Lastusaari, M., Hupa, L., & Petit, L. (2016). Novel oxyfluorophosphate glasses and glass-ceramics. *Journal of Non-Crystalline Solids*, 445-446, 40-44. <https://doi.org/10.1016/j.jnoncrysol.2016.05.005>
- Calejo, M. T., Ilmarinen, T., Jongprasitkul, H., Skottman, H., & Kellomäki, M. (2016). Honeycomb porous films as permeable scaffold materials for human embryonic stem cell-derived retinal pigment epithelium. *Journal of Biomedical Materials Research. Part A*, 104(7), 1646-1656. <https://doi.org/10.1002/jbm.a.35690>
- Soltani, I., Hraiech, S., Horchani-Naifer, K., Massera, J., Petit, L., & Férid, M. (2016). Thermal, structural and optical properties of Er³⁺ doped phosphate glasses containing silver nanoparticles. *Journal of Non-Crystalline Solids*, 438, 67-73. <https://doi.org/10.1016/j.jnoncrysol.2015.12.022>
- Kanerva, U., Karhu, M., Lagerbom, J., Kronlöf, A., Honkanen, M., Turunen, E., & Laitinen, T. (2016). Chemical synthesis of WC-Co from water-soluble precursors: The effect of carbon and cobalt additions to WC synthesis. *International Journal of Refractory Metals and Hard Materials*, 56, 69-75. <https://doi.org/10.1016/j.ijrmhm.2015.11.014>
- Bansod, N. D., Kapgade, B. P., Das, C., Das, A., Basu, D., & Debnath, S. C. (2016). Compatibilization of natural rubber/nitrile rubber blends by sol-gel nano-silica generated by in situ method. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*, 80(2), 548-559. <https://doi.org/10.1007/s10971-016-4114-0>
- Hupa, L., Fagerlund, S., Massera, J., & Björkvik, L. (2016). Dissolution behavior of the bioactive glass S53P4 when sodium is replaced by potassium, and calcium with magnesium or strontium. *Journal of Non-Crystalline Solids*, 41-46. <https://doi.org/10.1016/j.jnoncrysol.2015.03.026>
- Järveläinen, M., Keskinen, L., Heinonen, S., Kaleva, A., & Levänen, E. (2015). Thermal flow permeametry - A rapid method for finding local changes in flow channels. *Composites Part A: Applied Science and Manufacturing*, 79, 138-145. <https://doi.org/10.1016/j.compositesa.2015.09.013>
- Massera, J., Gaussiran, M., Gluchowski, P., Lastusaari, M., Hupa, L., & Petit, L. (2015). Processing and characterization of phosphate glasses containing CaAl₂O₄:Eu²⁺,Nd³⁺ and SrAl₂O₄:Eu²⁺,Dy³⁺ microparticles. *Journal of the European Ceramic Society*, 35(14), 3863-3871. <https://doi.org/10.1016/j.jeurceramsoc.2015.06.031>
- Kanerva, U., Suhonen, T., Lagerbom, J., & Levänen, E. (2015). Evaluation of crushing strength of spray-dried MgAl₂O₄ granule beds. *Ceramics International*, 41(7), 8494-8500. <https://doi.org/10.1016/j.ceramint.2015.03.056>
- Ribeiro, C., Pärssinen, J., Sencadas, V., Correia, V., Miettinen, S., Hytönen, V. P., & Lanceros-Méndez, S. (2015). Dynamic piezoelectric stimulation enhances osteogenic differentiation of human adipose stem cells. *Journal of Biomedical Materials Research. Part A*, 103(6), 2172-2175. <https://doi.org/10.1002/jbm.a.35368>

- Sorkio, A. E., Vuorimaa-Laukkanen, E. P., Hakola, H. M., Liang, H., Ujula, T. A., Valle-Delgado, J. J., ... Skottman, H. (2015). Biomimetic collagen I and IV double layer Langmuir-Schaefer films as microenvironment for human pluripotent stem cell derived retinal pigment epithelial cells. *Biomaterials*, *51*, 257-269. <https://doi.org/10.1016/j.biomaterials.2015.02.005>
- Parssinen, J., Hammarén, H., Rahikainen, R., Sencadas, V., Ribeiro, C., Vanhatupa, S., ... Hytönen, V. P. (2015). Enhancement of adhesion and promotion of osteogenic differentiation of human adipose stem cells by poled electroactive poly(vinylidene fluoride). *Journal of Biomedical Materials Research. Part A*, *103*(3), 919-928. <https://doi.org/10.1002/jbm.a.35234>
- Rooj, S., Das, A., Stöckelhuber, K. W., Wießner, S., Fischer, D., Reuter, U., & Heinrich, G. (2015). 'Expanded organoclay' assisted dispersion and simultaneous structural alterations of multiwall carbon nanotube (MWCNT) clusters in natural rubber. *Composites Science and Technology*, *107*, 36-43. <https://doi.org/10.1016/j.compscitech.2014.11.018>
- Kalimeri, M., Derreumaux, P., & Sterpone, F. (2015). Are coarse-grained models apt to detect protein thermal stability? the case of OPEP force field. *Journal of Non-Crystalline Solids*, *407*, 494-501. <https://doi.org/10.1016/j.jnoncrsol.2014.07.005>
- Pärnänen, T., Kanerva, M., Sarlin, E., & Saarela, O. (2015). Debonding and impact damage in stainless steel fibre metal laminates prior to metal fracture. *Composite Structures*, *119*, 777-786. <https://doi.org/10.1016/j.compstruct.2014.09.056>
- Ojuva, A., Järveläinen, M., Bauer, M., Keskinen, L., Valkonen, M., Akhtar, F., ... Bergström, L. (2015). Mechanical performance and CO₂ uptake of ion-exchanged zeolite A structured by freeze-casting. *Journal of the European Ceramic Society*, *35*(9), 2607-2618. <https://doi.org/10.1016/j.jeurceramsoc.2015.03.001>
- Stumpel, J. E., Broer, D. J., & Schenning, A. P. H. J. (2014). Stimuli-responsive photonic polymer coatings. *Chemical Communications*, *50*(100), 15839-15848. <https://doi.org/10.1039/c4cc05072j>
- Zhang, D., Pekkanen-Mattila, M., Shahsavani, M., Falk, A., Teixeira, A. I., & Herland, A. (2014). A 3D Alzheimer's disease culture model and the induction of P21-activated kinase mediated sensing in iPSC derived neurons. *Biomaterials*, *35*(5), 1420-1428. <https://doi.org/10.1016/j.biomaterials.2013.11.028>
- Le, H. H., Sriharish, M. N., Henning, S., Klehm, J., Menzel, M., Frank, W., ... Radosch, H. J. (2014). Dispersion and distribution of carbon nanotubes in ternary rubber blends. *Composites Science and Technology*, *90*, 180-186. <https://doi.org/10.1016/j.compscitech.2013.11.008>
- Suhonen, T., Varis, T., Dosta, S., Torrell, M., & Guilemany, J. M. (2013). Residual stress development in cold sprayed Al, Cu and Ti coatings. *Acta Materialia*, *61*(17), 6329-6337. <https://doi.org/10.1016/j.actamat.2013.06.033>
- Rooj, S., Das, A., Morozov, I. A., Stöckelhuber, K. W., Stoczek, R., & Heinrich, G. (2013). Influence of "expanded clay" on the microstructure and fatigue crack growth behavior of carbon black filled NR composites. *Composites Science and Technology*, *76*, 61-68. <https://doi.org/10.1016/j.compscitech.2012.12.020>
- Subramaniam, K., Das, A., & Heinrich, G. (2013). Improved oxidation resistance of conducting polychloroprene composites. *Composites Science and Technology*, *74*, 14-19. <https://doi.org/10.1016/j.compscitech.2012.10.002>
- Das, A., Kasaliwal, G. R., Jurk, R., Boldt, R., Fischer, D., Stöckelhuber, K. W., & Heinrich, G. (2012). Rubber composites based on graphene nanoplatelets, expanded graphite, carbon nanotubes and their combination: A comparative study. *Composites Science and Technology*, *72*(16), 1961-1967. <https://doi.org/10.1016/j.compscitech.2012.09.005>
- Kapgate, B. P., Das, C., Das, A., Basu, D., Reuter, U., & Heinrich, G. (2012). Effect of sol-gel derived in situ silica on the morphology and mechanical behavior of natural rubber and acrylonitrile butadiene rubber blends. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*, *63*(3), 501-509. <https://doi.org/10.1007/s10971-012-2812-9>

Massera, J., Fagerlund, S., Hupa, L., & Hupa, M. (2012). Crystallization mechanism of the bioactive glasses, 45S5 and S53P4. *JOURNAL OF THE AMERICAN CERAMIC SOCIETY*, *95*(2), 607-613. <https://doi.org/10.1111/j.1551-2916.2011.05012.x>

Giammarco, J., Zdyrko, B., Petit, L., Musgraves, J. D., Hu, J., Agarwal, A., ... Luzinov, I. (2011). Towards universal enrichment nanocoating for IR-ATR waveguides. *Chemical Communications*, *47*(32), 9104-9106. <https://doi.org/10.1039/c1cc12780b>

Subramaniam, K., Das, A., & Heinrich, G. (2011). Development of conducting polychloroprene rubber using imidazolium based ionic liquid modified multi-walled carbon nanotubes. *Composites Science and Technology*, *71*(11), 1441-1449. <https://doi.org/10.1016/j.compscitech.2011.05.018>

Musgraves, J. D., Carlie, N., Hu, J., Petit, L., Agarwal, A., Kimerling, L. C., & Richardson, K. A. (2011). Comparison of the optical, thermal and structural properties of Ge-Sb-S thin films deposited using thermal evaporation and pulsed laser deposition techniques. *Acta Materialia*, *59*(12), 5032-5039. <https://doi.org/10.1016/j.actamat.2011.04.060>

Daculsi, G., Goyenvalle, E., Cagnet, R., Aguado, E., & Suokas, E. O. (2011). Osteoconductive properties of poly(96L/4D-lactide)/beta-tricalcium phosphate in long term animal model. *Biomaterials*, *32*(12), 3166-3177. <https://doi.org/10.1016/j.biomaterials.2011.01.033>

Das, A., Mahaling, R. N., Stöckelhuber, K. W., & Heinrich, G. (2011). Reinforcement and migration of nanoclay in polychloroprene/ethylene-propylene-diene-monomer rubber blends. *Composites Science and Technology*, *71*(3), 276-281. <https://doi.org/10.1016/j.compscitech.2010.11.009>

Lagerbom, J., Ritvonen, T., Suhonen, T., & Varis, T. (2011). Gas atomized thermal spray powders of various metals and alloys. teoksessa *Proceedings of the Euro International Powder Metallurgy Congress and Exhibition, Euro PM 2011* (Vuosikerta 2). European Powder Metallurgy Association (EPMA).

Colace, L., Soriano, V., Maragliano, C., Assanto, G., Fulgoni, D., Nash, L., & Palmer, M. (2011). Germanium-on-glass solar cells. teoksessa *8th IEEE International Conference on Group IV Photonics, GFP 2011* (Sivut 255-257). [6053781] <https://doi.org/10.1109/GROUP4.2011.6053781>

Colace, L., Scacchi, A., & Assanto, G. (2011). Noise characterization of Ge/Si photodetectors. teoksessa *8th IEEE International Conference on Group IV Photonics, GFP 2011* (Sivut 290-292). [6053793] <https://doi.org/10.1109/GROUP4.2011.6053793>

Salminen, M., & Heinisuo, M. (2011). Shear buckling and resistance of thin-walled steel plate at non-uniform elevated temperatures. teoksessa *10th International Conference on Steel Space and Composite Structures* (Sivut 267-276). CI-Premier Pte Ltd.