

Veber A, Smedskjaer MM, de Ligny D. 2020. Relaxation behavior of densified sodium aluminoborate glass. *Acta Materialia*. 198:153-167. <https://doi.org/10.1016/j.actamat.2020.07.068>

Ojha N, Bogdan M, Galatus R, Petit L. 2020. Effect of heat-treatment on the upconversion of NaYF₄:Yb³⁺, Er³⁺ nanocrystals containing silver phosphate glass. *Journal of Non-Crystalline Solids*. 544. <https://doi.org/10.1016/j.jnoncrysol.2020.120243>

Kleiven D, Akola J. 2020. Precipitate formation in aluminium alloys: Multi-scale modelling approach. *Acta Materialia*. 195:123-131. <https://doi.org/10.1016/j.actamat.2020.05.050>

Laurikainen P, Kakkonen M, von Essen M, Tanhuanpää O, Kallio P, Sarlin E. 2020. Identification and compensation of error sources in the microbond test utilising a reliable high-throughput device. *Composites Part A: Applied Science and Manufacturing*. 137. <https://doi.org/10.1016/j.compositesa.2020.105988>

Tainio JM, Salazar DAA, Nommeots-Nomm A, Roiland C, Bureau B, Neuville DR, Brauer DS, Massera J. 2020. Structure and in vitro dissolution of Mg and Sr containing borosilicate bioactive glasses for bone tissue engineering. *Journal of Non-Crystalline Solids*. 533. <https://doi.org/10.1016/j.jnoncrysol.2020.119893>

Hongisto M, Veber A, Boetti NG, Danto S, Jubera V, Petit L. 2020. Transparent Yb³⁺ doped phosphate glass-ceramics. *Ceramics International*. <https://doi.org/10.1016/j.ceramint.2020.01.121>

Eyckens DJ, Randall JD, Stojcevski F, Sarlin E, Palola S, Kakkonen M, Scheffler C, Henderson LC. 2020. Examining interfacial interactions in a range of polymers using poly(ethylene oxide) functionalized carbon fibers. *Composites Part A: Applied Science and Manufacturing*. 138. <https://doi.org/10.1016/j.compositesa.2020.106053>

Karhu M, Lagerbom J, Honkanen M, Huttunen-Saarivirta E, Kiilakoski J, Vuoristo P, Solismaa S, Kivikytö-Reponen P. 2020. Mining tailings as a raw material for glass-bonded thermally sprayed ceramic coatings: Microstructure and properties. *Journal of the European Ceramic Society*. 40(12):4111-4121. <https://doi.org/10.1016/j.jeurceramsoc.2020.04.038>

Del Cerro PR, Teittinen H, Norrbo I, Lastusaari M, Massera J, Petit L. 2020. Novel borosilicate bioactive scaffolds with persistent luminescence. *Biomedical Glasses*. 6(1):1-9. <https://doi.org/10.1515/bglass-2020-0001>

Ruuskanen J, Stenvall A, Lahtinen V, Nugteren JV, Kirby G, Murtomäki J. 2019. Modelling thermodynamics in a high erature superconducting dipole magnet: An inverse problem based approach. *Superconductor Science and Technology*. 32(9). <https://doi.org/10.1088/1361-6668/ab2bc9>

Hannula M, Ali-Löytty H, Lahtonen K, Saari J, Tukiainen A, Valden M. 2019. Highly efficient charge separation in model Z-scheme TiO₂/TiSi₂/Si photoanode by micropatterned titanium silicide interlayer. *Acta Materialia*. 174:237-245. <https://doi.org/10.1016/j.actamat.2019.05.032>

Jokinen J, Kanerva M. 2019. Simulation of Delamination Growth at CFRP-Tungsten Aerospace Laminates Using VCCT and CZM Modelling Techniques. *Applied Composite Materials*. 26(3):709-721. <https://doi.org/10.1007/s10443-018-9746-5>

Zhang Z, Pan J, Luo W, Ramakrishnan KR, Singh HK. 2019. Vibration-based delamination detection in curved composite plates. *Composites Part A: Applied Science and Manufacturing*. 119:261-274. <https://doi.org/10.1016/j.compositesa.2019.02.002>

Edwards TEJ, Di Gioacchino F, Goodfellow AJ, Mohanty G, Wehrs J, Michler J, Clegg WJ. 2019. Transverse deformation of a lamellar TiAl alloy at high temperature by in situ microcompression. *Acta Materialia*. 166:85-99. <https://doi.org/10.1016/j.actamat.2018.11.050>

- Karhu M, Lagerbom J, Solismaa S, Honkanen M, Ismailov A, Räisänen ML, Huttunen-Saarivirta E, Levänen E, Kivikytö-Reponen P. 2019. Mining tailings as raw materials for reaction-sintered aluminosilicate ceramics: Effect of mineralogical composition on microstructure and properties. *Ceramics International*. 45(4):4840-4848. <https://doi.org/10.1016/j.ceramint.2018.11.180>
- Kanerva M, Korhikoski S, Lahtonen K, Jokinen J, Sarlin E, Palola S, Iyer A, Laurikainen P, Liu XW, Raappana M, Tervakangas S, Valden M. 2019. DLC-treated aramid-fibre composites: Tailoring nanoscale-coating for macroscale performance. *Composites Science and Technology*. 171:62-69. <https://doi.org/10.1016/j.compscitech.2018.11.043>
- Edwards TEJ, Di Gioacchino F, Goodfellow AJ, Mohanty G, Wehrs J, Michler J, Clegg WJ. 2019. Deformation of lamellar γ -TiAl below the general yield stress. *Acta Materialia*. 163:122-139. <https://doi.org/10.1016/j.actamat.2018.09.061>
- Lopez-Iscoa P, Ojha N, Pugliese D, Mishra A, Gumenyuk R, Boetti NG, Janner D, Troles J, Bureau B, Boussard-Plédel C, Massera J, Milanese D, Petit L. 2019. Design, processing, and characterization of an optical core-bioactive clad phosphate fiber for biomedical applications. *JOURNAL OF THE AMERICAN CERAMIC SOCIETY*. <https://doi.org/10.1111/jace.16553>
- Mereuta A, Nechay K, Caliman A, Suruceanu G, Rudra A, Gallo P, Guina M, Kapon E. 2019. Flip-chip Wafer-fused OP-VECSELS emitting 3.65 W at the 1.55- μm waveband. *IEEE Journal of Selected Topics in Quantum Electronics*. 25(6). <https://doi.org/10.1109/JSTQE.2019.2922819>
- Passananti M, Zapadinsky E, Zanca T, Kangasluoma J, Myllys N, Rissanen MP, Kurtén T, Ehn M, Attoui M, Vehkamäki H. 2019. How well can we predict cluster fragmentation inside a mass spectrometer?. *Chemical Communications*. 55(42):5946-5949. <https://doi.org/10.1039/c9cc02896j>
- Mishra A, Ojansivu M, Autio R, Vanhatupa S, Miettinen S, Massera J. 2019. In-vitro dissolution characteristics and human adipose stem cell response to novel borophosphate glasses. *Journal of Biomedical Materials Research - Part A*. <https://doi.org/10.1002/jbm.a.36722>
- Barberi J, Nommeots-Nomm A, Fiume E, Verné E, Massera J, Bairo F. 2019. Mechanical characterization of pore-graded bioactive glass scaffolds produced by robocasting. *Biomedical Glasses*. 5(1):140-147. <https://doi.org/10.1515/bglass-2019-0012>
- Veber A, Lu Z, Vermillac M, Pigeonneau F, Blanc W, Petit L. 2019. Nano-structured optical fibers made of glass-ceramics, and phase separated and metallic particle-containing glasses. *Fibers*. 7(12). <https://doi.org/10.3390/fib7120105>
- Narongthong J, Das A, Le HH, Wießner S, Sirisinha C. 2018. An efficient highly flexible strain sensor: Enhanced electrical conductivity, piezoresistivity and flexibility of a strongly piezoresistive composite based on conductive carbon black and an ionic liquid. *Composites Part A: Applied Science and Manufacturing*. 113:330-338. <https://doi.org/10.1016/j.compositesa.2018.08.004>
- Maina MR, Okamoto Y, Okada A, Närhi M, Kangastupa J, Vihinen J. 2018. High surface quality welding of aluminum using adjustable ring-mode fiber laser. *Journal of Materials Processing Technology*. 258:180-188. <https://doi.org/10.1016/j.jmatprotec.2018.03.030>
- Kaunisto K, Kotilainen M, Karhu M, Lagerbom J, Vuorinen T, Honkanen M, Vippola M, Turunen E. 2018. The effect of carbon and nickel additions on the precursor synthesis of Cr_3C_2 -Ni nanopowder. *Ceramics International*. 44(8):9338-9346. <https://doi.org/10.1016/j.ceramint.2018.02.146>
- Ojha N, Laihinne T, Salminen T, Lastusaari M, Petit L. 2018. Influence of the phosphate glass melt on the corrosion of functional particles occurring during the preparation of glass-ceramics. *Ceramics International*. 44(10):11807-11811. <https://doi.org/10.1016/j.ceramint.2018.03.267>
- Goyos-Ball L, Prado C, Díaz R, Fernández E, Ismailov A, Kumpulainen T, Levänen E, Torrecillas R, Fernández A. 2018. The effects of laser patterning 10CeTzP-Al₂O₃ nanocomposite disc surfaces: Osseous differentiation and cellular arrangement in vitro. *Ceramics International*. 44(8):9472-9478. <https://doi.org/10.1016/j.ceramint.2018.02.164>

Nugteren JV, Kirby G, Bajas H, Bajko M, Ballarino A, Bottura L, Chiuchiolo A, Contat PA, Dhallé M, Durante M, Fazilleau P, Fontalva A, Gao P, Goldacker W, Kate HT, Kario A, Lahtinen V, Lorin C, Markelov A, Mazet J, Molodyk A, Murtomäki J, Long N, Perez J, Petrone C, Pincot F, Rijk GD, Rossi L, Russenschuck S, Ruuskanen J, Schmitz K, Stenvall A, Usoskin A, Willering G, Yang Y. 2018. Powering of an HTS dipole insert-magnet operated standalone in helium gas between 5 and 85 K. *Superconductor Science and Technology*. 31(6). <https://doi.org/10.1088/1361-6668/aab887>

Magarkar A, Parkkila P, Viitala T, Lajunen T, Mobarak E, Licari G, Cramariuc O, Vauthey E, Róg T, Bunker A. 2018. Membrane bound COMT isoform is an interfacial enzyme: General mechanism and new drug design paradigm. *Chemical Communications*. 54(28):3440-3443. <https://doi.org/10.1039/c8cc00221e>

Glorieux B, Salminen T, Massera J, Lastusaari M, Petit L. 2018. Better understanding of the role of SiO₂, P₂O₅ and Al₂O₃ on the spectroscopic properties of Yb³⁺ doped silica sol-gel glasses. *Journal of Non-Crystalline Solids*. 482:46-51. <https://doi.org/10.1016/j.jnoncrysol.2017.12.021>

Orell O, Vuorinen J, Jokinen J, Kettunen H, Hytönen P, Turunen J, Kanerva M. 2018. Characterization of elastic constants of anisotropic composites in compression using digital image correlation. *Composite Structures*. 185:176-185. <https://doi.org/10.1016/j.compstruct.2017.11.008>

Järvinen H, Honkanen M, Järvenpää M, Peura P. 2018. Effect of paint baking treatment on the properties of press hardened boron steels. *Journal of Materials Processing Technology*. 252:90-104. <https://doi.org/10.1016/j.jmatprotec.2017.08.027>

Durandin NA, Isokuortti J, Efimov A, Vuorimaa-Laukkanen E, Tkachenko NV, Laaksonen T. 2018. Efficient photon upconversion at remarkably low annihilator concentrations in a liquid polymer matrix: when less is more. *Chemical Communications*. 54(99):14029-14032. <https://doi.org/10.1039/c8cc07592a>

Kiilakoski J, Musalek R, Lukac F, Koivuluoto H, Vuoristo P. 2018. Evaluating the toughness of APS and HVOF-sprayed Al₂O₃-ZrO₂-coatings by in-situ- and macroscopic bending. *Journal of the European Ceramic Society*. 38(4):1908-1918. <https://doi.org/10.1016/j.jeurceramsoc.2017.11.056>

Saarinen M, Nommeots-Nomm A, Hokka M, Laurila J, Norrbo I, Lastusaari M, Massera J, Petit L. 2018. Persistent luminescent particles containing bioactive glasses: Prospect toward tracking in-vivo implant mineralization using biophotonic ceramics. *Journal of the European Ceramic Society*. 38(1):287-295. <https://doi.org/10.1016/j.jeurceramsoc.2017.08.024>

Layek RK, Uddin ME, Kim NH, Tak Lau AK, Lee JH. 2017. Noncovalent functionalization of reduced graphene oxide with pluronic F127 and its nanocomposites with gum arabic. *Composites Part B : Engineering*. 128:155-163. <https://doi.org/10.1016/j.compositesb.2017.07.010>

Sethi J, Sarlin E, Meysami SS, Suihkonen R, Santha Kumar ARS, Honkanen M, Keinänen P, Grobert N, Vuorinen J. 2017. The effect of multi-wall carbon nanotube morphology on electrical and mechanical properties of polyurethane nanocomposites. *Composites Part A: Applied Science and Manufacturing*. 102:305-313. <https://doi.org/10.1016/j.compositesa.2017.08.014>

Sarlin E, Sironen R, Pärnänen T, Lindgren M, Kanerva M, Vuorinen J. 2017. The effect of matrix type on ageing of thick vinyl ester glass-fibre-reinforced laminates. *Composite Structures*. 168:840-850. <https://doi.org/10.1016/j.compstruct.2017.02.086>

Mentink M, Salmi T. 2017. Quench absorption coils: A quench protection concept for high-field superconducting accelerator magnets. *Superconductor Science and Technology*. 30(6). <https://doi.org/10.1088/1361-6668/aa6678>

Lopez-Iscoa P, Petit L, Massera J, Janner D, Boetti NG, Pugliese D, Fiorilli S, Novara C, Giorgis F, Milanese D. 2017. Effect of the addition of Al₂O₃, TiO₂ and ZnO on the thermal, structural and luminescence properties of Er³⁺-doped phosphate glasses. *Journal of Non-Crystalline Solids*. 460:161-168. <https://doi.org/10.1016/j.jnoncrysol.2017.01.030>

Karhu M, Lagerbom J, Kivikytö-Reponen P, Ismailov A, Levänen E. 2017. Reaction heat utilization in aluminosilicate-based ceramics synthesis and sintering. *Journal of Ceramic Science and Technology*. 8(1):101-112. <https://doi.org/10.4416/JCST2016-00094>

Ruuskanen J, Stenvall A, Lahtinen V, Pardo E. 2017. Electromagnetic nonlinearities in a Roebel-cable-based accelerator magnet prototype: Variational approach. *Superconductor Science and Technology*. 30(2). <https://doi.org/10.1088/1361-6668/30/2/024008>

Morandi A, Ainslie MD, Grilli F, Stenvall A. 2017. The 5th international workshop on numerical modelling of high temperature superconductors. *Superconductor Science and Technology*. 30(8). <https://doi.org/10.1088/1361-6668/aa7676>

Javanainen M, Melcrová A, Magarkar A, Jurkiewicz P, Hof M, Jungwirth P, Martinez-Seara H. 2017. Two cations, two mechanisms: Interactions of sodium and calcium with zwitterionic lipid membranes. *Chemical Communications*. 53(39):5380-5383. <https://doi.org/10.1039/c7cc02208e>

Cui S, Massera J, Lastusaari M, Hupa L, Petit L. 2016. Novel oxyfluorophosphate glasses and glass-ceramics. *Journal of Non-Crystalline Solids*. 445-446:40-44. <https://doi.org/10.1016/j.jnoncrysol.2016.05.005>

Calejo MT, Ilmarinen T, Jongprasitkul H, Skottman H, Kellomäki M. 2016. Honeycomb porous films as permeable scaffold materials for human embryonic stem cell-derived retinal pigment epithelium. *Journal of Biomedical Materials Research. Part A*. 104(7):1646-1656. <https://doi.org/10.1002/jbm.a.35690>

Soltani I, Hraiech S, Horchani-Naifer K, Massera J, Petit L, Férid M. 2016. Thermal, structural and optical properties of Er³⁺ doped phosphate glasses containing silver nanoparticles. *Journal of Non-Crystalline Solids*. 438:67-73. <https://doi.org/10.1016/j.jnoncrysol.2015.12.022>

Kanerva U, Karhu M, Lagerbom J, Kronlöf A, Honkanen M, Turunen E, Laitinen T. 2016. Chemical synthesis of WC-Co from water-soluble precursors: The effect of carbon and cobalt additions to WC synthesis. *International Journal of Refractory Metals and Hard Materials*. 56:69-75. <https://doi.org/10.1016/j.ijrmhm.2015.11.014>

Bansod ND, Kapgate BP, Das C, Das A, Basu D, Debnath SC. 2016. Compatibilization of natural rubber/nitrile rubber blends by sol-gel nano-silica generated by in situ method. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*. 80(2):548-559. <https://doi.org/10.1007/s10971-016-4114-0>

Hupa L, Fagerlund S, Massera J, Björkvik L. 2016. Dissolution behavior of the bioactive glass S53P4 when sodium is replaced by potassium, and calcium with magnesium or strontium. *Journal of Non-Crystalline Solids*. 41-46. <https://doi.org/10.1016/j.jnoncrysol.2015.03.026>

Järveläinen M, Keskinen L, Heinonen S, Kaleva A, Levänen E. 2015. Thermal flow permeametry - A rapid method for finding local changes in flow channels. *Composites Part A: Applied Science and Manufacturing*. 79:138-145. <https://doi.org/10.1016/j.compositesa.2015.09.013>

Massera J, Gaussiran M, Gluchowski P, Lastusaari M, Hupa L, Petit L. 2015. Processing and characterization of phosphate glasses containing CaAl₂O₄:Eu²⁺,Nd³⁺ and SrAl₂O₄:Eu²⁺,Dy³⁺ microparticles. *Journal of the European Ceramic Society*. 35(14):3863-3871. <https://doi.org/10.1016/j.jeurceramsoc.2015.06.031>

Kanerva U, Suhonen T, Lagerbom J, Levänen E. 2015. Evaluation of crushing strength of spray-dried MgAl₂O₄ granule beds. *Ceramics International*. 41(7):8494-8500. <https://doi.org/10.1016/j.ceramint.2015.03.056>

Ribeiro C, Pärssinen J, Sencadas V, Correia V, Miettinen S, Hytönen VP, Lanceros-Méndez S. 2015. Dynamic piezoelectric stimulation enhances osteogenic differentiation of human adipose stem cells. *Journal of Biomedical Materials Research. Part A*. 103(6):2172-2175. <https://doi.org/10.1002/jbm.a.35368>

Sorkio AE, Vuorimaa-Laukkanen EP, Hakola HM, Liang H, Ujula TA, Valle-Delgado JJ, Österberg M, Yliperttula ML, Skottman H. 2015. Biomimetic collagen I and IV double layer Langmuir-Schaefer films as microenvironment for human pluripotent stem cell derived retinal pigment epithelial cells. *Biomaterials*. 51:257-269. <https://doi.org/10.1016/j.biomaterials.2015.02.005>

Parssinen J, Hammarén H, Rahikainen R, Sencadas V, Ribeiro C, Vanhatupa S, Miettinen S, Lanceros-Méndez S, Hytönen VP. 2015. Enhancement of adhesion and promotion of osteogenic differentiation of human adipose stem cells by poled electroactive poly(vinylidene fluoride). *Journal of Biomedical Materials Research. Part A*. 103(3):919-928. <https://doi.org/10.1002/jbm.a.35234>

Rooj S, Das A, Stöckelhuber KW, Wießner S, Fischer D, Reuter U, Heinrich G. 2015. 'Expanded organoclay' assisted dispersion and simultaneous structural alterations of multiwall carbon nanotube (MWCNT) clusters in natural rubber. *Composites Science and Technology*. 107:36-43. <https://doi.org/10.1016/j.compscitech.2014.11.018>

Kalimeri M, Derreumaux P, Sterpone F. 2015. Are coarse-grained models apt to detect protein thermal stability? the case of OPEP force field. *Journal of Non-Crystalline Solids*. 407:494-501. <https://doi.org/10.1016/j.jnoncrysol.2014.07.005>

Pärnänen T, Kanerva M, Sarlin E, Saarela O. 2015. Debonding and impact damage in stainless steel fibre metal laminates prior to metal fracture. *Composite Structures*. 119:777-786. <https://doi.org/10.1016/j.compstruct.2014.09.056>

Ojuva A, Järveläinen M, Bauer M, Keskinen L, Valkonen M, Akhtar F, Levänen E, Bergström L. 2015. Mechanical performance and CO₂ uptake of ion-exchanged zeolite A structured by freeze-casting. *Journal of the European Ceramic Society*. 35(9):2607-2618. <https://doi.org/10.1016/j.jeurceramsoc.2015.03.001>

Stumpel JE, Broer DJ, Schenning APHJ. 2014. Stimuli-responsive photonic polymer coatings. *Chemical Communications*. 50(100):15839-15848. <https://doi.org/10.1039/c4cc05072j>

Zhang D, Pekkanen-Mattila M, Shahsavani M, Falk A, Teixeira AI, Herland A. 2014. A 3D Alzheimer's disease culture model and the induction of P21-activated kinase mediated sensing in iPSC derived neurons. *Biomaterials*. 35(5):1420-1428. <https://doi.org/10.1016/j.biomaterials.2013.11.028>

Le HH, Sriharish MN, Henning S, Klehm J, Menzel M, Frank W, Wießner S, Das A, Stöckelhuber KW, Heinrich G, Radosch HJ. 2014. Dispersion and distribution of carbon nanotubes in ternary rubber blends. *Composites Science and Technology*. 90:180-186. <https://doi.org/10.1016/j.compscitech.2013.11.008>

Suhonen T, Varis T, Dosta S, Torrell M, Guilemany JM. 2013. Residual stress development in cold sprayed Al, Cu and Ti coatings. *Acta Materialia*. 61(17):6329-6337. <https://doi.org/10.1016/j.actamat.2013.06.033>

Rooj S, Das A, Morozov IA, Stöckelhuber KW, Stoczek R, Heinrich G. 2013. Influence of "expanded clay" on the microstructure and fatigue crack growth behavior of carbon black filled NR composites. *Composites Science and Technology*. 76:61-68. <https://doi.org/10.1016/j.compscitech.2012.12.020>

Subramaniam K, Das A, Heinrich G. 2013. Improved oxidation resistance of conducting polychloroprene composites. *Composites Science and Technology*. 74:14-19. <https://doi.org/10.1016/j.compscitech.2012.10.002>

Das A, Kasaliwal GR, Jurk R, Boldt R, Fischer D, Stöckelhuber KW, Heinrich G. 2012. Rubber composites based on graphene nanoplatelets, expanded graphite, carbon nanotubes and their combination: A comparative study. *Composites Science and Technology*. 72(16):1961-1967. <https://doi.org/10.1016/j.compscitech.2012.09.005>

Kapgate BP, Das C, Das A, Basu D, Reuter U, Heinrich G. 2012. Effect of sol-gel derived in situ silica on the morphology and mechanical behavior of natural rubber and acrylonitrile butadiene rubber blends. *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY*. 63(3):501-509. <https://doi.org/10.1007/s10971-012-2812-9>

Massera J, Fagerlund S, Hupa L, Hupa M. 2012. Crystallization mechanism of the bioactive glasses, 45S5 and S53P4. JOURNAL OF THE AMERICAN CERAMIC SOCIETY. 95(2):607-613. <https://doi.org/10.1111/j.1551-2916.2011.05012.x>

Giammarco J, Zdyrko B, Petit L, Musgraves JD, Hu J, Agarwal A, Kimerling L, Richardson K, Luzinov I. 2011. Towards universal enrichment nanocoating for IR-ATR waveguides. Chemical Communications. 47(32):9104-9106. <https://doi.org/10.1039/c1cc12780b>

Subramaniam K, Das A, Heinrich G. 2011. Development of conducting polychloroprene rubber using imidazolium based ionic liquid modified multi-walled carbon nanotubes. Composites Science and Technology. 71(11):1441-1449. <https://doi.org/10.1016/j.compscitech.2011.05.018>

Musgraves JD, Carlie N, Hu J, Petit L, Agarwal A, Kimerling LC, Richardson KA. 2011. Comparison of the optical, thermal and structural properties of Ge-Sb-S thin films deposited using thermal evaporation and pulsed laser deposition techniques. Acta Materialia. 59(12):5032-5039. <https://doi.org/10.1016/j.actamat.2011.04.060>

Daculsi G, Goyenvalle E, Cognet R, Aguado E, Suokas EO. 2011. Osteoconductive properties of poly(96L/4D-lactide)/beta-tricalcium phosphate in long term animal model. Biomaterials. 32(12):3166-3177. <https://doi.org/10.1016/j.biomaterials.2011.01.033>

Das A, Mahaling RN, Stöckelhuber KW, Heinrich G. 2011. Reinforcement and migration of nanoclay in polychloroprene/ethylene-propylene-diene-monomer rubber blends. Composites Science and Technology. 71(3):276-281. <https://doi.org/10.1016/j.compscitech.2010.11.009>

Lagerbom J, Ritvonen T, Suhonen T, Varis T. 2011. Gas atomized thermal spray powders of various metals and alloys. teoksessa Proceedings of the Euro International Powder Metallurgy Congress and Exhibition, Euro PM 2011. European Powder Metallurgy Association (EPMA).

Colace L, Soriano V, Maragliano C, Assanto G, Fulgoni D, Nash L, Palmer M. 2011. Germanium-on-glass solar cells. teoksessa 8th IEEE International Conference on Group IV Photonics, GFP 2011. Sivut 255-257. <https://doi.org/10.1109/GROUP4.2011.6053781>

Colace L, Scacchi A, Assanto G. 2011. Noise characterization of Ge/Si photodetectors. teoksessa 8th IEEE International Conference on Group IV Photonics, GFP 2011. Sivut 290-292. <https://doi.org/10.1109/GROUP4.2011.6053793>

Salminen M, Heinisuo M. 2011. Shear buckling and resistance of thin-walled steel plate at non-uniform elevated temperatures. teoksessa 10th International Conference on Steel Space and Composite Structures. CI-Premier Pte Ltd. Sivut 267-276.