

- Weber, A., Smedskjaer, M. M., & de Ligny, D. (2020). Relaxation behavior of densified sodium aluminoborate glass. *Acta Materialia*, *198*, 153-167. <https://doi.org/10.1016/j.actamat.2020.07.068>
- Kleiven, D., & Akola, J. (2020). Precipitate formation in aluminium alloys: Multi-scale modelling approach. *Acta Materialia*, *195*, 123-131. <https://doi.org/10.1016/j.actamat.2020.05.050>
- Beter, J., Schritteser, B., Maroh, B., Sarlin, E., Fuchs, P. F., & Pinter, G. (2020). Comparison and impact of different fiber debond techniques on fiber reinforced flexible composites. *Polymers*, *12*(2), [472]. <https://doi.org/10.3390/polym12020472>
- Jönkkäri, I., Poliakova, V., Mylläri, V., Anderson, R., Andersson, M., & Vuorinen, J. (2020). Compounding and characterization of recycled multilayer plastic films. *Journal of Applied Polymer Science*, [e49101]. <https://doi.org/10.1002/app.49101>
- Poikelispää, M., Honkanen, M., Vippola, M., & Sarlin, E. (2020). Effect of carbon nanotubes and nanodiamonds on the heat storage ability of natural rubber composites. *Journal of Elastomers and Plastics*. <https://doi.org/10.1177/0095244320933977>
- Shakun, A., Sarlin, E., & Vuorinen, J. (2020). Energy dissipation in natural rubber latex films: The effect of stabilizers, leaching and acetone-treatment. *Journal of Applied Polymer Science*. <https://doi.org/10.1002/app.49609>
- Poikelispää, M., Ruokangas, S., Honkanen, M., Vippola, M., & Sarlin, E. (2020). Phase-change material: Natural rubber composites for heat storage applications. *Rubber Chemistry and Technology*, *93*(1), 208-221. <https://doi.org/10.5254/rct.19.81468>
- Calejo, M. T., Haapala, A., Skottman, H., & Kellomäki, M. (2019). Porous polybutylene succinate films enabling adhesion of human embryonic stem cell-derived retinal pigment epithelial cells (hESC-RPE). *European Polymer Journal*, *118*, 78-87. <https://doi.org/10.1016/j.eurpolymj.2019.05.041>
- Wang, S., Nawale, G. N., Oommen, O. P., Hilborn, J., & Varghese, O. P. (2019). Influence of ions to modulate hydrazone and oxime reaction kinetics to obtain dynamically cross-linked hyaluronic acid hydrogels. *Polymer Chemistry*, *10*(31), 4322-4327. <https://doi.org/10.1039/c9py00862d>
- Hannula, M., Ali-Löytty, H., Lahtonen, K., Saari, J., Tukiainen, A., & Valden, M. (2019). Highly efficient charge separation in model Z-scheme TiO₂/TiSi₂/Si photoanode by micropatterned titanium silicide interlayer. *Acta Materialia*, *174*, 237-245. <https://doi.org/10.1016/j.actamat.2019.05.032>
- Asikainen, S., Paakinaho, K., Kyhkynen, A. K., Hannula, M., Malin, M., Ahola, N., ... Seppälä, J. (2019). Hydrolysis and drug release from poly(ethylene glycol)-modified lactone polymers with open porosity. *European Polymer Journal*, *113*, 165-175. <https://doi.org/10.1016/j.eurpolymj.2019.01.056>
- Edwards, T. E. J., Di Gioacchino, F., Goodfellow, A. J., Mohanty, G., Wehrs, J., Michler, J., & Clegg, W. J. (2019). Transverse deformation of a lamellar TiAl alloy at high temperature by in situ microcompression. *Acta Materialia*, *166*, 85-99. <https://doi.org/10.1016/j.actamat.2018.11.050>
- Edwards, T. E. J., Di Gioacchino, F., Goodfellow, A. J., Mohanty, G., Wehrs, J., Michler, J., & Clegg, W. J. (2019). Deformation of lamellar γ -TiAl below the general yield stress. *Acta Materialia*, *163*, 122-139. <https://doi.org/10.1016/j.actamat.2018.09.061>
- Reyes, G., Borghei, M., King, A. W. T., Lahti, J., & Rojas, O. J. (2019). Solvent Welding and Imprinting Cellulose Nanofiber Films Using Ionic Liquids. *Biomacromolecules*, *20*(1), 502-514. <https://doi.org/10.1021/acs.biomac.8b01554>
- Brobbey, K. J., Haapanen, J., Tuominen, M., Mäkelä, J., Gunell, M., Eerola, E., ... Toivakka, M. (2019). High-speed production of antibacterial fabrics using liquid flame spray. *Textile Research Journal*. <https://doi.org/10.1177/0040517519866952>

- Haapanen, J., Aromaa, M., Teisala, H., Juuti, P., Tuominen, M., Sillanpää, M., ... Mäkelä, J. M. (2019). On the limit of superhydrophobicity: Defining the minimum amount of TiO₂ nanoparticle coating. *Materials Research Express*, 6(3), [035004]. <https://doi.org/10.1088/2053-1591/aaf2ee>
- Chen, X., Ukkonen, L., & Virkki, J. (2019). Reliability evaluation of wearable radio frequency identification tags: Design and fabrication of a two-part textile antenna. *Textile Research Journal*, 89(4). <https://doi.org/10.1177/0040517517750651>
- Fliervoet, L. A. L., Lisitsyna, E. S., Durandin, N. A., Kotsis, I., Maas-Bakker, R. F. M., Yliperttula, M., ... Vermonden, T. (2019). Structure and Dynamics of Thermosensitive pDNA Polyplexes Studied by Time-Resolved Fluorescence Spectroscopy. *Biomacromolecules*. <https://doi.org/10.1021/acs.biomac.9b00896>
- Banerjee, S. S., Natarajan, T. S., Subramani B., E., Wießner, S., Janke, A., Heinrich, G., & Das, A. (2019). Temperature scanning stress relaxation behavior of water responsive and mechanically adaptive elastomer nanocomposites. *Journal of Applied Polymer Science*, [48344]. <https://doi.org/10.1002/app.48344>
- He, H., Chen, X., Ukkonen, L., & Virkki, J. (2019). Textile-integrated three-dimensional printed and embroidered structures for wearable wireless platforms. *Textile Research Journal*, 89(4). <https://doi.org/10.1177/0040517517750649>
- Rajan, R., Rainosalu, E., Ramamoorthy, S. K., Thomas, S. P., Zavašnik, J., Vuorinen, J., & Skrifvars, M. (2018). Mechanical, thermal, and burning properties of viscose fabric composites: Influence of epoxy resin modification. *Journal of Applied Polymer Science*, 135(36), [46673]. <https://doi.org/10.1002/app.46673>
- Poutanen, M., Ahmed, Z., Rautkari, L., Ikkala, O., & Priimägi, A. (2018). Thermal Isomerization of Hydroxyazobenzenes as a Platform for Vapor Sensing. *ACS Macro Letters*, 7(3), 381-386. <https://doi.org/10.1021/acsmacrolett.8b00093>
- Karvinen, J., Joki, T., Ylä-Outinen, L., Koivisto, J. T., Narkilahti, S., & Kellomäki, M. (2018). Soft hydrazone crosslinked hyaluronan- and alginate-based hydrogels as 3D supportive matrices for human pluripotent stem cell-derived neuronal cells. *Reactive and Functional Polymers*, 124, 29-39. <https://doi.org/10.1016/j.reactfunctpolym.2017.12.019>
- Das, A., Sallat, A., Böhme, F., Sarlin, E., Vuorinen, J., Vennemann, N., ... Stöckelhuber, K. W. (2018). Temperature scanning stress relaxation of an autonomous self-healing elastomer containing non-covalent reversible network junctions. *Polymers*, 10(1), [94]. <https://doi.org/10.3390/polym10010094>
- Grosu, M. C., Lupu, I. G., Cramariuc, O., & Hogas, H. I. (2018). Fabrication and characterization of magnetic cotton yarns for textile applications. *Journal of the Textile Institute*, 109(10), 1348-1359. <https://doi.org/10.1080/00405000.2018.1423935>
- Shakun, A., Poikelispää, M., Das, A., & Vuorinen, J. (2018). Improved electromechanical response in acrylic rubber by different carbon-based fillers. *Polymer Engineering and Science*, 58(3), 395-404. <https://doi.org/10.1002/pen.24586>
- Rajan, R., Rainosalu, E., Thomas, S. P., Ramamoorthy, S. K., Zavašnik, J., Vuorinen, J., & Skrifvars, M. (2018). Modification of epoxy resin by silane-coupling agent to improve tensile properties of viscose fabric composites. *Polymer Bulletin*, 75(1), 167-195. <https://doi.org/10.1007/s00289-017-2022-2>
- Pippola, J., Marttila, T., & Frisk, L. (2017). Development of dust test method for motor drives. teoksessa *2017 IMAPS Nordic Conference on Microelectronics Packaging, NordPac 2017* (Sivut 43-46). IEEE. <https://doi.org/10.1109/NORDPAC.2017.7993161>
- Poikelispää, M., Shakun, A., Sarlin, E., Das, A., & Vuorinen, J. (2017). Vegetable fillers for electric stimuli responsive elastomers. *Journal of Applied Polymer Science*, 134(28), [45081]. <https://doi.org/10.1002/app.45081>

Ojala, N. (2017). *Application Oriented Wear Testing of Wear Resistant Steels in Mining Industry*. (Tampere University of Technology. Publication; Vuosikerta 1469). Tampere University of Technology.

Poikelispää, M., Shakun, A., Das, A., & Vuorinen, J. (2017). High actuation performance offered by simple diene rubbers. *Polymers for Advanced Technologies*, 28(1), 130-136. <https://doi.org/10.1002/pat.3867>

Hyysalo, A., Ristola, M., Joki, T., Honkanen, M., Vippola, M., & Narkilahti, S. (2017). Aligned Poly(ϵ -caprolactone) Nanofibers Guide the Orientation and Migration of Human Pluripotent Stem Cell-Derived Neurons, Astrocytes, and Oligodendrocyte Precursor Cells In Vitro. *MACROMOLECULAR BIOSCIENCE*, 17(7), [1600517]. <https://doi.org/10.1002/mabi.201600517>

Härkäsalmi, T., Lehmonen, J., Itälä, J., Peralta, C., Siljander, S., & Ketoja, J. A. (2017). Design-driven integrated development of technical and perceptual qualities in foam-formed cellulose fibre materials. *Cellulose*, 24(11), 5053–5068. <https://doi.org/10.1007/s10570-017-1484-6>

Ojala, N., Valtonen, K., Minkkinen, J., & Kuokkala, V-T. (2017). Edge and particle embedment effects in low- and high-stress slurry erosion wear of steels and elastomers. *Wear*, 388-389, 126-135. <https://doi.org/10.1016/j.wear.2017.06.004>

Kamppuri, T., Vehviläinen, M., Backfolk, K., & Heiskanen, I. (2016). Characterization of endoglucanase rich *Trichoderma reesei* cellulase mixtures and their effect on alkaline solubility of dissolving pulp. *Cellulose*, 23(6), 3901–3911. <https://doi.org/10.1007/s10570-016-1055-2>

Poikelispää, M., Shakun, A., Das, A., & Vuorinen, J. (2016). Improvement of actuation performance of dielectric elastomers by barium titanate and carbon black fillers. *Journal of Applied Polymer Science*, 133(42), [44116]. <https://doi.org/10.1002/app.44116>

Ojala, N. (2016). *Application oriented wear testing of wear resistant steels in mining industry*. Julkaisun esittämisaikpaikka: DIMECC 9th Annual Seminar, Helsinki, Suomi.

Paajanen, A., Sonavane, Y., Ignasiak, D., Ketoja, J. A., Maloney, T., & Paavilainen, S. (2016). Atomistic molecular dynamics simulations on the interaction of TEMPO-oxidized cellulose nanofibrils in water. *Cellulose*, 23(6), 3449–3462. <https://doi.org/10.1007/s10570-016-1076-x>

Stöckelhuber, K. W., Das, A., & Klüppel, M. (Toimittajat) (2016). *Designing of Elastomer Nanocomposites: From Theory to Application*. (Advances in Polymer Science; Vuosikerta 275). Springer International Publishing. <https://doi.org/10.1007/978-3-319-47696-4>

Basu, D., Das, A., Stöckelhuber, K. W., & Wießner, S. (2016). Nanostructured Ionomeric Elastomers. teoksessa K. W. Stöckelhuber, A. Das, & M. Klüppel (Toimittajat), *Designing of Elastomer Nanocomposites: From Theory to Applications* (Sivut 235-266). (Advances in Polymer Science; Vuosikerta 275). Springer International Publishing. https://doi.org/10.1007/12_2016_8

Mylläri, V., Hartikainen, S., Poliakova, V., Anderson, R., Jönkkäri, I., Pasanen, P., ... Vuorinen, J. (2016). Detergent impurity effect on recycled HDPE: Properties after repetitive processing. *Journal of Applied Polymer Science*, 133(31), [43766]. <https://doi.org/10.1002/app.43766>

Kapgate, B. P., Das, C., Das, A., Basu, D., Wiessner, S., Reuter, U., & Heinrich, G. (2016). Reinforced chloroprene rubber by in situ generated silica particles: Evidence of bound rubber on the silica surface. *Journal of Applied Polymer Science*, 133(30), [43717]. <https://doi.org/10.1002/app.43717>

Lindgren, M., Wallin, M., Kakkonen, M., Saarela, O., & Vuorinen, J. (2016). The influence of high-temperature sulfuric acid solution ageing on the properties of laminated vinyl-ester joints. *International Journal of Adhesion and Adhesives*, 68, 298-304. <https://doi.org/10.1016/j.ijadhadh.2016.04.011>

Poutanen, M., Ikkala, O., & Priimägi, A. (2016). Structurally Controlled Dynamics in Azobenzene-Based Supramolecular Self-Assemblies in Solid State. *Macromolecules*, *49*(11), 4095-4101. <https://doi.org/10.1021/acs.macromol.6b00562>

Ojala, N., Valtonen, K., Minkkinen, J., & Kuokkala, V-T. (2016). Edge effect in high speed slurry erosion wear tests of steels and elastomers. teoksessa *The 17th Nordic Symposium on Tribology - NORDTRIB 2016 14th - 17th June 2016 Aulanko, Hämeenlinna, Finland*

Grosu, M. C., Lupu, I. G., Cramariuc, O., & Hristian, L. (2016). Magnetic cotton yarns: optimization of magnetic properties. *Journal of the Textile Institute*, *107*(6), 757-765. <https://doi.org/10.1080/00405000.2015.1061761>

Akamatsu, N., Aizawa, M., Tatsumi, R., Hisano, K., Priimägi, A., & Shishido, A. (2016). Photoresponsive liquid-crystalline polymer films bilayered with an inverse opal structure. *JOURNAL OF PHOTOPOLYMER SCIENCE AND TECHNOLOGY*, *29*(1), 145-148. <https://doi.org/10.2494/photopolymer.29.145>

Ojala, N., Valtonen, K., Antikainen, A., Kemppainen, A., Minkkinen, J., Oja, O., & Kuokkala, V-T. (2016). Wear performance of quenched wear resistant steels in abrasive slurry erosion. *Wear*, *354-355*, 21-31. <https://doi.org/10.1016/j.wear.2016.02.019>

Kuuliala, L., Pippuri, T., Hultman, J., Auvinen, S-M., Kolppo, K., Nieminen, T., ... Jääskeläinen, E. (2015). Preparation and antimicrobial characterization of silver-containing packaging materials for meat. *Food Packaging and Shelf Life*, *6*, 53-60. [67]. <https://doi.org/10.1016/j.fpsl.2015.09.004>

Grönqvist, S., Kamppuri, T., Maloney, T., Vehviläinen, M., Liitiä, T., & Suurnäkki, A. (2015). Enhanced pre-treatment of cellulose pulp prior to dissolution into NaOH/ZnO. *Cellulose*, *22*(6), 3981-3990. <https://doi.org/10.1007/s10570-015-0742-8>

Le, H. H., Parsaker, M., Sriharish, M. N., Henning, S., Menzel, M., Wießner, S., ... Radosch, H. J. (2015). Effect of rubber polarity on selective wetting of carbon nanotubes in ternary blends. *Express Polymer Letters*, *9*(11), 960-971. <https://doi.org/10.3144/expresspolymlett.2015.87>

Vapaavuori, J., Heikkinen, I. T. S., Dichiarante, V., Resnati, G., Metrangolo, P., Sabat, R. G., ... Pellerin, C. (2015). Photomechanical Energy Transfer to Photopassive Polymers through Hydrogen and Halogen Bonds. *Macromolecules*, *48* (20), 7535-7542. <https://doi.org/10.1021/acs.macromol.5b01813>

Vapaavuori, J., Grosrenaud, J., Pellerin, C., & Bazuin, C. G. (2015). In Situ Photocontrol of Block Copolymer Morphology during Dip-Coating of Thin Films. *ACS Macro Letters*, *4*(10), 1158-1162. <https://doi.org/10.1021/acsmacrolett.5b00483>

Mylläri, V., Ruoko, T-P., Vuorinen, J., & Lemmetyinen, H. (2015). Characterization of thermally aged polyetheretherketone fibres: Mechanical, thermal, rheological and chemical property changes. *Polymer Degradation and Stability*, *120*, 419-426. <https://doi.org/10.1016/j.polymerdegradstab.2015.08.003>

Mylläri, V., Fatarella, E., Ruzzante, M., Pogni, R., Baratto, M. C., Skrifvars, M., ... Järvelä, P. (2015). Production of sulfonated polyetheretherketone/polypropylene fibers for photoactive textiles. *Journal of Applied Polymer Science*, *132* (39), [42595]. <https://doi.org/10.1002/app.42595>

Le, H. H., Pham, T., Henning, S., Klehm, J., Wießner, S., Stöckelhuber, K. W., ... Radosch, H. J. (2015). Formation and stability of carbon nanotube network in natural rubber: Effect of non-rubber components. *Polymer*, *73*, 111-121. [18004]. <https://doi.org/10.1016/j.polymer.2015.07.044>

Mylläri, V., Ruoko, T-P., & Syrjälä, S. (2015). A comparison of rheology and FTIR in the study of polypropylene and polystyrene photodegradation. *Journal of Applied Polymer Science*, *132*(28), [42246]. <https://doi.org/10.1002/app.42246>

- Manea, L. R., Cramariuc, B., Popescu, V., Cramariuc, R., Sandu, I., & Cramariuc, O. (2015). Equipment for obtaining polymeric nanofibres by electrospinning technology: II. The obtaining of polymeric nanofibers. *Materiale Plastice*, *52*(2), 180-185.
- Vehviläinen, M., Kamppuri, T., Setälä, H., Grönqvist, S., Rissanen, M., Honkanen, M., & Nousiainen, P. (2015). Regeneration of fibres from alkaline solution containing enzyme-treated 3-allyloxy-2-hydroxypropyl substituted cellulose. *Cellulose*, *22*(4), 2271-2282. <https://doi.org/10.1007/s10570-015-0647-6>
- Saarikoski, E., Rissanen, M., & Seppälä, J. (2015). Effect of rheological properties of dissolved cellulose/microfibrillated cellulose blend suspensions on film forming. *Carbohydrate Polymers*, *119*, 62-70. <https://doi.org/10.1016/j.carbpol.2014.11.033>
- Eshwaran, S. B., Basu, D., Vaikuntam, S. R., Kutlu, B., Wiessner, S., Das, A., ... Heinrich, G. (2015). Exploring the role of stearic acid in modified zinc aluminum layered double hydroxides and their acrylonitrile butadiene rubber nanocomposites. *Journal of Applied Polymer Science*, *132*(9), [41539]. <https://doi.org/10.1002/app.41539>
- Shin, J., Cherstvy, A. G., & Metzler, R. (2015). Polymer looping is controlled by macromolecular crowding, spatial confinement, and chain stiffness. *ACS Macro Letters*, *4*(2), 202-206. <https://doi.org/10.1021/mz500709w>
- Fatarelle, E., Mylläri, V., Ruzzante, M., Pogni, R., Baratto, M. C., Skrifvars, M., ... Järvelä, P. (2015). Sulfonated polyetheretherketone/polypropylene polymer blends for the production of photoactive materials. *Journal of Applied Polymer Science*, *132*(8), [41509]. <https://doi.org/10.1002/app.41509>
- Molnar, W., Nugent, S., Lindroos, M., Apostol, M., & Varga, M. (2015). Ballistic and numerical simulation of impacting goods on conveyor belt rubber. *Polymer Testing*, *42*, 1-7. <https://doi.org/10.1016/j.polymertesting.2014.12.001>
- Borah, D., Rasappa, S., Senthamarai kanna n, R., Holmes, J. D., & Morris, M. A. (2015). Block co-polymers for nanolithography: Rapid microwave annealing for pattern formation on substrates. *Polymers*, *7*(4), 592-609. <https://doi.org/10.3390/polym7040592>
- Ramamoorthy, S. K., Skrifvars, M., & Rissanen, M. (2015). Effect of alkali and silane surface treatments on regenerated cellulose fibre type (Lyocell) intended for composites. *Cellulose*, *22*(1), 637-654. <https://doi.org/10.1007/s10570-014-0526-6>
- Orłowski, A., Róg, T., Paavilainen, S., Manna, M., Heiskanen, I., Backfolk, K., ... Vattulainen, I. (2015). How endoglucanase enzymes act on cellulose nanofibrils: role of amorphous regions revealed by atomistic simulations. *Cellulose*, *22*(5), 2911-2925. <https://doi.org/10.1007/s10570-015-0705-0>
- Grönqvist, S., Treimanis, A., Kamppuri, T., Maloney, T., Skute, M., Grinfelds, U., ... Suurnäkki, A. (2015). The effect of the outermost fibre layers on solubility of dissolving grade pulp. *Cellulose*, *22*(6), 3955-3965. <https://doi.org/10.1007/s10570-015-0709-9>
- Basu, D., Das, A., Jacobgeorge, J., Wang, D. Y., Stöckelhuber, K., Wagenknecht, U., ... Heinrich, G. (2014). Unmodified LDH as reinforcing filler for XNBR and the development of flame-retardant elastomer composites. *Rubber Chemistry and Technology*, *87*(4), 606-616. <https://doi.org/10.5254/rct.14.86920>
- Tawade, B. V., Salunke, J. K., Sane, P. S., & Wadgaonkar, P. P. (2014). Processable aromatic polyesters based on bisphenol derived from cashew nut shell liquid: synthesis and characterization. *JOURNAL OF POLYMER RESEARCH*, *21* (12). <https://doi.org/10.1007/s10965-014-0617-y>
- Mohanty, A. K., Ghosh, A., Sawai, P., Pareek, K., Banerjee, S., Das, A., ... Voit, B. (2014). Electromagnetic interference shielding effectiveness of MWCNT filled poly(ether sulfone) and poly(ether imide) nanocomposites. *Polymer Engineering and Science*, *54*(11), 2560-2570. <https://doi.org/10.1002/pen.23804>

Wang, X., Vapaavuori, J., Zhao, Y., & Bazuin, C. G. (2014). A supramolecular approach to photoresponsive thermo/solvoplastic block copolymer elastomers. *Macromolecules*, *47*(20), 7099-7108. <https://doi.org/10.1021/ma501278b>

Le, H. H., Abhijeet, S., Ilisch, S., Klehm, J., Henning, S., Beiner, M., ... Radosch, H. J. (2014). The role of linked phospholipids in the rubber-filler interaction in carbon nanotube (CNT) filled natural rubber (NR) composites. *Polymer*, *55*(18), 4738-4747. <https://doi.org/10.1016/j.polymer.2014.07.043>

Kapgate, B. P., Das, C., Basu, D., Das, A., Heinrich, G., & Reuter, U. (2014). Effect of silane integrated sol-gel derived in situ silica on the properties of nitrile rubber. *Journal of Applied Polymer Science*, *131*(15), [40531]. <https://doi.org/10.1002/app.40531>

Mahmood, N., Khan, A. U., Stöckelhuber, K. W., Das, A., Jehnichen, D., & Heinrich, G. (2014). Carbon nanotubes-filled thermoplastic polyurethane-urea and carboxylated acrylonitrile butadiene rubber blend nanocomposites. *Journal of Applied Polymer Science*, *131*(11). <https://doi.org/10.1002/app.40341>

Priimagi, A., & Shevchenko, A. (2014). Azopolymer-based micro- and nanopatterning for photonic applications. *Journal of Polymer Science. Part B, Polymer Physics*, *52*(3), 163-182. <https://doi.org/10.1002/polb.23390>

Eshwaran, S. B., Basu, D., Kutlu, B., Leuteritz, A., Wagenknecht, U., Stöckelhuber, K. W., ... Heinrich, G. (2014). Stearate Modified Zinc-Aluminum Layered Double Hydroxides and Acrylonitrile Butadiene Rubber Nanocomposites. *Polymer-Plastics Technology and Engineering*, *53*(1), 65-73. <https://doi.org/10.1080/03602559.2013.843690>

Le, H. H., Parsekar, M., Ilisch, S., Henning, S., Das, A., Stöckelhuber, K. W., ... Radosch, H. J. (2014). Effect of non-rubber components of NR on the carbon nanotube (CNT) localization in SBR/NR blends. *Macromolecular Materials and Engineering*, *299*(5), 569-582. <https://doi.org/10.1002/mame.201300254>

Mylläri, V., Ruoko, T. P., & Järvelä, P. (2014). The effects of UV irradiation to polyetheretherketone fibres: Characterization by different techniques. *Polymer Degradation and Stability*, *109*, 278-284. <https://doi.org/10.1016/j.polymdegradstab.2014.08.003>

Le, H. H., Oßwald, K., Wießner, S., Das, A., Stöckelhuber, K. W., Boldt, R., ... Radosch, H. J. (2013). Location of dispersing agent in rubber nanocomposites during mixing process. *Polymer*, *54*(26), 7009-7021. <https://doi.org/10.1016/j.polymer.2013.10.038>

Diban, N., Haimi, S. P., Bolhuis-Versteeg, L., Teixeira, S., Miettinen, S., Poot, A. A., ... Stamatialis, D. (2013). Effect of surface morphology of poly(ϵ -caprolactone) scaffolds on adipose stem cell adhesion and proliferation. *Macromolecular symposia*, *334*(1), 126-132. <https://doi.org/10.1002/masy.201300106>

Gebraad, A. W. H., Miettinen, S., Grijpma, D. W., & Haimi, S. P. (2013). Human adipose stem cells in chondrogenic differentiation medium without growth factors differentiate towards annulus fibrosus phenotype in vitro. *Macromolecular symposia*, *334*(1), 49-56. <https://doi.org/10.1002/masy.201300104>

German, S. J., Behbahani, M., Miettinen, S., Grijpma, D. W., & Haimi, S. P. (2013). Proliferation and differentiation of adipose stem cells towards smooth muscle cells on poly(trimethylene carbonate) membranes. *Macromolecular symposia*, *334*(1), 133-142. <https://doi.org/10.1002/masy.201300100>

Borah, D., Simao, C. D., Senthamaraiannan, R., Rasappa, S., Francone, A., Lorret, O., ... Morris, M. A. (2013). Soft-graphoepitaxy using nanoimprinted polyhedral oligomeric silsesquioxane substrates for the directed self-Assembly of PS-b-PDMS. *European Polymer Journal*, *49*(11), 3512-3521. <https://doi.org/10.1016/j.eurpolymj.2013.08.011>

Suhonen, T., Varis, T., Dosta, S., Torrell, M., & Guilemany, J. M. (2013). Residual stress development in cold sprayed Al, Cu and Ti coatings. *Acta Materialia*, *61*(17), 6329-6337. <https://doi.org/10.1016/j.actamat.2013.06.033>

Tan, M., Feng, Y., Wang, H., Zhang, L., Khan, M., Guo, J., ... Liu, J. (2013). Immobilized bioactive agents onto polyurethane surface with heparin and phosphorylcholine group. *Macromolecular Research*, 21(5), 541-549. <https://doi.org/10.1007/s13233-013-1028-3>

Ojala, N., Valtonen, K., Siitonen, P., & Kuokkala, V.-T. (2013). The effect of test parameters on large particle slurry erosion testing. teoksessa *3rd International Tribology Symposium of IFToMM* (Tribology - Materials, Surfaces & Interfaces ; Vuosikerta 8, Nro 2). Luleå, Sweden.

Subramaniam, K., Das, A., Simon, F., & Heinrich, G. (2013). Networking of ionic liquid modified CNTs in SSBR. *European Polymer Journal*, 49(2), 345-352. <https://doi.org/10.1016/j.eurpolymj.2012.10.023>

Debnath, S. C., Das, A., Basu, D., & Heinrich, G. (2013). Naturally occurring amino acids: A suitable substitute of N-N'-di-phenyl guanidine (DPG) in silica tyre formulation? *KGK: KAUTSCHUK GUMMI KUNSTSTOFFE*, 66(1-2), 25-31.

Subramaniam, K., Das, A., Stöckelhuber, K. W., & Heinrich, G. (2013). Elastomer composites based on carbon nanotubes and ionic liquid. *Rubber Chemistry and Technology*, 86(3), 367-400. <https://doi.org/10.5254/rct.13.86984>

Mahimwalla, Z., Yager, K. G., Mamiya, J. I., Shishido, A., Priimagi, A., & Barrett, C. J. (2012). Azobenzene photomechanics: Prospects and potential applications. *Polymer Bulletin*, 69(8), 967-1006. <https://doi.org/10.1007/s00289-012-0792-0>

Steinhauser, D., Subramaniam, K., Das, A., Heinrich, G., & Klüppel, M. (2012). Influence of ionic liquids on the dielectric relaxation behavior of CNT based elastomer nanocomposites. *Express Polymer Letters*, 6(11), 927-936. <https://doi.org/10.3144/expresspolymlett.2012.98>

Gao, W., Feng, Y., Lu, J., Khan, M., & Guo, J. (2012). Biomimetic surface modification of polycarbonateurethane film via phosphorylcholine-graft for resisting platelet adhesion. *Macromolecular Research*, 20(10), 1063-1069. <https://doi.org/10.1007/s13233-012-0152-9>

Subramaniam, K., Das, A., & Heinrich, G. (2012). Highly conducting polychloroprene composites based on multi-walled carbon nanotubes and 1-butyl 3-methyl imidazolium bis(trifluoromethylsulphonyl)imide. *KGK: KAUTSCHUK GUMMI KUNSTSTOFFE*, 65(7-8), 44-46.

Subramaniam, K., Das, A., Häußler, L., Harnisch, C., Stöckelhuber, K. W., & Heinrich, G. (2012). Enhanced thermal stability of polychloroprene rubber composites with ionic liquid modified MWCNTs. *Polymer Degradation and Stability*, 97(5), 776-785. <https://doi.org/10.1016/j.polymdegradstab.2012.02.001>

Rooj, S., Das, A., Stöckelhuber, K. W., Reuter, U., & Heinrich, G. (2012). Highly exfoliated natural rubber/Clay composites by "propping-open procedure": The influence of fatty-acid chain length on exfoliation. *Macromolecular Materials and Engineering*, 297(4), 369-383. <https://doi.org/10.1002/mame.201100185>

Das, A., George, J. J., Kutlu, B., Leuteritz, A., Wang, D. Y., Rooj, S., ... Heinrich, G. (2012). A novel thermotropic elastomer based on highly-filled LDH-SSB composites. *Macromolecular Rapid Communications*, 33(4), 337-342. <https://doi.org/10.1002/marc.201100735>

Priimagi, A., Shimamura, A., Kondo, M., Hiraoka, T., Kubo, S., Mamiya, J. I., ... Shishido, A. (2012). Location of the Azobenzene moieties within the cross-linked liquid-crystalline polymers can dictate the direction of photoinduced bending. *ACS Macro Letters*, 1(1), 96-99. <https://doi.org/10.1021/mz200056w>

Subramaniam, K., Das, A., Steinhauser, D., Klüppel, M., & Heinrich, G. (2011). Effect of ionic liquid on dielectric, mechanical and dynamic mechanical properties of multi-walled carbon nanotubes/polychloroprene rubber composites. *European Polymer Journal*, 47(12), 2234-2243. <https://doi.org/10.1016/j.eurpolymj.2011.09.021>

Roop, S., Das, A., & Heinrich, G. (2011). Tube-like natural halloysite/fluoroelastomer nanocomposites with simultaneous enhanced mechanical, dynamic mechanical and thermal properties. *European Polymer Journal*, 47(9), 1746-1755. <https://doi.org/10.1016/j.eurpolymj.2011.06.007>

Zorzi, G. K., Párraga, J. E., Seijo, B., & Sánchez, A. (2011). Hybrid nanoparticle design based on cationized gelatin and the polyanions dextran sulfate and chondroitin sulfate for ocular gene therapy. *MACROMOLECULAR BIOSCIENCE*, 11(7), 905-913. <https://doi.org/10.1002/mabi.201100005>

Musgraves, J. D., Carlie, N., Hu, J., Petit, L., Agarwal, A., Kimerling, L. C., & Richardson, K. A. (2011). Comparison of the optical, thermal and structural properties of Ge-Sb-S thin films deposited using thermal evaporation and pulsed laser deposition techniques. *Acta Materialia*, 59(12), 5032-5039. <https://doi.org/10.1016/j.actamat.2011.04.060>

Roop, S., Das, A., & Heinrich, G. (2011). Preintercalation of an organic accelerator into nanogalleries and preparation of ethylene propylene diene terpolymer rubber-clay nanocomposites. *POLYMER JOURNAL*, 43(3), 285-292. <https://doi.org/10.1038/pj.2010.132>