

Veber A, Smedskjaer MM, de Ligny D. **Relaxation behavior of densified sodium aluminoborate glass**. *Acta Materialia*. 2020 loka 1;198:153-167. <https://doi.org/10.1016/j.actamat.2020.07.068>

Kleiven D, Akola J. **Precipitate formation in aluminium alloys: Multi-scale modelling approach**. *Acta Materialia*. 2020 elo 15;195:123-131. <https://doi.org/10.1016/j.actamat.2020.05.050>

Beter J, Schrittester B, Maroh B, Sarlin E, Fuchs PF, Pinter G. **Comparison and impact of different fiber debond techniques on fiber reinforced flexible composites**. *Polymers*. 2020;12(2). 472. <https://doi.org/10.3390/polym12020472>

Jönkkäri I, Poliakova V, Mylläri V, Anderson R, Andersson M, Vuorinen J. **Compounding and characterization of recycled multilayer plastic films**. *Journal of Applied Polymer Science*. 2020. e49101. <https://doi.org/10.1002/app.49101>

Poikelispää M, Honkanen M, Vippola M, Sarlin E. **Effect of carbon nanotubes and nanodiamonds on the heat storage ability of natural rubber composites**. *Journal of Elastomers and Plastics*. 2020. <https://doi.org/10.1177/0095244320933977>

Shakun A, Sarlin E, Vuorinen J. **Energy dissipation in natural rubber latex films: The effect of stabilizers, leaching and acetone-treatment**. *Journal of Applied Polymer Science*. 2020. <https://doi.org/10.1002/app.49609>

Poikelispää M, Ruokangas S, Honkanen M, Vippola M, Sarlin E. **Phase-change material: Natural rubber composites for heat storage applications**. *Rubber Chemistry and Technology*. 2020;93(1):208-221. <https://doi.org/10.5254/rct.19.81468>

Calejo MT, Haapala A, Skottman H, Kellomäki M. **Porous polybutylene succinate films enabling adhesion of human embryonic stem cell-derived retinal pigment epithelial cells (hESC-RPE)**. *European Polymer Journal*. 2019 syys 1;118:78-87. <https://doi.org/10.1016/j.eurpolymj.2019.05.041>

Wang S, Nawale GN, Oommen OP, Hilborn J, Varghese OP. **Influence of ions to modulate hydrazone and oxime reaction kinetics to obtain dynamically cross-linked hyaluronic acid hydrogels**. *Polymer Chemistry*. 2019 elo 21;10(31):4322-4327. <https://doi.org/10.1039/c9py00862d>

Hannula M, Ali-Löytty H, Lahtonen K, Saari J, Tukiainen A, Valden M. **Highly efficient charge separation in model Z-scheme TiO<sub>2</sub>/TiSi<sub>2</sub>/Si photoanode by micropatterned titanium silicide interlayer**. *Acta Materialia*. 2019 elo 1;174:237-245. <https://doi.org/10.1016/j.actamat.2019.05.032>

Asikainen S, Paakinaho K, Kyhkynen AK, Hannula M, Malin M, Ahola N et al. **Hydrolysis and drug release from poly(ethylene glycol)-modified lactone polymers with open porosity**. *European Polymer Journal*. 2019 huhti 1;113:165-175. <https://doi.org/10.1016/j.eurpolymj.2019.01.056>

Edwards TEJ, Di Gioacchino F, Goodfellow AJ, Mohanty G, Wehrs J, Michler J et al. **Transverse deformation of a lamellar TiAl alloy at high temperature by in situ microcompression**. *Acta Materialia*. 2019 maaliskuu 1;166:85-99. <https://doi.org/10.1016/j.actamat.2018.11.050>

Edwards TEJ, Di Gioacchino F, Goodfellow AJ, Mohanty G, Wehrs J, Michler J et al. **Deformation of lamellar  $\gamma$ -TiAl below the general yield stress**. *Acta Materialia*. 2019 tammi 15;163:122-139. <https://doi.org/10.1016/j.actamat.2018.09.061>

Reyes G, Borghei M, King AWT, Lahti J, Rojas OJ. **Solvent Welding and Imprinting Cellulose Nanofiber Films Using Ionic Liquids**. *Biomacromolecules*. 2019 tammi 14;20(1):502-514. <https://doi.org/10.1021/acs.biomac.8b01554>

Brobbeby KJ, Haapanen J, Tuominen M, Mäkelä J, Gunell M, Eerola E et al. **High-speed production of antibacterial fabrics using liquid flame spray**. *Textile Research Journal*. 2019. <https://doi.org/10.1177/0040517519866952>

Haapanen J, Aromaa M, Teisala H, Juuti P, Tuominen M, Sillanpää M et al. **On the limit of superhydrophobicity: Defining the minimum amount of TiO<sub>2</sub> nanoparticle coating**. *Materials Research Express*. 2019;6(3). 035004. <https://doi.org/10.1088/2053-1591/aaf2ee>

Chen X, Ukkonen L, Virkki J. **Reliability evaluation of wearable radio frequency identification tags: Design and fabrication of a two-part textile antenna.** Textile Research Journal. 2019;89(4). <https://doi.org/10.1177/0040517517750651>

Fliervoet LAL, Lisitsyna ES, Durandin NA, Kotsis I, Maas-Bakker RFM, Yliperttula M et al. **Structure and Dynamics of Thermosensitive pDNA Polyplexes Studied by Time-Resolved Fluorescence Spectroscopy.** Biomacromolecules. 2019. <https://doi.org/10.1021/acs.biomac.9b00896>

Banerjee SS, Natarajan TS, Subramani B. E, Wießner S, Janke A, Heinrich G et al. **Temperature scanning stress relaxation behavior of water responsive and mechanically adaptive elastomer nanocomposites.** Journal of Applied Polymer Science. 2019. 48344. <https://doi.org/10.1002/app.48344>

He H, Chen X, Ukkonen L, Virkki J. **Textile-integrated three-dimensional printed and embroidered structures for wearable wireless platforms.** Textile Research Journal. 2019;89(4). <https://doi.org/10.1177/0040517517750649>

Rajan R, Rainosalu E, Ramamoorthy SK, Thomas SP, Zavašnik J, Vuorinen J et al. **Mechanical, thermal, and burning properties of viscose fabric composites: Influence of epoxy resin modification.** Journal of Applied Polymer Science. 2018 syys 20;135(36). 46673. <https://doi.org/10.1002/app.46673>

Poutanen M, Ahmed Z, Rautkari L, Ikkala O, Priimägi A. **Thermal Isomerization of Hydroxyazobenzenes as a Platform for Vapor Sensing.** ACS Macro Letters. 2018 maaliskuu 20;7(3):381-386. <https://doi.org/10.1021/acsmacrolett.8b00093>

Karvinen J, Joki T, Ylä-Outinen L, Koivisto JT, Narkilahti S, Kellomäki M. **Soft hydrazone crosslinked hyaluronan- and alginate-based hydrogels as 3D supportive matrices for human pluripotent stem cell-derived neuronal cells.** Reactive and Functional Polymers. 2018 maaliskuu 1;124:29-39. <https://doi.org/10.1016/j.reactfunctpolym.2017.12.019>

Das A, Sallat A, Böhme F, Sarlin E, Vuorinen J, Vennemann N et al. **Temperature scanning stress relaxation of an autonomous self-healing elastomer containing non-covalent reversible network junctions.** Polymers. 2018 tammi 19;10(1). 94. <https://doi.org/10.3390/polym10010094>

Grosu MC, Lupu IG, Cramariuc O, Hogas HI. **Fabrication and characterization of magnetic cotton yarns for textile applications.** Journal of the Textile Institute. 2018;109(10):1348-1359. <https://doi.org/10.1080/00405000.2018.1423935>

Shakun A, Poikelispää M, Das A, Vuorinen J. **Improved electromechanical response in acrylic rubber by different carbon-based fillers.** Polymer Engineering and Science. 2018;58(3):395-404. <https://doi.org/10.1002/pen.24586>

Rajan R, Rainosalu E, Thomas SP, Ramamoorthy SK, Zavašnik J, Vuorinen J et al. **Modification of epoxy resin by silane-coupling agent to improve tensile properties of viscose fabric composites.** Polymer Bulletin. 2018;75(1):167-195. <https://doi.org/10.1007/s00289-017-2022-2>

Pippola J, Marttila T, Frisk L. **Development of dust test method for motor drives.** julkaisussa 2017 IMAPS Nordic Conference on Microelectronics Packaging, NordPac 2017. IEEE. 2017. s. 43-46 <https://doi.org/10.1109/NORDPAC.2017.7993161>

Poikelispää M, Shakun A, Sarlin E, Das A, Vuorinen J. **Vegetable fillers for electric stimuli responsive elastomers.** Journal of Applied Polymer Science. 2017 heinä 20;134(28). 45081. <https://doi.org/10.1002/app.45081>

Ojala N. **Application Oriented Wear Testing of Wear Resistant Steels in Mining Industry.** Tampere University of Technology, 2017. 60 s. (Tampere University of Technology. Publication).

Poikelispää M, Shakun A, Das A, Vuorinen J. **High actuation performance offered by simple diene rubbers.** Polymers for Advanced Technologies. 2017 tammi;28(1):130-136. <https://doi.org/10.1002/pat.3867>

Hyysalo A, Ristola M, Joki T, Honkanen M, Vippola M, Narkilahti S. **Aligned Poly( $\epsilon$ -caprolactone) Nanofibers Guide the Orientation and Migration of Human Pluripotent Stem Cell-Derived Neurons, Astrocytes, and Oligodendrocyte Precursor Cells In Vitro.** MACROMOLECULAR BIOSCIENCE. 2017;17(7). 1600517. <https://doi.org/10.1002/mabi.201600517>

Härkäsalmi T, Lehmonen J, Itälä J, Peralta C, Siljander S, Ketoja JA. **Design-driven integrated development of technical and perceptual qualities in foam-formed cellulose fibre materials.** Cellulose. 2017;24(11):5053–5068. <https://doi.org/10.1007/s10570-017-1484-6>

Ojala N, Valtonen K, Minkkinen J, Kuokkala V-T. **Edge and particle embedment effects in low- and high-stress slurry erosion wear of steels and elastomers.** Wear. 2017;388-389:126-135. <https://doi.org/10.1016/j.wear.2017.06.004>

Kamppuri T, Vehviläinen M, Backfolk K, Heiskanen I. **Characterization of endoglucanase rich Trichoderma reesei cellulase mixtures and their effect on alkaline solubility of dissolving pulp.** Cellulose. 2016 joulu;23(6):3901–3911. <https://doi.org/10.1007/s10570-016-1055-2>

Poikelispää M, Shakun A, Das A, Vuorinen J. **Improvement of actuation performance of dielectric elastomers by barium titanate and carbon black fillers.** Journal of Applied Polymer Science. 2016 marras 10;133(42). 44116. <https://doi.org/10.1002/app.44116>

Ojala N. **Application oriented wear testing of wear resistant steels in mining industry.** 2016. Julkaisun esittämisaikana: DIMECC 9th Annual Seminar, Helsinki, Suomi.

Paajanen A, Sonavane Y, Ignasiak D, Ketoja JA, Maloney T, Paavilainen S. **Atomistic molecular dynamics simulations on the interaction of TEMPO-oxidized cellulose nanofibrils in water.** Cellulose. 2016 syys 28;23(6):3449–3462. <https://doi.org/10.1007/s10570-016-1076-x>

Stöckelhuber KW, (ed.), Das A, (ed.), Klüppel M, (ed.). **Designing of Elastomer Nanocomposites: From Theory to Application.** Springer International Publishing, 2016. (Advances in Polymer Science). <https://doi.org/10.1007/978-3-319-47696-4>

Basu D, Das A, Stöckelhuber KW, Wießner S. **Nanostructured Ionomeric Elastomers.** julkaisussa Stöckelhuber KW, Das A, Klüppel M, toimittajat, Designing of Elastomer Nanocomposites: From Theory to Applications. Springer International Publishing. 2016. s. 235-266. (Advances in Polymer Science). [https://doi.org/10.1007/12\\_2016\\_8](https://doi.org/10.1007/12_2016_8)

Mylläri V, Hartikainen S, Poliakov V, Anderson R, Jönkkäri I, Pasanen P et al. **Detergent impurity effect on recycled HDPE: Properties after repetitive processing.** Journal of Applied Polymer Science. 2016 elo 15;133(31). 43766. <https://doi.org/10.1002/app.43766>

Kapgate BP, Das C, Das A, Basu D, Wiessner S, Reuter U et al. **Reinforced chloroprene rubber by in situ generated silica particles: Evidence of bound rubber on the silica surface.** Journal of Applied Polymer Science. 2016 elo 10;133(30). 43717. <https://doi.org/10.1002/app.43717>

Lindgren M, Wallin M, Kakkonen M, Saarela O, Vuorinen J. **The influence of high-temperature sulfuric acid solution ageing on the properties of laminated vinyl-ester joints.** International Journal of Adhesion and Adhesives. 2016 heinä 1;68:298-304. <https://doi.org/10.1016/j.ijadhadh.2016.04.011>

Poutanen M, Ikkala O, Priimägi A. **Structurally Controlled Dynamics in Azobenzene-Based Supramolecular Self-Assemblies in Solid State.** Macromolecules. 2016 kesä 14;49(11):4095-4101. <https://doi.org/10.1021/acs.macromol.6b00562>

Ojala N, Valtonen K, Minkkinen J, Kuokkala V-T. **Edge effect in high speed slurry erosion wear tests of steels and elastomers.** julkaisussa The 17th Nordic Symposium on Tribology - NORDTRIB 2016 14th - 17th June 2016 Aulanko, Hämeenlinna, Finland. 2016

Grosu MC, Lupu IG, Cramariuc O, Hristian L. **Magnetic cotton yarns: optimization of magnetic properties.** Journal of the Textile Institute. 2016;107(6):757-765. <https://doi.org/10.1080/00405000.2015.1061761>

Akamatsu N, Aizawa M, Tatsumi R, Hisano K, Primägi A, Shishido A. **Photoresponsive liquid-crystalline polymer films bilayered with an inverse opal structure.** JOURNAL OF PHOTOPOLYMER SCIENCE AND TECHNOLOGY. 2016;29(1):145-148. <https://doi.org/10.2494/photopolymer.29.145>

Ojala N, Valtonen K, Antikainen A, Kemppainen A, Minkinen J, Oja O et al. **Wear performance of quenched wear resistant steels in abrasive slurry erosion.** Wear. 2016;354-355:21-31. <https://doi.org/10.1016/j.wear.2016.02.019>

Kuuliala L, Pippuri T, Hultman J, Auvinen S-M, Kolppo K, Nieminen T et al. **Preparation and antimicrobial characterization of silver-containing packaging materials for meat.** Food Packaging and Shelf Life. 2015 joulu 1;6:53-60. 67. <https://doi.org/10.1016/j.fpsl.2015.09.004>

Grönqvist S, Kamppuri T, Maloney T, Vehviläinen M, Liitiä T, Suurnäkki A. **Enhanced pre-treatment of cellulose pulp prior to dissolution into NaOH/ZnO.** Cellulose. 2015 joulu;22(6):3981-3990. <https://doi.org/10.1007/s10570-015-0742-8>

Le HH, Parsaker M, Sriharish MN, Henning S, Menzel M, Wießner S et al. **Effect of rubber polarity on selective wetting of carbon nanotubes in ternary blends.** Express Polymer Letters. 2015 marras 1;9(11):960-971. <https://doi.org/10.3144/expresspolymlett.2015.87>

Vapaavuori J, Heikkinen ITS, Dichiarante V, Resnati G, Metrangolo P, Sabat RG et al. **Photomechanical Energy Transfer to Photopassive Polymers through Hydrogen and Halogen Bonds.** Macromolecules. 2015 loka 27;48(20):7535-7542. <https://doi.org/10.1021/acs.macromol.5b01813>

Vapaavuori J, Grosrenaud J, Pellerin C, Bazuin CG. **In Situ Photocontrol of Block Copolymer Morphology during Dip-Coating of Thin Films.** ACS Macro Letters. 2015 loka 20;4(10):1158-1162. <https://doi.org/10.1021/acsmacrolett.5b00483>

Mylläri V, Ruoko T-P, Vuorinen J, Lemmetyinen H. **Characterization of thermally aged polyetheretherketone fibres: Mechanical, thermal, rheological and chemical property changes.** Polymer Degradation and Stability. 2015 loka 1;120:419-426. <https://doi.org/10.1016/j.polymdegradstab.2015.08.003>

Mylläri V, Fatarella E, Ruzzante M, Pogni R, Baratto MC, Skrifvars M et al. **Production of sulfonated polyetheretherketone/polypropylene fibers for photoactive textiles.** Journal of Applied Polymer Science. 2015 loka 1;132(39). 42595. <https://doi.org/10.1002/app.42595>

Le HH, Pham T, Henning S, Klehm J, Wießner S, Stöckelhuber KW et al. **Formation and stability of carbon nanotube network in natural rubber: Effect of non-rubber components.** Polymer. 2015 elo 5;73:111-121. 18004. <https://doi.org/10.1016/j.polymer.2015.07.044>

Mylläri V, Ruoko T-P, Syrjälä S. **A comparison of rheology and FTIR in the study of polypropylene and polystyrene photodegradation.** Journal of Applied Polymer Science. 2015 heinä 1;132(28). 42246. <https://doi.org/10.1002/app.42246>

Manea LR, Cramariuc B, Popescu V, Cramariuc R, Sandu I, Cramariuc O. **Equipment for obtaining polymeric nanofibres by electrospinning technology: II. The obtaining of polymeric nanofibers.** Materiale Plastice. 2015 kesä 1;52(2):180-185.

Vehviläinen M, Kamppuri T, Setälä H, Grönqvist S, Rissanen M, Honkanen M et al. **Regeneration of fibres from alkaline solution containing enzyme-treated 3-allyloxy-2-hydroxypropyl substituted cellulose.** Cellulose. 2015 touko 10;22(4):2271-2282. <https://doi.org/10.1007/s10570-015-0647-6>

Saarikoski E, Rissanen M, Seppälä J. **Effect of rheological properties of dissolved cellulose/microfibrillated cellulose blend suspensions on film forming.** Carbohydrate Polymers. 2015 maaliskuu 30;119:62-70. <https://doi.org/10.1016/j.carbpol.2014.11.033>

Eshwaran SB, Basu D, Vaikuntam SR, Kutlu B, Wiessner S, Das A et al. **Exploring the role of stearic acid in modified zinc aluminum layered double hydroxides and their acrylonitrile butadiene rubber nanocomposites.** Journal of Applied Polymer Science. 2015 maaliskuu 1;132(9). 41539. <https://doi.org/10.1002/app.41539>

Shin J, Cherstvy AG, Metzler R. **Polymer looping is controlled by macromolecular crowding, spatial confinement, and chain stiffness.** ACS Macro Letters. 2015 helmik. 17;4(2):202-206. <https://doi.org/10.1021/mz500709w>

Fatarelle E, Mylläri V, Ruzzante M, Pogni R, Baratto MC, Skrifvars M et al. **Sulfonated polyetheretherketone/polypropylene polymer blends for the production of photoactive materials.** Journal of Applied Polymer Science. 2015 helmik. 1;132(8). 41509. <https://doi.org/10.1002/app.41509>

Molnar W, Nugent S, Lindroos M, Apostol M, Varga M. **Ballistic and numerical simulation of impacting goods on conveyor belt rubber.** Polymer Testing. 2015;42:1-7. <https://doi.org/10.1016/j.polymertesting.2014.12.001>

Borah D, Rasappa S, Sentharamaiah R, Holmes JD, Morris MA. **Block co-polymers for nanolithography: Rapid microwave annealing for pattern formation on substrates.** Polymers. 2015;7(4):592-609. <https://doi.org/10.3390/polym7040592>

Ramamoorthy SK, Skrifvars M, Rissanen M. **Effect of alkali and silane surface treatments on regenerated cellulose fibre type (Lyocell) intended for composites.** Cellulose. 2015;22(1):637-654. <https://doi.org/10.1007/s10570-014-0526-6>

Orłowski A, Róg T, Paavilainen S, Manna M, Heiskanen I, Backfolk K et al. **How endoglucanase enzymes act on cellulose nanofibrils: role of amorphous regions revealed by atomistic simulations.** Cellulose. 2015;22(5):2911-2925. <https://doi.org/10.1007/s10570-015-0705-0>

Grönqvist S, Treimanis A, Kamppuri T, Maloney T, Skute M, Grinfelds U et al. **The effect of the outermost fibre layers on solubility of dissolving grade pulp.** Cellulose. 2015;22(6):3955-3965. <https://doi.org/10.1007/s10570-015-0709-9>

Basu D, Das A, Jacobgeorge J, Wang DY, Stöckelhuber K, Wagenknecht U et al. **Unmodified LDH as reinforcing filler for XNBR and the development of flame-retardant elastomer composites.** Rubber Chemistry and Technology. 2014 jouluk. 1;87(4):606-616. <https://doi.org/10.5254/rct.14.86920>

Tawade BV, Salunke JK, Sane PS, Wadgaonkar PP. **Processable aromatic polyesters based on bisphenol derived from cashew nut shell liquid: synthesis and characterization.** JOURNAL OF POLYMER RESEARCH. 2014 marrask. 18;21(12). <https://doi.org/10.1007/s10965-014-0617-y>

Mohanty AK, Ghosh A, Sawai P, Pareek K, Banerjee S, Das A et al. **Electromagnetic interference shielding effectiveness of MWCNT filled poly(ether sulfone) and poly(ether imide) nanocomposites.** Polymer Engineering and Science. 2014 marrask. 1;54(11):2560-2570. <https://doi.org/10.1002/pen.23804>

Wang X, Vapaavuori J, Zhao Y, Bazuin CG. **A supramolecular approach to photoresponsive thermo/solvoplastic block copolymer elastomers.** Macromolecules. 2014 lokakuu 28;47(20):7099-7108. <https://doi.org/10.1021/ma501278b>

Le HH, Abhijeet S, Ilisch S, Klehm J, Henning S, Beiner M et al. **The role of linked phospholipids in the rubber-filler interaction in carbon nanotube (CNT) filled natural rubber (NR) composites.** Polymer. 2014 syysk. 2;55(18):4738-4747. <https://doi.org/10.1016/j.polymer.2014.07.043>

Kapgate BP, Das C, Basu D, Das A, Heinrich G, Reuter U. **Effect of silane integrated sol-gel derived in situ silica on the properties of nitrile rubber.** Journal of Applied Polymer Science. 2014 elokuu 5;131(15). 40531. <https://doi.org/10.1002/app.40531>

Mahmood N, Khan AU, Stöckelhuber KW, Das A, Jehnichen D, Heinrich G. **Carbon nanotubes-filled thermoplastic polyurethane-urea and carboxylated acrylonitrile butadiene rubber blend nanocomposites.** Journal of Applied Polymer Science. 2014 kesä 5;131(11). <https://doi.org/10.1002/app.40341>

Priimagi A, Shevchenko A. **Azopolymer-based micro- and nanopatterning for photonic applications.** Journal of Polymer Science. Part B, Polymer Physics. 2014 helmi 1;52(3):163-182. <https://doi.org/10.1002/polb.23390>

Eshwaran SB, Basu D, Kutlu B, Leuteritz A, Wagenknecht U, Stöckelhuber KW et al. **Stearate Modified Zinc-Aluminum Layered Double Hydroxides and Acrylonitrile Butadiene Rubber Nanocomposites.** Polymer-Plastics Technology and Engineering. 2014 tammi;53(1):65-73. <https://doi.org/10.1080/03602559.2013.843690>

Le HH, Parsekar M, Ilisch S, Henning S, Das A, Stöckelhuber KW et al. **Effect of non-rubber components of NR on the carbon nanotube (CNT) localization in SBR/NR blends.** Macromolecular Materials and Engineering. 2014;299(5):569-582. <https://doi.org/10.1002/mame.201300254>

Mylläri V, Ruoko TP, Järvelä P. **The effects of UV irradiation to polyetheretherketone fibres: Characterization by different techniques.** Polymer Degradation and Stability. 2014;109:278-284. <https://doi.org/10.1016/j.polymdegradstab.2014.08.003>

Le HH, Oßwald K, Wießner S, Das A, Stöckelhuber KW, Boldt R et al. **Location of dispersing agent in rubber nanocomposites during mixing process.** Polymer. 2013 joulu 13;54(26):7009-7021. <https://doi.org/10.1016/j.polymer.2013.10.038>

Diban N, Haimi SP, Bolhuis-Versteeg L, Teixeira S, Miettinen S, Poot AA et al. **Effect of surface morphology of poly( $\epsilon$ -caprolactone) scaffolds on adipose stem cell adhesion and proliferation.** Macromolecular symposia. 2013 joulu;334(1):126-132. <https://doi.org/10.1002/masy.201300106>

Gebraad AWH, Miettinen S, Grijpma DW, Haimi SP. **Human adipose stem cells in chondrogenic differentiation medium without growth factors differentiate towards annulus fibrosus phenotype in vitro.** Macromolecular symposia. 2013 joulu;334(1):49-56. <https://doi.org/10.1002/masy.201300104>

German SJ, Behbahani M, Miettinen S, Grijpma DW, Haimi SP. **Proliferation and differentiation of adipose stem cells towards smooth muscle cells on poly(trimethylene carbonate) membranes.** Macromolecular symposia. 2013 joulu;334(1):133-142. <https://doi.org/10.1002/masy.201300100>

Borah D, Simao CD, Sentharamaikannan R, Rasappa S, Francone A, Lorret O et al. **Soft-graphoepitaxy using nanoimprinted polyhedral oligomeric silsesquioxane substrates for the directed self-Assembly of PS-b-PDMS.** European Polymer Journal. 2013 marras;49(11):3512-3521. <https://doi.org/10.1016/j.eurpolymj.2013.08.011>

Suhonen T, Varis T, Dosta S, Torrell M, Guilemany JM. **Residual stress development in cold sprayed Al, Cu and Ti coatings.** Acta Materialia. 2013 loka;61(17):6329-6337. <https://doi.org/10.1016/j.actamat.2013.06.033>

Tan M, Feng Y, Wang H, Zhang L, Khan M, Guo J et al. **Immobilized bioactive agents onto polyurethane surface with heparin and phosphorylcholine group.** Macromolecular Research. 2013 touko;21(5):541-549. <https://doi.org/10.1007/s13233-013-1028-3>

Ojala N, Valtonen K, Siitonen P, Kuokkala V-T. **The effect of test parameters on large particle slurryerosion testing.** julkaisussa 3rd International Tribology Symposium of IFToMM. Luleå, Sweden. 2013. (Tribology - Materials, Surfaces & Interfaces ; 2).

Subramaniam K, Das A, Simon F, Heinrich G. **Networking of ionic liquid modified CNTs in SSBR.** European Polymer Journal. 2013 helmi;49(2):345-352. <https://doi.org/10.1016/j.eurpolymj.2012.10.023>

Debnath SC, Das A, Basu D, Heinrich G. **Naturally occurring amino acids: A suitable substitute of N-N'-di-phenyl guanidine (DPG) in silica tyre formulation?** KGK: KAUTSCHUK GUMMI KUNSTSTOFFE. 2013 tammi;66(1-2):25-31.

Subramaniam K, Das A, Stöckelhuber KW, Heinrich G. **Elastomer composites based on carbon nanotubes and ionic liquid**. Rubber Chemistry and Technology. 2013;86(3):367-400. <https://doi.org/10.5254/rct.13.86984>

Mahimwalla Z, Yager KG, Mamiya JI, Shishido A, Priimagi A, Barrett CJ. **Azobenzene photomechanics: Prospects and potential applications**. Polymer Bulletin. 2012 marras;69(8):967-1006. <https://doi.org/10.1007/s00289-012-0792-0>

Steinhauser D, Subramaniam K, Das A, Heinrich G, Klüppel M. **Influence of ionic liquids on the dielectric relaxation behavior of CNT based elastomer nanocomposites**. Express Polymer Letters. 2012 marras;6(11):927-936. <https://doi.org/10.3144/expresspolymlett.2012.98>

Gao W, Feng Y, Lu J, Khan M, Guo J. **Biomimetic surface modification of polycarbonateurethane film via phosphorylcholine-graft for resisting platelet adhesion**. Macromolecular Research. 2012 loka;20(10):1063-1069. <https://doi.org/10.1007/s13233-012-0152-9>

Subramaniam K, Das A, Heinrich G. **Highly conducting polychloroprene composites based on multi-walled carbon nanotubes and 1-butyl 3-methyl imidazolium bis(trifluoromethylsulphonyl)imide**. KGK: KAUTSCHUK GUMMI KUNSTSTOFFE. 2012 heinä;65(7-8):44-46.

Subramaniam K, Das A, Häußler L, Harnisch C, Stöckelhuber KW, Heinrich G. **Enhanced thermal stability of polychloroprene rubber composites with ionic liquid modified MWCNTs**. Polymer Degradation and Stability. 2012 touko;97(5):776-785. <https://doi.org/10.1016/j.polymdegradstab.2012.02.001>

Rooj S, Das A, Stöckelhuber KW, Reuter U, Heinrich G. **Highly exfoliated natural rubber/Clay composites by "propping-open procedure": The influence of fatty-acid chain length on exfoliation**. Macromolecular Materials and Engineering. 2012 huhti;297(4):369-383. <https://doi.org/10.1002/mame.201100185>

Das A, George JJ, Kutlu B, Leuteritz A, Wang DY, Rooj S et al. **A novel thermotropic elastomer based on highly-filled LDH-SSB composites**. Macromolecular Rapid Communications. 2012 helmi 27;33(4):337-342. <https://doi.org/10.1002/marc.201100735>

Priimagi A, Shimamura A, Kondo M, Hiraoka T, Kubo S, Mamiya JI et al. **Location of the Azobenzene moieties within the cross-linked liquid-crystalline polymers can dictate the direction of photoinduced bending**. ACS Macro Letters. 2012;1(1):96-99. <https://doi.org/10.1021/mz200056w>

Subramaniam K, Das A, Steinhauser D, Klüppel M, Heinrich G. **Effect of ionic liquid on dielectric, mechanical and dynamic mechanical properties of multi-walled carbon nanotubes/polychloroprene rubber composites**. European Polymer Journal. 2011 joulu;47(12):2234-2243. <https://doi.org/10.1016/j.eurpolymj.2011.09.021>

Rooj S, Das A, Heinrich G. **Tube-like natural halloysite/fluoroelastomer nanocomposites with simultaneous enhanced mechanical, dynamic mechanical and thermal properties**. European Polymer Journal. 2011 syys;47(9):1746-1755. <https://doi.org/10.1016/j.eurpolymj.2011.06.007>

Zorzi GK, Párraga JE, Seijo B, Sánchez A. **Hybrid nanoparticle design based on cationized gelatin and the polyanions dextran sulfate and chondroitin sulfate for ocular gene therapy**. MACROMOLECULAR BIOSCIENCE. 2011 heinä 7;11(7):905-913. <https://doi.org/10.1002/mabi.201100005>

Musgraves JD, Carlie N, Hu J, Petit L, Agarwal A, Kimerling LC et al. **Comparison of the optical, thermal and structural properties of Ge-Sb-S thin films deposited using thermal evaporation and pulsed laser deposition techniques**. Acta Materialia. 2011 heinä;59(12):5032-5039. <https://doi.org/10.1016/j.actamat.2011.04.060>

Rooj S, Das A, Heinrich G. **Preintercalation of an organic accelerator into nanogalleries and preparation of ethylene propylene diene terpolymer rubber-clay nanocomposites**. POLYMER JOURNAL. 2011 maaliskuu;43(3):285-292. <https://doi.org/10.1038/pj.2010.132>

