

Yang D, Qian Y, Cai D, Yan S, Kämäräinen J-K, Chen K. **Visibility-Aware Part Coding for Vehicle Viewing Angle Estimation**. julkaisussa 9th International Conference on Information Science and Technology, ICIST 2019. IEEE. 2019. s. 65-70 <https://doi.org/10.1109/ICIST.2019.8836907>

Zhidanov K, Bezzateev S, Afanasyeva A, Sayfullin M, Vanurin S, Bardinova Y et al. **Blockchain Technology for Smartphones and Constrained IoT Devices: A Future Perspective and Implementation**. julkaisussa Becker J, Pastor O, Kornysheva E, Korepanov VO, Tsukanova OA, Albornoz JB, Fedyanin D, Burkov VN, Nazarov DM, Novikov D, Uskenbaeva R, Shchepkin AV, toimittajat, 21st IEEE Conference on Business Informatics, CBI 2019. IEEE. 2019. s. 20-27. 8808043 <https://doi.org/10.1109/CBI.2019.10092>

Phan D, Rodrigues SS. **Approximate Controllability for Navier–Stokes Equations in 3D Rectangles Under Lions Boundary Conditions**. Journal of Dynamical and Control Systems. 2019 heinä;25(3):351-376. <https://doi.org/10.1007/s10883-018-9412-0>

Piche R. **Automatic numerical differentiation by maximum likelihood estimation of a linear Gaussian state space model**. julkaisussa 2019 18th European Control Conference, ECC 2019. IEEE. 2019. s. 1861-1865 <https://doi.org/10.23919/ECC.2019.8795960>

Pyrhönen V-P, Vilko MK. **Composite nonlinear feedback control of a JIB trolley of a tower crane behaviors**. julkaisussa 2019 18th European Control Conference, ECC 2019. IEEE. 2019. s. 1124-1129. 8796229 <https://doi.org/10.23919/ECC.2019.8796229>

Koivikko A, Sariola V. **Fabrication of soft devices with buried fluid channels by using sacrificial 3D printed molds**. julkaisussa 2019 2nd IEEE International Conference on Soft Robotics (RoboSoft). IEEE. 2019. s. 509-513 <https://doi.org/10.1109/ROBOSOFT.2019.8722741>

Rossi M, Liegmann E, Karamanakos P, Castelli-Dezza F, Kennel R. **Direct model predictive power control of a series-connected modular rectifier**. julkaisussa PRECEDE 2019: 2019 IEEE International Symposium on Predictive Control of Electrical Drives and Power Electronics. IEEE. 2019 <https://doi.org/10.1109/PRECEDE.2019.8753318>

Wendel S, Karamanakos P, Dietz A, Kennel R. **Operating point dependent variable switching point predictive current control for PMSM drives**. julkaisussa PRECEDE 2019: 2019 IEEE International Symposium on Predictive Control of Electrical Drives and Power Electronics. IEEE. 2019 <https://doi.org/10.1109/PRECEDE.2019.8753362>

De Biasi M, Lauri J. **On the complexity of restoring corrupted colorings**. Journal of Combinatorial Optimization. 2019 touko;37(4):1150-1169. <https://doi.org/10.1007/s10878-018-0342-2>

Halme J, Jantunen E, Hastbacka D, Hegedus C, Varga P, Bjorkbom M et al. **Monitoring of production processes and the condition of the production equipment through the internet**. julkaisussa 2019 6th International Conference on Control, Decision and Information Technologies, CoDIT 2019. IEEE. 2019. s. 1295-1300 <https://doi.org/10.1109/CoDIT.2019.8820688>

Suntio T, Messo T, Berg M, Alenius H, Reinikka T, Luhtala R et al. **Impedance-based interactions in grid-tied three-phase inverters in renewable energy applications**. Energies. 2019 tammi 31;12(3). 464. <https://doi.org/10.3390/en12030464>

Amer E, Kuperman A, Suntio T. **Direct fixed-step maximum power point tracking algorithms with adaptive perturbation frequency**. Energies. 2019 tammi 27;12(3). 399. <https://doi.org/10.3390/en12030399>

Gusrialdi A, Xu Y, Qu Z, Simaan MA. **A Real-Time Big Data Control-Theoretical Framework for Cyber-Physical-Human Systems**. julkaisussa Computational Intelligence and Optimization Methods for Control Engineering. Springer International Publishing. 2019. s. 149-172. (Springer Optimization and Its Applications). https://doi.org/10.1007/978-3-030-25446-9_7

Woldemariam ET, Coatanéa E, Wang GG, Lemu HG, Wu D. **Customized dimensional analysis conceptual modelling framework for design optimization—a case study on the cross-flow micro turbine model**. Engineering Optimization. 2019;51(7):1168-1184. <https://doi.org/10.1080/0305215X.2018.1519556>

Luhtala R, Messo T, Roinila T, Alenius H, Jong ED, Burstein A et al. **Identification of three-phase grid impedance in the presence of parallel converters.** *Energies*. 2019;12(14). 2674. <https://doi.org/10.3390/en12142674>

Suntio T, Messo T. **Power electronics in renewable energy systems.** *Energies*. 2019;12(10). en12101852. <https://doi.org/10.3390/en12101852>

Ivanov P, Raitoharju M, Piché R. **Kalman-Type Filters and Smoothers for Pedestrian Dead Reckoning.** julkaisussa IPIN 2018 - 9th International Conference on Indoor Positioning and Indoor Navigation. IEEE. 2018 <https://doi.org/10.1109/IPIN.2018.8533753>

Ortombina L, Liegmann E, Karamanakos P, Tinazzi F, Zigliotto M, Kennel R. **Constrained Long-Horizon Direct Model Predictive Control for Synchronous Reluctance Motor Drives.** julkaisussa 2018 IEEE 19th Workshop on Control and Modeling for Power Electronics, COMPEL 2018. IEEE. 2018. 8460173 <https://doi.org/10.1109/COMPEL.2018.8460173>

Mäkinen P, Mononen T, Mattila J. **Inertial Sensor-Based State Estimation of Flexible Links Subject to Bending and Torsion.** julkaisussa 2018 14th IEEE/ASME International Conference on Mechatronic and Embedded Systems and Applications, MESA 2018. IEEE. 2018. 8449188 <https://doi.org/10.1109/MESA.2018.8449188>

Teke B, Lanz M, Kämäräinen J-K, Hietanen A. **Real-time and Robust Collaborative Robot Motion Control with Microsoft Kinect @ v2.** julkaisussa 2018 14th IEEE/ASME International Conference on Mechatronic and Embedded Systems and Applications, MESA 2018. IEEE. 2018. 8449156 <https://doi.org/10.1109/MESA.2018.8449156>

Mahmoodpour M, Lobov A, Lanz M, Mäkelä P, Rundas N. **Role-based visualization of industrial IoT-based systems.** julkaisussa 2018 14th IEEE/ASME International Conference on Mechatronic and Embedded Systems and Applications, MESA 2018. IEEE. 2018. 8449183 <https://doi.org/10.1109/MESA.2018.8449183>

Ghabcheloo R, Siddiqui S. **Complete Odometry Estimation of a Vehicle Using Single Automotive Radar and a Gyroscope.** julkaisussa MED 2018 - 26th Mediterranean Conference on Control and Automation. IEEE. 2018. s. 855-860. 8442474 <https://doi.org/10.1109/MED.2018.8442474>

Pihlajasalo J, Leppäkoski H, Ali-Löytty S, Piché R. **Improvement of GPS and BeiDou extended orbit predictions with CNNs.** julkaisussa 26th European Navigation Conference, ENC 2018: Gothenburg, Sweden, 14-17 May, 2018. IEEE. 2018. s. 54-59. 8433244 <https://doi.org/10.1109/EURONAV.2018.8433244>

Koponen P, Hanninen S, Mutanen A, Koskela J, Rautiainen A, Järventausta P et al. **Improved modelling of electric loads for enabling demand response by applying physical and data-driven models: Project Response.** julkaisussa 2018 IEEE International Energy Conference, ENERGYCON 2018. IEEE. 2018. s. 1-6 <https://doi.org/10.1109/ENERGYCON.2018.8398794>

Muhammad U, Ferrer BR, Mohammed WM, Lastra JLM. **An approach for implementing key performance indicators of a discrete manufacturing simulator based on the ISO 22400 standard.** julkaisussa 2018 IEEE Industrial Cyber-Physical Systems, ICPS 2018. IEEE. 2018. s. 629-636 <https://doi.org/10.1109/ICPHYS.2018.8390779>

Hussnain A, Ferrer BR, Lastra JLM. **Towards the deployment of cloud robotics at factory shop floors: A prototype for smart material handling.** julkaisussa 2018 IEEE Industrial Cyber-Physical Systems, ICPS 2018. IEEE. 2018. s. 44-50 <https://doi.org/10.1109/ICPHYS.2018.8387635>

Kotilainen K, Mäkinen SJ, Valta J. **Sustainable electric vehicle - Prosumer framework and policy mix.** julkaisussa 2017 IEEE Innovative Smart Grid Technologies - Asia: Smart Grid for Smart Community, ISGT-Asia 2017. IEEE. 2018. s. 1-6 <https://doi.org/10.1109/ISGT-Asia.2017.8378406>

Bolla P, Lohan E-S. **Dual-frequency signal processing architecture for robust and precise positioning applications.** julkaisussa 2018 IEEE/ION Position, Location and Navigation Symposium, PLANS 2018. IEEE. 2018. s. 72-80 <https://doi.org/10.1109/PLANS.2018.8373367>

Phan D, Rodrigues SS. **Stabilization to trajectories for parabolic equations**. Mathematics of Control, Signals, and Systems . 2018 kesä 1;30(2). 11. <https://doi.org/10.1007/s00498-018-0218-0>

Almaeeni S, Sofotasios PC, Muhaidat S, Karagiannidis GK. **Analysis of differentially modulated cooperative communications over asymmetric fading channels**. julkaisussa Proceedings - 2018 International Conference on Advanced Communication Technologies and Networking, CommNet 2018. IEEE. 2018. s. 1-8 <https://doi.org/10.1109/COMMNET.2018.8360284>

Sofotasios PC, Yoo SK, Bhargav N, Muhaidat S, Cotton SL, Matthaïou M et al. **Capacity analysis under generalized composite fading conditions**. julkaisussa Proceedings - 2018 International Conference on Advanced Communication Technologies and Networking, CommNet 2018. IEEE. 2018. s. 1-10 <https://doi.org/10.1109/COMMNET.2018.8360282>

Mohamed S, Hamila R, Al-Dhahir N, Gouissem A, Benbrahim L, Gabbouj M. **Maximum achievable throughput and interference mitigation for SUN in coexistence with WLAN**. julkaisussa Proceedings - 2018 International Conference on Advanced Communication Technologies and Networking, CommNet 2018. IEEE. 2018. s. 1-6 <https://doi.org/10.1109/COMMNET.2018.8360252>

Selim B, Muhaidat S, Sofotasios PC, Sharif BS, Stouraitis T, Karagiannidis GK et al. **Outage probability of multi-carrier NOMA systems under joint I/Q imbalance**. julkaisussa Proceedings - 2018 International Conference on Advanced Communication Technologies and Networking, CommNet 2018. IEEE. 2018. s. 1-7 <https://doi.org/10.1109/COMMNET.2018.8360283>

Lee Y, Madayambath SC, Liu Y, Lin DT, Chen R, Bhattacharyya SS. **Online learning in neural decoding using incremental linear discriminant analysis**. julkaisussa 2017 IEEE International Conference on Cyborg and Bionic Systems, CBS 2017. IEEE. 2018. s. 173-177 <https://doi.org/10.1109/CBS.2017.8266092>

Suntio T. **Dynamic modeling and analysis of PCM-controlled DCM-operating buck converters-A reexamination**. Energies. 2018;11(5):1-18. en11051267. <https://doi.org/10.3390/en11051267>

van Mellaert R, Mela K, Tiainen T, Heinisuo M, Lombaert G, Schevenels M. **Mixed-integer linear programming approach for global discrete sizing optimization of frame structures**. Structural and Multidisciplinary Optimization. 2018;57(2):579–593. <https://doi.org/10.1007/s00158-017-1770-9>

Palagi S, Mark AG, Melde K, Qiu T, Zeng H, Parmeggiani C et al. **Locomotion of light-driven soft microrobots through a hydrogel via local melting**. julkaisussa International Conference on Manipulation, Automation and Robotics at Small Scales, MARSS 2017 - Proceedings. IEEE. 2017 <https://doi.org/10.1109/MARSS.2017.8001916>

Kreutzer J, Viehrig M, Maki A-J, Kallio P, Rahikainen R, Hytönen V. **Pneumatically actuated elastomeric device for simultaneous mechanobiological studies & live-cell fluorescent microscopy**. julkaisussa International Conference on Manipulation, Automation and Robotics at Small Scales, MARSS 2017 - Proceedings. IEEE. 2017 <https://doi.org/10.1109/MARSS.2017.8001929>

Ometov A, Solomitskii D, Olsson T, Bezzateev S, Shchesniak A, Andreev S et al. **Secure and connected wearable intelligence for content delivery at a mass event: A case study**. Journal of Sensor and Actuator Networks. 2017 kesä 1;6(2). 5. <https://doi.org/10.3390/jsan6020005>

Kivimäki J, Sitbon M, Kolesnik S, Kuperman A, Suntio T. **Determining maximum MPP-tracking sampling frequency for input-voltage-controlled PV-interfacing converter**. julkaisussa 8th Annual IEEE Energy Conversion Congress & Exposition (ECCE 2016). IEEE. 2017 <https://doi.org/10.1109/ECCE.2016.7855036>

Laakkonen AAP. **A reformulation of the internal model principle using factorization approach**. 2017. Julkaisun esittämispaikka: CDPS 2017, Workshop on Control of Distributed Parameter Systems, Bordeaux, France, .

Paunonen L, Seifert D. **Asymptotics for infinite systems of differential equations**. SIAM Journal on Control and Optimization. 2017;55(2):1153-1178. <https://doi.org/10.1137/15M1051993>

Paunonen L. **Robust controllers for regular linear systems with infinite-dimensional exosystems**. SIAM Journal on Control and Optimization. 2017;55(3):1567-1597. <https://doi.org/10.1137/16M107181X>

Paunonen L, Seifert D. **Asymptotic Behaviour of Platoon Systems**. julkaisussa Proceedings of the 22nd International Symposium on Mathematical Theory of Networks and Systems. University of Minnesota. 2016. s. 830-836

Humaloja J-P, Paunonen L, Pohjolainen S. **Robust Regulation for First-Order Port-Hamiltonian Systems**. julkaisussa Proceedings of the 15th European Control Conference, Aalborg, Denmark, June 29th - July 1st, 2016. IEEE. 2016 <https://doi.org/10.1109/ECC.2016.7810618>

Humaloja J-P, Paunonen L, Pohjolainen S. **Robust Regulation for Port-Hamiltonian Systems of Even Order**. julkaisussa Proceedings of the 22nd International Symposium on Mathematical Theory of Networks and Systems, Minneapolis, MN, USA, July 12-15, 2016. University of Minnesota. 2016. s. 152-156

Karamanakos P, Geyer T, Kennel R. **Computationally efficient optimization algorithms for model predictive control of linear systems with integer inputs**. julkaisussa 2015 54th IEEE Conference on Decision and Control, CDC 2015. 2015. s. 3663-3668 <https://doi.org/10.1109/CDC.2015.7402787>

Laakkonen P, Pohjolainen S. **Frequency domain robust regulation of signals generated by an infinite-dimensional exosystem**. SIAM Journal on Control and Optimization. 2015;53(1):139-166. <https://doi.org/10.1137/130950057>

Paunonen L. **On Robust Output Regulation for Continuous-Time Periodic Systems**. julkaisussa 2015 Proceedings of the SIAM Conference on Control and its Applications. SIAM, Society for Industrial and Applied Mathematics. 2015 <https://doi.org/10.1137/1.9781611974072.7>

Laakkonen P, Quadrat A. **Robust Regulation of SISO Systems: The Fractional Ideal Approach**. julkaisussa Proceedings of the SIAM Conference on Control and Its Applications (CT15). SIAM, Society for Industrial and Applied Mathematics. 2015. s. 311-318 <https://doi.org/10.1137/1.9781611974072.43>

Seppälä J, Salmenperä M. **Towards dependable automation**. julkaisussa Cyber Security: Analytics, Technology and Automation: Part IV. Springer International Publishing. 2015. s. 229-249. (Intelligent Systems, Control and Automation: Science and Engineering). https://doi.org/10.1007/978-3-319-18302-2_15

Min J, Xiang Z, Zhiming Z, Tentzeris MM. **A hybrid optimization grey model based on segmented gra and multi-strategy contest for short-term power load forecasting**. JOURNAL OF GREY SYSTEM. 2012;24(1):15-28.

Gadoura I, Suntio T, Zenger K, Vallittu P. **Soft computing-based controller design for a telecom rectifier**. julkaisussa Martikainen J, toimittaja, SMCia 1999 - Proceedings of the 1999 IEEE Midnight-Sun Workshop on Soft Computing Methods in Industrial Applications. Institute of Electrical and Electronics Engineers Inc. 1999. s. 80-85. 782712. (SMCia 1999 - Proceedings of the 1999 IEEE Midnight-Sun Workshop on Soft Computing Methods in Industrial Applications). <https://doi.org/10.1109/SMCIA.1999.782712>