

Ukkonen L, Sydänheimo L, Ma S, Björninen T. 2020. Backscattering-based wireless communication and power transfer to small biomedical implants. Gray BL, Becker H, Toimittajat. teoksessa *Microfluidics, BioMEMS, and Medical Microsystems XVIII*. SPIE. (Progress in Biomedical Optics and Imaging - Proceedings of SPIE). <https://doi.org/10.1117/12.2552183>

Rezaei A, Koulouri A, Pursiainen S. 2020. Randomized Multiresolution Scanning in Focal and Fast E/MEG Sensing of Brain Activity with a Variable Depth. *Brain Topography*. 33(2):161-175. <https://doi.org/10.1007/s10548-020-00755-8>

Pertuz S, Sassi A, Holli-Helenius K, Kämäräinen J, Rinta-Kiikka I, Lääperi AL, Arponen O. 2019. Clinical evaluation of a fully-automated parenchymal analysis software for breast cancer risk assessment: A pilot study in a Finnish sample. *European Journal of Radiology*. 121. <https://doi.org/10.1016/j.ejrad.2019.108710>

Borges LR, Barufaldi B, Caron RF, Bakic PR, Foi A, Maidment ADA, Vieira MAC. 2019. Technical Note: Noise models for virtual clinical trials of digital breast tomosynthesis. *Medical Physics*. 46(6):2683-2689. <https://doi.org/10.1002/mp.13534>

Kahle H, Phung H-M, Penttinen J-P, Rajala P, Tukiainen A, Ranta S, Guina M. 2019. Double-side pumped membrane external-cavity surface-emitting laser (MECSEL) with increased efficiency emitting > 3 W in the 780 nm region. teoksessa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. <https://doi.org/10.23919/CLEO.2019.8749958>

Abdallah Z, Stefszky M, Ulvila V, Silberhorn C, Vainio M. 2019. Frequency Comb Generation in a Continuous-Wave Pumped Second-Order Nonlinear Waveguide Resonator. teoksessa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. <https://doi.org/10.23919/CLEO.2019.8750403>

Saad-Bin-Alam M, Reshef O, Huttunen MJ, Carlow G, Sullivan B, Menard JM, Dolgaleva K, Boyd RW. 2019. High-Q resonance train in a plasmonic metasurface. teoksessa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. <https://doi.org/10.23919/CLEO.2019.8750206>

Pertuz S, Torres GF, Tamimi R, Kämäräinen J. 2019. Open framework for mammography-based breast cancer risk assessment. teoksessa 2019 IEEE EMBS International Conference on Biomedical and Health Informatics, BHI 2019 - Proceedings. IEEE. <https://doi.org/10.1109/BHI.2019.8834599>

Sadiek I, Mikkonen T, Vainio M, Toivonen J, Foltynowicz A. 2019. Optical Frequency Comb Photoacoustic Spectroscopy. teoksessa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. <https://doi.org/10.23919/CLEO.2019.8749688>

Vimieiro RB, Borges LR, Caron RF, Barufaldi B, Bakic PR, Maidment ADA, Vieira MAC. 2019. Noise measurements from reconstructed digital breast tomosynthesis. Schmidt TG, Chen G-H, Bosmans H, Toimittajat. teoksessa *Medical Imaging 2019: Physics of Medical Imaging*. SPIE, IEEE. (Progress in Biomedical Optics and Imaging - Proceedings of SPIE). <https://doi.org/10.1117/12.2512977>

Koljonen V, Koskela O, Montonen T, Rezaei A, Belay B, Figueiras E, Hyttinen J, Pursiainen S. 2019. A mathematical model and iterative inversion for fluorescent optical projection tomography. *Physics in Medicine and Biology*. 64(4). <https://doi.org/10.1088/1361-6560/aafd63>

Habib M, Ozbay E, Caglayan H. 2019. Tuning plasmon induced reflectance with hybrid metasurfaces. *Photonics*. 6(1). <https://doi.org/10.3390/photonics6010029>

Jääntti V, Ylinen T, Subramaniam NP, Kamata K, Yli-Hankala A, Kauppinen P, Sonkajärvi E. 2018. Electroencephalographic signals during anesthesia recorded from surface and depth electrodes. *International Journal of Radiation Biology*. 94(10):934-943. <https://doi.org/10.1080/09553002.2018.1478159>

Abu Khamidakh AE, Rodriguez-Martinez A, Kaarniranta K, Kallioniemi A, Skottman H, Hyttinen J, Juuti-Uusitalo K. 2018. Wound healing of human embryonic stem cell-derived retinal pigment epithelial cells is affected by maturation stage. *BioMedical Engineering Online*. 17(1). <https://doi.org/10.1186/s12938-018-0535-z>

Tran DT, Waris MA, Gabbouj M, Iosifidis A. 2018. Sample-based regularization for support vector machine classification. teoksessa Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017. IEEE. Sivut 1-6. <https://doi.org/10.1109/IPTA.2017.8310103>

Schiopu I, Gabbouj M, Iosifidis A, Zeng B, Liu S. 2018. Subaperture image segmentation for lossless compression. teoksessa Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017. IEEE. Sivut 1-6. <https://doi.org/10.1109/IPTA.2017.8310083>

Wirdatmadja S, Johari P, Balasubramaniam S, Bae Y, Stachowiak MK, Jornet JM. 2018. Light propagation analysis in nervous tissue for wireless optogenetic nanonetworks. teoksessa Optogenetics and Optical Manipulation 2018. SPIE. <https://doi.org/10.1117/12.2288786>

Böttrich M, Tanskanen JMA, Hyttinen JAK. 2017. Lead field theory provides a powerful tool for designing microelectrode array impedance measurements for biological cell detection and observation. BioMedical Engineering Online. 16(1). <https://doi.org/10.1186/s12938-017-0372-5>

Azzari L, Foi A. 2017. Variance stabilization in Poisson image deblurring. teoksessa 2017 IEEE 14th International Symposium on Biomedical Imaging, ISBI 2017. IEEE. Sivut 728-731. <https://doi.org/10.1109/ISBI.2017.7950622>

Kauppi J-P, Pajula J, Niemi J, Hari R, Tohka J. 2017. Functional brain segmentation using inter-subject correlation in fMRI. Human Brain Mapping. 38(5):2643-2665. <https://doi.org/10.1002/hbm.23549>

Kara PA, Kovacs PT, Vagharshakyan S, Martini MG, Barsi A, Balogh T, Chuchvara A, Chehaibi A. 2017. The Effect of Light Field Reconstruction and Angular Resolution Reduction on the Quality of Experience. teoksessa 2016 12th International Conference on Signal-Image Technology & Internet-Based Systems (SITIS). IEEE. Sivut 781-786. <https://doi.org/10.1109/SITIS.2016.128>

Anwar S, Izhar-Ul-Haq I, Qadir MU, Ali I, Razzaq S, Ahmad B, Shah K, Shah SA, Khan MT. 2017. Computer aided diagnosis of acoustic neuroma: A neural network perspective. JOURNAL OF MEDICAL IMAGING AND HEALTH INFORMATICS. 7(2):371-377. <https://doi.org/10.1166/jmihi.2017.2057>

Chaudhary S, Berki E, Nykänen P, Zolotavkin Y, Helenius M, Kela J. 2017. Towards a conceptual framework for privacy protection in the use of interactive 360° video surveillance. teoksessa 2016 22nd International Conference on Virtual System & Multimedia (VSMM). IEEE. <https://doi.org/10.1109/VSMM.2016.7863179>

Borges LR, Bakic PR, Foi A, Maidment ADA, Vieira MAC. 2017. Pipeline for effective denoising of digital mammography and digital breast tomosynthesis. teoksessa Medical Imaging 2017: Physics of Medical Imaging. SPIE. (Progress in biomedical optics and imaging). <https://doi.org/10.1117/12.2255058>

Ilvesmäki T, Koskinen E, Brander A, Luoto T, Öhman J, Eskola H. 2017. Spinal cord injury induces widespread chronic changes in cerebral white matter. Human Brain Mapping. 38(7):3637-3647. <https://doi.org/10.1002/hbm.23619>

Wu X, Bhattarai A, Korkola P, Pertovaara H, Eskola H, Kellokumpu-Lehtinen PL. 2017. The Association Between Liver and Tumor ^{18}F FDG Uptake in Patients with Diffuse Large B Cell Lymphoma During Chemotherapy. Molecular Imaging and Biology. 19(5):787-794. <https://doi.org/10.1007/s11307-017-1044-3>

Korpinen L, Kuisti H, Elovaara J. 2016. Current densities and total contact currents during forest clearing tasks under 400kV power lines. Bioelectromagnetics. 37(6):423-428. <https://doi.org/10.1002/bem.21980>

Lenk K, Priwitzer B, Ylä-Outinen L, Tietz LHB, Narkilahti S, Hyttinen JAK. 2016. Simulation of developing human neuronal cell networks. BioMedical Engineering Online. 15(1). <https://doi.org/10.1186/s12938-016-0226-6>

Naumenko A, Krivenko S, Lukin V, Egiazarian K. 2016. Texture region detection by trained neural network. teoksessa 9th International Kharkiv Symposium on Physics and Engineering of Microwaves, Millimeter and Submillimeter Waves, MSMW 2016. IEEE. <https://doi.org/10.1109/MSMW.2016.7538174>

Liimatainen K, Ruusuvuori P, Latonen L, Huttunen H. 2016. Supervised method for cell counting from bright field focus stacks. teoksessa 2016 IEEE 13th International Symposium on Biomedical Imaging (ISBI) . IEEE. Sivut 391-394. <https://doi.org/10.1109/ISBI.2016.7493290>

Wu X, Sikiö M, Pertovaara H, Järvenpää R, Eskola H, Dastidar P, Kellokumpu-Lehtinen PL. 2016. Differentiation of Diffuse Large B-cell Lymphoma From Follicular Lymphoma Using Texture Analysis on Conventional MR Images at 3.0 Tesla. *Academic Radiology*. 23(6):696–703. <https://doi.org/10.1016/j.acra.2016.01.012>

Tarao H, Miyamoto H, Korpinen L, Hayashi N, Isaka K. 2016. Simple estimation of induced electric fields in nervous system tissues for human exposure to non-uniform electric fields at power frequency. *Physics in Medicine and Biology*. 61(12):4438-4451. <https://doi.org/10.1088/0031-9155/61/12/4438>

Johansson J, Alakurtti K, Joutsa J, Tohka J, Ruotsalainen U, Rinne JO. 2016. Comparison of manual and automatic techniques for substriatal segmentation in 11C-raclopride high-resolution PET studies. *Nuclear Medicine Communications* . 37(10). <https://doi.org/10.1097/MNM.0000000000000559>

Korpinen L, Kuisti H, Tarao H, Virtanen V, Paakkönen R, Dovan T, Kavet R. 2016. Possible influences of spark discharges on cardiac pacemakers. *Health Physics*. 110(1):1-10. <https://doi.org/10.1097/HP.0000000000000373>

Shrestha M, Raitanen J, Salminen T, Lahkola A, Auvinen A. 2015. Pituitary tumor risk in relation to mobile phone use: A case-control study. *Acta Oncologica*. 54(8):1159-1165. <https://doi.org/10.3109/0284186X.2015.1045624>

Skyttä T, Tuohinen S, Boman E, Virtanen V, Raatikainen P, Kellokumpu-Lehtinen PL. 2015. Troponin T-release associates with cardiac radiation doses during adjuvant left-sided breast cancer radiotherapy. *RADIATION ONCOLOGY*. 10(1). <https://doi.org/10.1186/s13014-015-0436-2>

Kapanen M, Laaksomaa M, Tulijoki T, Kellokumpu-Lehtinen PL, Hyödynmaa S. 2015. Effects of remedies made in patient setup process on residual setup errors and margins in head and neck cancer radiotherapy based on 2D image guidance. *Reports of Practical Oncology and Radiotherapy*. 20(4):292-298. <https://doi.org/10.1016/j.rpor.2015.03.002>

Sikiö M, Köhli P, Ryymin P, Eskola HJ, Dastidar P. 2015. MRI Texture Analysis and Diffusion Tensor Imaging in Chronic Right Hemisphere Ischemic Stroke. *Journal of Neuroimaging*. 25(4):614-619. <https://doi.org/10.1111/jon.12185>

Laaksomaa M, Kapanen M, Haltamo M, Skyttä T, Peltola S, Hyödynmaa S, Kellokumpu-Lehtinen PL. 2015. Determination of the optimal matching position for setup images and minimal setup margins in adjuvant radiotherapy of breast and lymph nodes treated in voluntary deep inhalation breath-hold. *RADIATION ONCOLOGY*. 10(1). <https://doi.org/10.1186/s13014-015-0383-y>

Farah J, Struelens L, Auvinen A, Jacob S, Koukorava C, Schnelzer M, Vanhavere F, Clairand I. 2015. Application of the ELDO approach to assess cumulative eye lens doses for interventional cardiologists. *Radiation Protection Dosimetry*. 164(1-2):84-88. <https://doi.org/10.1093/rpd/ncu315>

Kolasa M, Hakulinen U, Helminen M, Hagman S, Raunio M, Rossi M, Brander A, Dastidar P, Elovaara I. 2015. Longitudinal assessment of clinically isolated syndrome with diffusion tensor imaging and volumetric MRI. *Clinical Imaging* . 39(2):207-212. <https://doi.org/10.1016/j.clinimag.2014.10.014>

Möttönen T, Katisko J, Haapasalo J, Tähtinen T, Kiekara T, Kähärä V, Peltola J, Öhman J, Lehtimäki K. 2015. Defining the anterior nucleus of the thalamus (ANT) as a deep brain stimulation target in refractory epilepsy: Delineation using 3 T MRI and intraoperative microelectrode recording. *NeuroImage: Clinical*. 7:823-829. <https://doi.org/10.1016/j.nicl.2015.03.001>

- Leroy HA, Vermandel M, Tétard MC, Lejeune JP, Mordon S, Reyns N. 2015. Interstitial photodynamic therapy and glioblastoma: Light fractionation study on a preclinical model: Preliminary results. *teoksessa Optical Techniques in Neurosurgery, Neurophotonics, and Optogenetics II*. SPIE. <https://doi.org/10.1117/12.2079347>
- Sikiö M, Holli-Helenius KK, Harrison LCV, Ryymin P, Ruottinen H, Saunamäki T, Eskola HJ, Elovaara I, Dastidar P. 2015. MR image texture in Parkinson's disease: A longitudinal study. *Acta Radiologica*. 56(1):97-104. <https://doi.org/10.1177/0284185113519775>
- Azaïs H, Moussaron A, Bach SK, Bassil A, Betrouni N, Frochot C, Collinet P, Mordon S. 2014. FRα: une cible pour la thérapie photodynamique prophylactique des métastases péritonéales ovariennes?. *BULLETTIN DU CANCER*. 101(12):1109-1113. <https://doi.org/10.1684/bdc.2014.1977>
- Walsh L, Zhang W, Shore RE, Auvinen A, Laurier D, Wakeford R, Jacob P, Gent N, Anspaugh LR, Schüz J, Kesminiene A, Van Deventer E, Tritscher A, Del Rosario Pérez M. 2014. A framework for estimating radiation-related cancer risks in Japan from the 2011 Fukushima nuclear accident. *RADIATION RESEARCH*. 182(5):556-572. <https://doi.org/10.1667/RR13779.1>
- Laaksomaa M, Kapanen M, Skyttä T, Peltola S, Hyödynmaa S, Kellokumpu-Lehtinen PL. 2014. Estimation of optimal matching position for orthogonal kV setup images and minimal setup margins in radiotherapy of whole breast and lymph node areas. *Reports of Practical Oncology and Radiotherapy*. 19(6):369-375. <https://doi.org/10.1016/j.rpor.2014.05.001>
- Sormaala MJ, Sormaala A, Mattila VM, Koskinen SK. 2014. MDCT findings after elbow dislocation: A retrospective study of 140 patients. *Skeletal Radiology*. 43(4):507-512. <https://doi.org/10.1007/s00256-014-1819-4>
- Bechet D, Mordon SR, Guillemain F, Barberi-Heyob MA. 2014. Photodynamic therapy of malignant brain tumours: A complementary approach to conventional therapies. *CANCER TREATMENT REVIEWS*. 40(2):229-241. <https://doi.org/10.1016/j.ctrv.2012.07.004>
- Brander A, Koskinen E, Luoto TM, Hakulinen U, Helminen M, Savilahti S, Ryymin P, Dastidar P, Öhman J. 2014. Diffusion tensor imaging of the cervical spinal cord in healthy adult population: Normative values and measurement reproducibility at 3t mri. *Acta Radiologica*. 55(4):478-485. <https://doi.org/10.1177/0284185113499752>
- Laaksomaa M, Kapanen M, Tulijoki T, Peltola S, Hyödynmaa S, Kellokumpu-Lehtinen PL. 2014. Evaluation of overall setup accuracy and adequate setup margins in pelvic image-guided radiotherapy: Comparison of the male and female patients. *MEDICAL DOSIMETRY*. 39(1):74-78. <https://doi.org/10.1016/j.meddos.2013.09.009>
- Joensuu H, Kellokumpu-Lehtinen PL, Huovinen R, Jukkola-Vuorinen A, Tanner M, Kokko R, Ahlgren J, Auvinen P, Saarni O, Helle L, Villman K, Nyandoto P, Nilsson G, Leinonen M, Kataja V, Bono P, Lindman H. 2014. Outcome of patients with HER2-positive breast cancer treated with or without adjuvant trastuzumab in the Finland Capecitabine Trial (FinXX). *Acta Oncologica*. 53(2):186-194. <https://doi.org/10.3109/0284186X.2013.820840>
- Farah J, Struelens L, Dabin J, Koukorava C, Donadille L, Jacob S, Schnelzer M, Auvinen A, Vanhavere F, Clairand I. 2013. A correlation study of eye lens dose and personal dose equivalent for interventional cardiologists. *Radiation Protection Dosimetry*. 157(4):561-569. <https://doi.org/10.1093/rpd/nct180>
- Kapanen M, Laaksomaa M, Tulijoki T, Peltola S, Wigren T, Hyödynmaa S, Kellokumpu-Lehtinen PL. 2013. Estimation of adequate setup margins and threshold for position errors requiring immediate attention in head and neck cancer radiotherapy based on 2D image guidance. *RADIATION ONCOLOGY*. 8(1). <https://doi.org/10.1186/1748-717X-8-212>
- Ernst O, Thuret I, Petit P, Ameer F, Loundou AD, de Kerviler E, Izzillo R, Willig AL, Pascal L, Verlhac S, Mordon S, Fenaux P, Rose C. 2013. Iron overload of hematological origin: validation of a screening procedure for cardiac overload by MRI in routine clinical practice. *Diagnostic and interventional imaging*. 94(6):601-608.

- Verscheure L, Peyrodie L, Dewalle AS, Reyns N, Betrouni N, Mordon S, Vermandel M. 2013. Three-dimensional skeletonization and symbolic description in vascular imaging: Preliminary results. *INTERNATIONAL JOURNAL OF COMPUTER ASSISTED RADIOLOGY AND SURGERY*. 8(2):233-246. <https://doi.org/10.1007/s11548-012-0784-4>
- Betrouni N, Nevoux P, Leroux B, Colin P, Puech P, Mordon S. 2013. An anatomically realistic and adaptable prostate phantom for laser thermotherapy treatment planning. *Medical Physics*. 40(2). <https://doi.org/10.1118/1.4788673>
- Boulouis G, Marmin C, Lemaire S, Boury S, Sergent G, Mordon S, Ernst O. 2013. CT and MRI imaging at the acute phase of inaugural non-traumatic hepatic haemorrhages. *JOURNAL DE RADIOLOGIE DIAGNOSTIQUE ET INTERVENTIONNELLE*. 94(3):292-299. <https://doi.org/10.1016/j.diii.2012.09.004>
- Vasarainen H, Malmi H, Määttänen L, Ruutu M, Tammela T, Taari K, Rannikko A, Auvinen A. 2013. Effects of prostate cancer screening on health-related quality of life: Results of the Finnish arm of the European randomized screening trial (ERSPC). *Acta Oncologica*. 52(8):1615-1621. <https://doi.org/10.3109/0284186X.2013.802837>
- Patcas R, Markic G, Müller L, Ullrich O, Peltomäki T, Kellenberger CJ, Karlo CA. 2012. Accuracy of linear intraoral measurements using cone beam CT and multidetector CT: A tale of two CTs. *Dentomaxillofacial Radiology*. 41(8):637-644. <https://doi.org/10.1259/dmfr/21152480>
- Sormaala MJ, Salonen HM, Mattila VM, Kivisaari A, Autti T. 2012. Feasibility of abdominal plain film images in evaluation suspected drug smuggler. *European Journal of Radiology*. 81(9):2118-2121. <https://doi.org/10.1016/j.ejrad.2011.08.016>
- Betrouni N, Iancu A, Puech P, Mordon S, Makni N. 2012. ProstAtlas: A digital morphologic atlas of the prostate. *European Journal of Radiology*. 81(9):1969-1975. <https://doi.org/10.1016/j.ejrad.2011.05.001>
- Paci M, Sartiani L, Del Lungo M, Jaconi M, Mugelli A, Cerbai E, Severi S. 2012. Mathematical modelling of the action potential of human embryonic stem cell derived cardiomyocytes. *BioMedical Engineering Online*. 11. <https://doi.org/10.1186/1475-925X-11-61>
- Kauppi JT, Oksala N, Salo JA, Helin H, Karhumäki L, Kempainen J, Sihvo EI, Räsänen JV. 2012. Locally advanced esophageal adenocarcinoma: Response to neoadjuvant chemotherapy and survival predicted by [18F]FDG-PET/CT. *Acta Oncologica*. 51(5):636-644. <https://doi.org/10.3109/0284186X.2011.643822>
- Repacholi MH, Lerchl A, Rössli M, Sienkiewicz Z, Auvinen A, Breckenkamp J, D'Inzeo G, Elliott P, Frei P, Heinrich S, Lagroye I, Lahkola A, McCormick DL, Thomas S, Vecchia P. 2012. Systematic review of wireless phone use and brain cancer and other head tumors. *Bioelectromagnetics*. 33(3):187-206. <https://doi.org/10.1002/bem.20716>
- Marinho P, Thines L, Verscheure L, Mordon S, Lejeune JP, Vermandel M. 2012. Recent advances in cerebrovascular simulation and neuronavigation for the optimization of intracranial aneurysm clipping. *COMPUTER AIDED SURGERY*. 17(2):47-55. <https://doi.org/10.3109/10929088.2011.653403>
- Pursiainen S, Lucka F, Wolters CH. 2012. Complete electrode model in EEG: Relationship and differences to the point electrode model. *Physics in Medicine and Biology*. 57(4):999-1017. <https://doi.org/10.1088/0031-9155/57/4/999>
- Marmin C, Toledano M, Lemaire S, Boury S, Mordon S, Ernst O. 2012. Computed tomography of the parathyroids: The value of density measurements to distinguish between parathyroid adenomas of the lymph nodes and the thyroid parenchyma. *Diagnostic and interventional imaging*. 93(7-8):597-603. <https://doi.org/10.1016/j.diii.2012.05.008>
- Makni N, Iancu A, Colot O, Puech P, Mordon S, Betrouni N. 2011. Zonal segmentation of prostate using multispectral magnetic resonance images. *Medical Physics*. 38(11):6093-6105. <https://doi.org/10.1118/1.3651610>

Betrouni N, Lopes R, Puech P, Colin P, Mordon S. 2011. A model to estimate the outcome of prostate cancer photodynamic therapy with TOOKAD soluble WST11. *Physics in Medicine and Biology*. 56(15):4771-4783. <https://doi.org/10.1088/0031-9155/56/15/009>

Colin P, Estevez JP, Betrouni N, Nevoux P, Puech P, Leroy X, Biserte J, Villers A, Mordon S. 2011. Thérapie photodynamique et carcinomes urothéliaux. *BULLETTIN DU CANCER*. 98(7):769-778. <https://doi.org/10.1684/bdc.2011.1389>

Marqa MF, Colin P, Nevoux P, Mordon SR, Betrouni N. 2011. Focal Laser Ablation of Prostate Cancer: Numerical Simulation of Temperature and Damage Distribution. *BioMedical Engineering Online*. 10. <https://doi.org/10.1186/1475-925X-10-45>

Pyysalo LM, Keski-Nisula LH, Niskakangas TT, Kähärä VJ, Öhman JE. 2011. Long-term MRI findings of patients with embolized cerebral aneurysms. *Acta Radiologica*. 52(2):204-210. <https://doi.org/10.1258/ar.2010.100127>

Lopes R, Ayache A, Makni N, Puech P, Villers A, Mordon S, Betrouni N. 2011. Prostate cancer characterization on MR images using fractal features. *Medical Physics*. 38(1):83-95. <https://doi.org/10.1118/1.3521470>