

- Borra, D, Andalò, A, Paci, M, Fabbri, C & Corsi, C 2020, 'A fully automated left atrium segmentation approach from late gadolinium enhanced magnetic resonance imaging based on a convolutional neural network', *Quantitative Imaging in Medicine and Surgery*, Vuosikerta. 10, Nro 10, Sivut 1894-1907. <https://doi.org/10.21037/QIMS-20-168>
- Ukkonen, L, Sydänheimo, L, Ma, S & Björninen, T 2020, Backscattering-based wireless communication and power transfer to small biomedical implants. julkaisussa BL Gray & H Becker (toim), *Microfluidics, BioMEMS, and Medical Microsystems XVIII.*, 112350A, Progress in Biomedical Optics and Imaging - Proceedings of SPIE, Vuosikerta. 11235, SPIE, San Francisco, Yhdysvallat, 1/02/20. <https://doi.org/10.1117/12.2552183>
- Rezaei, A, Koulouri, A & Pursiainen, S 2020, 'Randomized Multiresolution Scanning in Focal and Fast E/MEG Sensing of Brain Activity with a Variable Depth', *Brain Topography*, Vuosikerta. 33, Nro 2, Sivut 161-175. <https://doi.org/10.1007/s10548-020-00755-8>
- Pertuz, S, Sassi, A, Holli-Helenius, K, Kämäräinen, J, Rinta-Kiikka, I, Lääperi, AL & Arponen, O 2019, 'Clinical evaluation of a fully-automated parenchymal analysis software for breast cancer risk assessment: A pilot study in a Finnish sample', *European Journal of Radiology*, Vuosikerta. 121, 108710. <https://doi.org/10.1016/j.ejrad.2019.108710>
- Borges, LR, Barufaldi, B, Caron, RF, Bakic, PR, Foi, A, Maidment, ADA & Vieira, MAC 2019, 'Technical Note: Noise models for virtual clinical trials of digital breast tomosynthesis', *Medical Physics*, Vuosikerta. 46, Nro 6, Sivut 2683-2689. <https://doi.org/10.1002/mp.13534>
- Kahle, H, Phung, H-M, Penttinen, J-P, Rajala, P, Tukiainen, A, Ranta, S & Guina, M 2019, Double-side pumped membrane external-cavity surface-emitting laser (MECSEL) with increased efficiency emitting > 3 W in the 780 nm region. julkaisussa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE, San Jose, Yhdysvallat, 5/05/19. <https://doi.org/10.23919/CLEO.2019.8749958>
- Abdallah, Z, Stefszky, M, Ulvila, V, Silberhorn, C & Vainio, M 2019, Frequency Comb Generation in a Continuous-Wave Pumped Second-Order Nonlinear Waveguide Resonator. julkaisussa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE, San Jose, Yhdysvallat, 5/05/19. <https://doi.org/10.23919/CLEO.2019.8750403>
- Saad-Bin-Alam, M, Reshef, O, Huttunen, MJ, Carlow, G, Sullivan, B, Menard, JM, Dolgaleva, K & Boyd, RW 2019, High-Q resonance train in a plasmonic metasurface. julkaisussa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE, San Jose, Yhdysvallat, 5/05/19. <https://doi.org/10.23919/CLEO.2019.8750206>
- Pertuz, S, Torres, GF, Tamimi, R & Kämäräinen, J 2019, Open framework for mammography-based breast cancer risk assessment. julkaisussa *2019 IEEE EMBS International Conference on Biomedical and Health Informatics, BHI 2019 - Proceedings*. IEEE, Chicago, Yhdysvallat, 19/05/19. <https://doi.org/10.1109/BHI.2019.8834599>
- Sadiek, I, Mikkonen, T, Vainio, M, Toivonen, J & Foltynowicz, A 2019, Optical Frequency Comb Photoacoustic Spectroscopy. julkaisussa *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE, San Jose, Yhdysvallat, 5/05/19. <https://doi.org/10.23919/CLEO.2019.8749688>
- Vimieiro, RB, Borges, LR, Caron, RF, Barufaldi, B, Bakic, PR, Maidment, ADA & Vieira, MAC 2019, Noise measurements from reconstructed digital breast tomosynthesis. julkaisussa TG Schmidt, G-H Chen & H Bosmans (toim), *Medical Imaging 2019: Physics of Medical Imaging.*, 109480C, Progress in Biomedical Optics and Imaging - Proceedings of SPIE, Vuosikerta. 10948, SPIE, IEEE, 1/01/00. <https://doi.org/10.1117/12.2512977>
- Koljonen, V, Koskela, O, Montonen, T, Rezaei, A, Belay, B, Figueiras, E, Hyttinen, J & Pursiainen, S 2019, 'A mathematical model and iterative inversion for fluorescent optical projection tomography', *Physics in Medicine and Biology*, Vuosikerta. 64, Nro 4, 045017. <https://doi.org/10.1088/1361-6560/aafd63>
- Habib, M, Ozbay, E & Caglayan, H 2019, 'Tuning plasmon induced reflectance with hybrid metasurfaces', *Photonics*, Vuosikerta. 6, Nro 1, 29. <https://doi.org/10.3390/photonics6010029>

- Jääntti, V, Ylinen, T, Subramaniyam, NP, Kamata, K, Yli-Hankala, A, Kauppinen, P & Sonkajärvi, E 2018, 'Electroencephalographic signals during anesthesia recorded from surface and depth electrodes', *International Journal of Radiation Biology*, Vuosikerta. 94, Nro 10, Sivut 934-943. <https://doi.org/10.1080/09553002.2018.1478159>
- Abu Khamidakh, AE, Rodriguez-Martinez, A, Kaarniranta, K, Kallioniemi, A, Skottman, H, Hyttinen, J & Juuti-Uusitalo, K 2018, 'Wound healing of human embryonic stem cell-derived retinal pigment epithelial cells is affected by maturation stage', *BioMedical Engineering Online*, Vuosikerta. 17, Nro 1, 102. <https://doi.org/10.1186/s12938-018-0535-z>
- Tran, DT, Waris, MA, Gabbouj, M & Iosifidis, A 2018, Sample-based regularization for support vector machine classification. julkaisussa *Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017*. IEEE, Sivut 1-6, Montreal, Kanada, 28/11/17. <https://doi.org/10.1109/IPTA.2017.8310103>
- Schiopu, I, Gabbouj, M, Iosifidis, A, Zeng, B & Liu, S 2018, Subaperture image segmentation for lossless compression. julkaisussa *Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017*. IEEE, Sivut 1-6, Montreal, Kanada, 28/11/17. <https://doi.org/10.1109/IPTA.2017.8310083>
- Wirdatmadja, S, Johari, P, Balasubramaniam, S, Bae, Y, Stachowiak, MK & Jornet, JM 2018, Light propagation analysis in nervous tissue for wireless optogenetic nanonetworks. julkaisussa *Optogenetics and Optical Manipulation 2018*., 104820R, SPIE, San Francisco, Yhdysvallat, 27/01/18. <https://doi.org/10.1117/12.2288786>
- Böttrich, M, Tanskanen, JMA & Hyttinen, JAK 2017, 'Lead field theory provides a powerful tool for designing microelectrode array impedance measurements for biological cell detection and observation', *BioMedical Engineering Online*, Vuosikerta. 16, Nro 1, 85. <https://doi.org/10.1186/s12938-017-0372-5>
- Azzari, L & Foi, A 2017, Variance stabilization in Poisson image deblurring. julkaisussa *2017 IEEE 14th International Symposium on Biomedical Imaging, ISBI 2017*. IEEE, Sivut 728-731, IEEE INTERNATIONAL SYMPOSIUM ON BIOMEDICAL IMAGING, 1/01/00. <https://doi.org/10.1109/ISBI.2017.7950622>
- Kauppi, J-P, Pajula, J, Niemi, J, Hari, R & Tohka, J 2017, 'Functional brain segmentation using inter-subject correlation in fMRI', *Human Brain Mapping*, Vuosikerta. 38, Nro 5, Sivut 2643-2665. <https://doi.org/10.1002/hbm.23549>
- Kara, PA, Kovacs, PT, Vagharshakyan, S, Martini, MG, Barsi, A, Balogh, T, Chuchvara, A & Chehaibi, A 2017, The Effect of Light Field Reconstruction and Angular Resolution Reduction on the Quality of Experience. julkaisussa *2016 12th International Conference on Signal-Image Technology & Internet-Based Systems (SITIS)*. IEEE, Sivut 781-786, INTERNATIONAL CONFERENCE ON SIGNAL-IMAGE TECHNOLOGY AND INTERNET-BASED SYSTEMS, 1/01/00. <https://doi.org/10.1109/SITIS.2016.128>
- Anwar, S, Izhar-Ul-Haq, I, Qadir, MU, Ali, I, Razaq, S, Ahmad, B, Shah, K, Shah, SA & Khan, MT 2017, 'Computer aided diagnosis of acoustic neuroma: A neural network perspective', *JOURNAL OF MEDICAL IMAGING AND HEALTH INFORMATICS*, Vuosikerta. 7, Nro 2, Sivut 371-377. <https://doi.org/10.1166/jmhi.2017.2057>
- Chaudhary, S, Berki, E, Nykänen, P, Zolotavkin, Y, Helenius, M & Kela, J 2017, Towards a conceptual framework for privacy protection in the use of interactive 360° video surveillance. julkaisussa *2016 22nd International Conference on Virtual System & Multimedia (VSMM)*. IEEE, INTERNATIONAL CONFERENCE ON VIRTUAL SYSTEMS AND MULTIMEDIA, 1/01/00. <https://doi.org/10.1109/VSMM.2016.7863179>
- Borges, LR, Bakic, PR, Foi, A, Maidment, ADA & Vieira, MAC 2017, Pipeline for effective denoising of digital mammography and digital breast tomosynthesis. julkaisussa *Medical Imaging 2017: Physics of Medical Imaging*., 1013206, Progress in biomedical optics and imaging, SPIE, 1/01/00. <https://doi.org/10.1117/12.2255058>
- Ilvesmäki, T, Koskinen, E, Brander, A, Luoto, T, Öhman, J & Eskola, H 2017, 'Spinal cord injury induces widespread chronic changes in cerebral white matter', *Human Brain Mapping*, Vuosikerta. 38, Nro 7, Sivut 3637-3647. <https://doi.org/10.1002/hbm.23619>

- Wu, X, Bhattarai, A, Korkola, P, Pertovaara, H, Eskola, H & Kellokumpu-Lehtinen, PL 2017, 'The Association Between Liver and Tumor [¹⁸F]FDG Uptake in Patients with Diffuse Large B Cell Lymphoma During Chemotherapy', *Molecular Imaging and Biology*, Vuosikerta. 19, Nro 5, Sivut 787–794. <https://doi.org/10.1007/s11307-017-1044-3>
- Korpinen, L, Kuisti, H & Elovaara, J 2016, 'Current densities and total contact currents during forest clearing tasks under 400kV power lines', *Bioelectromagnetics*, Vuosikerta. 37, Nro 6, Sivut 423-428. <https://doi.org/10.1002/bem.21980>
- Lenk, K, Priwitzer, B, Ylä-Outinen, L, Tietz, LHB, Narkilahti, S & Hyttinen, JAK 2016, 'Simulation of developing human neuronal cell networks', *BioMedical Engineering Online*, Vuosikerta. 15, Nro 1, 105. <https://doi.org/10.1186/s12938-016-0226-6>
- Naumenko, A, Krivenko, S, Lukin, V & Egiazarian, K 2016, Texture region detection by trained neural network. julkaisussa *9th International Kharkiv Symposium on Physics and Engineering of Microwaves, Millimeter and Submillimeter Waves, MSMW 2016*. IEEE, INTERNATIONAL KHARKOV SYMPOSIUM ON PHYSICS AND ENGINEERING OF MICROWAVES, MILLIMETER AND SUBMILLIMETER WAVES, 1/01/00. <https://doi.org/10.1109/MSMW.2016.7538174>
- Liimatainen, K, Ruusuvoori, P, Latonen, L & Huttunen, H 2016, Supervised method for cell counting from bright field focus stacks. julkaisussa *2016 IEEE 13th International Symposium on Biomedical Imaging (ISBI)*. IEEE, Sivut 391-394, IEEE INTERNATIONAL SYMPOSIUM ON BIOMEDICAL IMAGING, 1/01/00. <https://doi.org/10.1109/ISBI.2016.7493290>
- Wu, X, Sikiö, M, Pertovaara, H, Järvenpää, R, Eskola, H, Dastidar, P & Kellokumpu-Lehtinen, PL 2016, 'Differentiation of Diffuse Large B-cell Lymphoma From Follicular Lymphoma Using Texture Analysis on Conventional MR Images at 3.0 Tesla', *Academic Radiology*, Vuosikerta. 23, Nro 6, Sivut 696–703. <https://doi.org/10.1016/j.acra.2016.01.012>
- Tarao, H, Miyamoto, H, Korpinen, L, Hayashi, N & Isaka, K 2016, 'Simple estimation of induced electric fields in nervous system tissues for human exposure to non-uniform electric fields at power frequency', *Physics in Medicine and Biology*, Vuosikerta. 61, Nro 12, Sivut 4438-4451. <https://doi.org/10.1088/0031-9155/61/12/4438>
- Johansson, J, Alakurtti, K, Joutsa, J, Tohka, J, Ruotsalainen, U & Rinne, JO 2016, 'Comparison of manual and automatic techniques for substriatal segmentation in 11C-raclopride high-resolution PET studies', *Nuclear Medicine Communications*, Vuosikerta. 37, Nro 10. <https://doi.org/10.1097/MNM.0000000000000559>
- Korpinen, L, Kuisti, H, Tarao, H, Virtanen, V, Paakkönen, R, Dovan, T & Kavet, R 2016, 'Possible influences of spark discharges on cardiac pacemakers', *Health Physics*, Vuosikerta. 110, Nro 1, Sivut 1-10. <https://doi.org/10.1097/HP.0000000000000373>
- Shrestha, M, Raitanen, J, Salminen, T, Lahkola, A & Auvinen, A 2015, 'Pituitary tumor risk in relation to mobile phone use: A case-control study', *Acta Oncologica*, Vuosikerta. 54, Nro 8, Sivut 1159-1165. <https://doi.org/10.3109/0284186X.2015.1045624>
- Skyttä, T, Tuohinen, S, Boman, E, Virtanen, V, Raatikainen, P & Kellokumpu-Lehtinen, PL 2015, 'Troponin T-release associates with cardiac radiation doses during adjuvant left-sided breast cancer radiotherapy', *RADIATION ONCOLOGY*, Vuosikerta. 10, Nro 1, 141. <https://doi.org/10.1186/s13014-015-0436-2>
- Kapanen, M, Laaksomaa, M, Tulijoki, T, Kellokumpu-Lehtinen, PL & Hyödynmaa, S 2015, 'Effects of remedies made in patient setup process on residual setup errors and margins in head and neck cancer radiotherapy based on 2D image guidance', *Reports of Practical Oncology and Radiotherapy*, Vuosikerta. 20, Nro 4, Sivut 292-298. <https://doi.org/10.1016/j.rpor.2015.03.002>
- Sikiö, M, Kölhi, P, Ryymin, P, Eskola, HJ & Dastidar, P 2015, 'MRI Texture Analysis and Diffusion Tensor Imaging in Chronic Right Hemisphere Ischemic Stroke', *Journal of Neuroimaging*, Vuosikerta. 25, Nro 4, Sivut 614-619. <https://doi.org/10.1111/jon.12185>
- Laaksomaa, M, Kapanen, M, Haltamo, M, Skyttä, T, Peltola, S, Hyödynmaa, S & Kellokumpu-Lehtinen, PL 2015, 'Determination of the optimal matching position for setup images and minimal setup margins in adjuvant radiotherapy of breast and lymph nodes treated in voluntary deep inhalation breath-hold', *RADIATION ONCOLOGY*, Vuosikerta. 10, Nro

Farah, J, Struelens, L, Auvinen, A, Jacob, S, Koukorava, C, Schnelzer, M, Vanhavere, F & Clairand, I 2015, 'Application of the ELDO approach to assess cumulative eye lens doses for interventional cardiologists', *Radiation Protection Dosimetry*, Vuosikerta. 164, Nro 1-2, ncu315, Sivut 84-88. <https://doi.org/10.1093/rpd/ncu315>

Kolasa, M, Hakulinen, U, Helminen, M, Hagman, S, Raunio, M, Rossi, M, Brander, A, Dastidar, P & Elovaara, I 2015, 'Longitudinal assessment of clinically isolated syndrome with diffusion tensor imaging and volumetric MRI', *Clinical Imaging*, Vuosikerta. 39, Nro 2, Sivut 207-212. <https://doi.org/10.1016/j.clinimag.2014.10.014>

Möttönen, T, Katisko, J, Haapasalo, J, Tähtinen, T, Kiekara, T, Kähärä, V, Peltola, J, Öhman, J & Lehtimäki, K 2015, 'Defining the anterior nucleus of the thalamus (ANT) as a deep brain stimulation target in refractory epilepsy: Delineation using 3 T MRI and intraoperative microelectrode recording', *NeuroImage: Clinical*, Vuosikerta. 7, Sivut 823-829. <https://doi.org/10.1016/j.nicl.2015.03.001>

Leroy, HA, Vermandel, M, Tétard, MC, Lejeune, JP, Mordon, S & Reyns, N 2015, Interstitial photodynamic therapy and glioblastoma: Light fractionation study on a preclinical model: Preliminary results. julkaisussa *Optical Techniques in Neurosurgery, Neurophotonics, and Optogenetics II*. Vuosikerta. 9305, 93050D, SPIE, San Francisco, Yhdysvallat, 7/02/15. <https://doi.org/10.1117/12.2079347>

Sikiö, M, Holli-Helenius, KK, Harrison, LCV, Ryymin, P, Ruottinen, H, Saunamäki, T, Eskola, HJ, Elovaara, I & Dastidar, P 2015, 'MR image texture in Parkinson's disease: A longitudinal study', *Acta Radiologica*, Vuosikerta. 56, Nro 1, Sivut 97-104. <https://doi.org/10.1177/0284185113519775>

Azaïs, H, Moussaron, A, Bach, SK, Bassil, A, Betrouni, N, Frochot, C, Collinet, P & Mordon, S 2014, 'FRα: une cible pour la thérapie photodynamique prophylactique des métastases péritonéales ovariennes?', *BULLETIN DU CANCER*, Vuosikerta. 101, Nro 12, Sivut 1109-1113. <https://doi.org/10.1684/bdc.2014.1977>

Walsh, L, Zhang, W, Shore, RE, Auvinen, A, Laurier, D, Wakeford, R, Jacob, P, Gent, N, Anspaugh, LR, Schüz, J, Kesminiene, A, Van Deventer, E, Tritscher, A & Del Rosario Pérez, M 2014, 'A framework for estimating radiation-related cancer risks in Japan from the 2011 Fukushima nuclear accident', *RADIATION RESEARCH*, Vuosikerta. 182, Nro 5, Sivut 556-572. <https://doi.org/10.1667/RR13779.1>

Laaksomaa, M, Kapanen, M, Skyttä, T, Peltola, S, Hyödynmaa, S & Kellokumpu-Lehtinen, PL 2014, 'Estimation of optimal matching position for orthogonal kV setup images and minimal setup margins in radiotherapy of whole breast and lymph node areas', *Reports of Practical Oncology and Radiotherapy*, Vuosikerta. 19, Nro 6, Sivut 369-375. <https://doi.org/10.1016/j.rpor.2014.05.001>

Sormaala, MJ, Sormaala, A, Mattila, VM & Koskinen, SK 2014, 'MDCT findings after elbow dislocation: A retrospective study of 140 patients', *Skeletal Radiology*, Vuosikerta. 43, Nro 4, Sivut 507-512. <https://doi.org/10.1007/s00256-014-1819-4>

Bechet, D, Mordon, SR, Guillemin, F & Barberi-Heyob, MA 2014, 'Photodynamic therapy of malignant brain tumours: A complementary approach to conventional therapies', *CANCER TREATMENT REVIEWS*, Vuosikerta. 40, Nro 2, Sivut 229-241. <https://doi.org/10.1016/j.ctrv.2012.07.004>

Brander, A, Koskinen, E, Luoto, TM, Hakulinen, U, Helminen, M, Savilahti, S, Ryymin, P, Dastidar, P & Öhman, J 2014, 'Diffusion tensor imaging of the cervical spinal cord in healthy adult population: Normative values and measurement reproducibility at 3t mri', *Acta Radiologica*, Vuosikerta. 55, Nro 4, Sivut 478-485. <https://doi.org/10.1177/0284185113499752>

Laaksomaa, M, Kapanen, M, Tulijoki, T, Peltola, S, Hyödynmaa, S & Kellokumpu-Lehtinen, PL 2014, 'Evaluation of overall setup accuracy and adequate setup margins in pelvic image-guided radiotherapy: Comparison of the male and female patients', *MEDICAL DOSIMETRY*, Vuosikerta. 39, Nro 1, Sivut 74-78. <https://doi.org/10.1016/j.meddos.2013.09.009>

Joensuu, H, Kellokumpu-Lehtinen, PL, Huovinen, R, Jukkola-Vuorinen, A, Tanner, M, Kokko, R, Ahlgren, J, Auvinen, P, Saarni, O, Helle, L, Villman, K, Nyandoto, P, Nilsson, G, Leinonen, M, Kataja, V, Bono, P & Lindman, H 2014, 'Outcome of patients with HER2-positive breast cancer treated with or without adjuvant trastuzumab in the Finland Capecitabine Trial (FinXX)', *Acta Oncologica*, Vuosikerta. 53, Nro 2, Sivut 186-194. <https://doi.org/10.3109/0284186X.2013.820840>

Farah, J, Struelens, L, Dabin, J, Koukorava, C, Donadille, L, Jacob, S, Schnelzer, M, Auvinen, A, Vanhavere, F & Clairand, I 2013, 'A correlation study of eye lens dose and personal dose equivalent for interventional cardiologists', *Radiation Protection Dosimetry*, Vuosikerta. 157, Nro 4, nct180, Sivut 561-569. <https://doi.org/10.1093/rpd/nct180>

Kapanen, M, Laaksomaa, M, Tulijoki, T, Peltola, S, Wigren, T, Hyödynmaa, S & Kellokumpu-Lehtinen, PL 2013, 'Estimation of adequate setup margins and threshold for position errors requiring immediate attention in head and neck cancer radiotherapy based on 2D image guidance', *RADIATION ONCOLOGY*, Vuosikerta. 8, Nro 1, 212. <https://doi.org/10.1186/1748-717X-8-212>

Ernst, O, Thuret, I, Petit, P, Ameer, F, Loundou, AD, de Kerviler, E, Izzillo, R, Willig, AL, Pascal, L, Verlhac, S, Mordon, S, Fenaux, P & Rose, C 2013, 'Iron overload of hematological origin: validation of a screening procedure for cardiac overload by MRI in routine clinical practice.', *Diagnostic and interventional imaging*, Vuosikerta. 94, Nro 6, Sivut 601-608.

Verscheure, L, Peyrodie, L, Dewalle, AS, Reyns, N, Betrouni, N, Mordon, S & Vermandel, M 2013, 'Three-dimensional skeletonization and symbolic description in vascular imaging: Preliminary results', *INTERNATIONAL JOURNAL OF COMPUTER ASSISTED RADIOLOGY AND SURGERY*, Vuosikerta. 8, Nro 2, Sivut 233-246. <https://doi.org/10.1007/s11548-012-0784-4>

Betrouni, N, Nevoux, P, Leroux, B, Colin, P, Puech, P & Mordon, S 2013, 'An anatomically realistic and adaptable prostate phantom for laser thermotherapy treatment planning', *Medical Physics*, Vuosikerta. 40, Nro 2, 022701. <https://doi.org/10.1118/1.4788673>

Boulouis, G, Marmin, C, Lemaire, S, Boury, S, Sergent, G, Mordon, S & Ernst, O 2013, 'CT and MRI imaging at the acute phase of inaugural non-traumatic hepatic haemorrhages', *JOURNAL DE RADIOLOGIE DIAGNOSTIQUE ET INTERVENTIONNELLE*, Vuosikerta. 94, Nro 3, Sivut 292-299. <https://doi.org/10.1016/j.diii.2012.09.004>

Vasarainen, H, Malmi, H, Määttänen, L, Ruutu, M, Tammela, T, Taari, K, Rannikko, A & Auvinen, A 2013, 'Effects of prostate cancer screening on health-related quality of life: Results of the Finnish arm of the European randomized screening trial (ERSPC)', *Acta Oncologica*, Vuosikerta. 52, Nro 8, Sivut 1615-1621. <https://doi.org/10.3109/0284186X.2013.802837>

Patcas, R, Markic, G, Müller, L, Ullrich, O, Peltomäki, T, Kellenberger, CJ & Karlo, CA 2012, 'Accuracy of linear intraoral measurements using cone beam CT and multidetector CT: A tale of two CTs', *Dentomaxillofacial Radiology*, Vuosikerta. 41, Nro 8, Sivut 637-644. <https://doi.org/10.1259/dmfr/21152480>

Sormaala, MJ, Salonen, HM, Mattila, VM, Kivisaari, A & Autti, T 2012, 'Feasibility of abdominal plain film images in evaluation suspected drug smuggler', *European Journal of Radiology*, Vuosikerta. 81, Nro 9, Sivut 2118-2121. <https://doi.org/10.1016/j.ejrad.2011.08.016>

Betrouni, N, Iancu, A, Puech, P, Mordon, S & Makni, N 2012, 'ProstAtlas: A digital morphologic atlas of the prostate', *European Journal of Radiology*, Vuosikerta. 81, Nro 9, Sivut 1969-1975. <https://doi.org/10.1016/j.ejrad.2011.05.001>

Paci, M, Sartiani, L, Del Lungo, M, Jaconi, M, Mugelli, A, Cerbai, E & Severi, S 2012, 'Mathematical modelling of the action potential of human embryonic stem cell derived cardiomyocytes', *BioMedical Engineering Online*, Vuosikerta. 11, 61. <https://doi.org/10.1186/1475-925X-11-61>

Kauppi, JT, Oksala, N, Salo, JA, Helin, H, Karhumäki, L, Kempainen, J, Sihvo, EI & Räsänen, JV 2012, 'Locally advanced esophageal adenocarcinoma: Response to neoadjuvant chemotherapy and survival predicted by [18F]FDG-PET/CT', *Acta Oncologica*, Vuosikerta. 51, Nro 5, Sivut 636-644. <https://doi.org/10.3109/0284186X.2011.643822>

Repacholi, MH, Lerchl, A, Rööslä, M, Sienkiewicz, Z, Auvinen, A, Breckenkamp, J, D'Inzeo, G, Elliott, P, Frei, P, Heinrich, S, Lagroye, I, Lahkola, A, McCormick, DL, Thomas, S & Vecchia, P 2012, 'Systematic review of wireless phone use and brain cancer and other head tumors', *Bioelectromagnetics*, Vuosikerta. 33, Nro 3, Sivut 187-206. <https://doi.org/10.1002/bem.20716>

Marinho, P, Thines, L, Verscheure, L, Mordon, S, Lejeune, JP & Vermandel, M 2012, 'Recent advances in cerebrovascular simulation and neuronavigation for the optimization of intracranial aneurysm clipping', *COMPUTER AIDED SURGERY*, Vuosikerta. 17, Nro 2, Sivut 47-55. <https://doi.org/10.3109/10929088.2011.653403>

Pursiainen, S, Lucka, F & Wolters, CH 2012, 'Complete electrode model in EEG: Relationship and differences to the point electrode model', *Physics in Medicine and Biology*, Vuosikerta. 57, Nro 4, Sivut 999-1017. <https://doi.org/10.1088/0031-9155/57/4/999>

Marmin, C, Toledano, M, Lemaire, S, Boury, S, Mordon, S & Ernst, O 2012, 'Computed tomography of the parathyroids: The value of density measurements to distinguish between parathyroid adenomas of the lymph nodes and the thyroid parenchyma', *Diagnostic and interventional imaging*, Vuosikerta. 93, Nro 7-8, Sivut 597-603. <https://doi.org/10.1016/j.diii.2012.05.008>

Makni, N, Iancu, A, Colot, O, Puech, P, Mordon, S & Betrouni, N 2011, 'Zonal segmentation of prostate using multispectral magnetic resonance images', *Medical Physics*, Vuosikerta. 38, Nro 11, Sivut 6093-6105. <https://doi.org/10.1118/1.3651610>

Betrouni, N, Lopes, R, Puech, P, Colin, P & Mordon, S 2011, 'A model to estimate the outcome of prostate cancer photodynamic therapy with TOOKAD soluble WST11', *Physics in Medicine and Biology*, Vuosikerta. 56, Nro 15, Sivut 4771-4783. <https://doi.org/10.1088/0031-9155/56/15/009>

Colin, P, Estevez, JP, Betrouni, N, Nevoux, P, Puech, P, Leroy, X, Biserte, J, Villers, A & Mordon, S 2011, 'Thérapie photodynamique et carcinomes urothéliaux', *BULLETIN DU CANCER*, Vuosikerta. 98, Nro 7, Sivut 769-778. <https://doi.org/10.1684/bdc.2011.1389>

Marqa, MF, Colin, P, Nevoux, P, Mordon, SR & Betrouni, N 2011, 'Focal Laser Ablation of Prostate Cancer: Numerical Simulation of Temperature and Damage Distribution', *BioMedical Engineering Online*, Vuosikerta. 10, 45. <https://doi.org/10.1186/1475-925X-10-45>

Pyysalo, LM, Keski-Nisula, LH, Niskakangas, TT, Kähärä, VJ & Öhman, JE 2011, 'Long-term MRI findings of patients with embolized cerebral aneurysms', *Acta Radiologica*, Vuosikerta. 52, Nro 2, Sivut 204-210. <https://doi.org/10.1258/ar.2010.100127>

Lopes, R, Ayache, A, Makni, N, Puech, P, Villers, A, Mordon, S & Betrouni, N 2011, 'Prostate cancer characterization on MR images using fractal features', *Medical Physics*, Vuosikerta. 38, Nro 1, Sivut 83-95. <https://doi.org/10.1118/1.3521470>