

Ukkonen, Leena et al. "Backscattering-based wireless communication and power transfer to small biomedical implants". ja Gray, Bonnie L. Becker, Holger (toimittaneet). *Microfluidics, BioMEMS, and Medical Microsystems XVIII*. Progress in Biomedical Optics and Imaging - Proceedings of SPIE. SPIE. 2020. <https://doi.org/10.1117/12.2552183>

Rezaei, A., A. Koulouri, ja S. Pursiainen. "Randomized Multiresolution Scanning in Focal and Fast E/MEG Sensing of Brain Activity with a Variable Depth". *Brain Topography*. 2020, 33(2). 161-175. <https://doi.org/10.1007/s10548-020-00755-8>

Pertuz, Said et al. "Clinical evaluation of a fully-automated parenchymal analysis software for breast cancer risk assessment: A pilot study in a Finnish sample". *European Journal of Radiology*. 2019. 121. <https://doi.org/10.1016/j.ejrad.2019.108710>

Borges, Lucas R. et al. "Technical Note: Noise models for virtual clinical trials of digital breast tomosynthesis". *Medical Physics*. 2019, 46(6). 2683-2689. <https://doi.org/10.1002/mp.13534>

Kahle, Hermann et al. "Double-side pumped membrane external-cavity surface-emitting laser (MECSEL) with increased efficiency emitting > 3 W in the 780 nm region". *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE. 2019. <https://doi.org/10.23919/CLEO.2019.8749958>

Abdallah, Zeina et al. "Frequency Comb Generation in a Continuous-Wave Pumped Second-Order Nonlinear Waveguide Resonator". *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE. 2019. <https://doi.org/10.23919/CLEO.2019.8750403>

Saad-Bin-Alam, Md et al. "High-Q resonance train in a plasmonic metasurface". *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE. 2019. <https://doi.org/10.23919/CLEO.2019.8750206>

Pertuz, Said et al. "Open framework for mammography-based breast cancer risk assessment". *2019 IEEE EMBS International Conference on Biomedical and Health Informatics, BHI 2019 - Proceedings*. IEEE. 2019. <https://doi.org/10.1109/BHI.2019.8834599>

Sadieq, Ibrahim et al. "Optical Frequency Comb Photoacoustic Spectroscopy". *2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings*. IEEE. 2019. <https://doi.org/10.23919/CLEO.2019.8749688>

Vimieiro, Rodrigo B. et al. "Noise measurements from reconstructed digital breast tomosynthesis"., Schmidt, Taly Gilat Chen, Guang-Hong Bosmans, Hilde (toimittaneet). *Medical Imaging 2019: Physics of Medical Imaging*. Progress in Biomedical Optics and Imaging - Proceedings of SPIE. SPIE, IEEE. 2019. <https://doi.org/10.1117/12.2512977>

Koljonen, Ville et al. "A mathematical model and iterative inversion for fluorescent optical projection tomography". *Physics in Medicine and Biology*. 2019. 64(4). <https://doi.org/10.1088/1361-6560/aafd63>

Habib, Mohsin, Ekmel Ozbay, ja Humeyra Caglayan. "Tuning plasmon induced reflectance with hybrid metasurfaces". *Photonics*. 2019. 6(1). <https://doi.org/10.3390/photonics6010029>

Jäntti, Ville et al. "Electroencephalographic signals during anesthesia recorded from surface and depth electrodes". *International Journal of Radiation Biology*. 2018, 94(10). 934-943. <https://doi.org/10.1080/09553002.2018.1478159>

Abu Khamidakh, Amna E. et al. "Wound healing of human embryonic stem cell-derived retinal pigment epithelial cells is affected by maturation stage". *BioMedical Engineering Online*. 2018. 17(1). <https://doi.org/10.1186/s12938-018-0535-z>

Tran, Dat Thanh et al. "Sample-based regularization for support vector machine classification". *Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017*. IEEE. 2018, 1-6. <https://doi.org/10.1109/IPTA.2017.8310103>

- Schiopu, Ionut et al. "Subaperture image segmentation for lossless compression". *Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017*. IEEE. 2018, 1-6. <https://doi.org/10.1109/IPTA.2017.8310083>
- Wiratmadja, Stefanus et al. "Light propagation analysis in nervous tissue for wireless optogenetic nanonetworks". *Optogenetics and Optical Manipulation 2018*. SPIE. 2018. <https://doi.org/10.1117/12.2288786>
- Böttrich, Marcel, Jarno M.A. Tanskanen, ja Jari A.K. Hyttinen. "Lead field theory provides a powerful tool for designing microelectrode array impedance measurements for biological cell detection and observation". *BioMedical Engineering Online*. 2017. 16(1). <https://doi.org/10.1186/s12938-017-0372-5>
- Azzari, Lucio ja Alessandro Foi "Variance stabilization in Poisson image deblurring". *2017 IEEE 14th International Symposium on Biomedical Imaging, ISBI 2017*. IEEE. 2017, 728-731. <https://doi.org/10.1109/ISBI.2017.7950622>
- Kauppi, Jukka-Pekka et al. "Functional brain segmentation using inter-subject correlation in fMRI". *Human Brain Mapping*. 2017, 38(5). 2643-2665. <https://doi.org/10.1002/hbm.23549>
- Kara, Peter A. et al. "The Effect of Light Field Reconstruction and Angular Resolution Reduction on the Quality of Experience". *2016 12th International Conference on Signal-Image Technology & Internet-Based Systems (SITIS)*. IEEE. 2017, 781-786. <https://doi.org/10.1109/SITIS.2016.128>
- Anwar, Shahzad et al. "Computer aided diagnosis of acoustic neuroma: A neural network perspective". *JOURNAL OF MEDICAL IMAGING AND HEALTH INFORMATICS*. 2017, 7(2). 371-377. <https://doi.org/10.1166/jmih.2017.2057>
- Chaudhary, Sunil et al. "Towards a conceptual framework for privacy protection in the use of interactive 360° video surveillance". *2016 22nd International Conference on Virtual System & Multimedia (VSMM)*. IEEE. 2017. <https://doi.org/10.1109/VSMM.2016.7863179>
- Borges, Lucas R. et al. "Pipeline for effective denoising of digital mammography and digital breast tomosynthesis". *Medical Imaging 2017: Physics of Medical Imaging*. Progress in biomedical optics and imaging. SPIE. 2017. <https://doi.org/10.1117/12.2255058>
- Ilvesmäki, Tero et al. "Spinal cord injury induces widespread chronic changes in cerebral white matter". *Human Brain Mapping*. 2017, 38(7). 3637-3647. <https://doi.org/10.1002/hbm.23619>
- Wu, Xingchen et al. "The Association Between Liver and Tumor [¹⁸F]FDG Uptake in Patients with Diffuse Large B Cell Lymphoma During Chemotherapy". *Molecular Imaging and Biology*. 2017, 19(5). 787-794. <https://doi.org/10.1007/s11307-017-1044-3>
- Korpinen, Leena, Harri Kuisti ja Jarmo Elovaara. "Current densities and total contact currents during forest clearing tasks under 400kV power lines". *Bioelectromagnetics*. 2016, 37(6). 423-428. <https://doi.org/10.1002/bem.21980>
- Lenk, Kerstin et al. "Simulation of developing human neuronal cell networks". *BioMedical Engineering Online*. 2016. 15(1). <https://doi.org/10.1186/s12938-016-0226-6>
- Naumenko, A. et al. "Texture region detection by trained neural network". *9th International Kharkiv Symposium on Physics and Engineering of Microwaves, Millimeter and Submillimeter Waves, MSMW 2016*. IEEE. 2016. <https://doi.org/10.1109/MSMW.2016.7538174>
- Liimatainen, Kaisa et al. "Supervised method for cell counting from bright field focus stacks". *2016 IEEE 13th International Symposium on Biomedical Imaging (ISBI)*. IEEE. 2016, 391-394. <https://doi.org/10.1109/ISBI.2016.7493290>

Wu, Xingchen et al. "Differentiation of Diffuse Large B-cell Lymphoma From Follicular Lymphoma Using Texture Analysis on Conventional MR Images at 3.0 Tesla". *Academic Radiology*. 2016, 23(6). 696–703. <https://doi.org/10.1016/j.acra.2016.01.012>

Tarao, Hiroo et al. "Simple estimation of induced electric fields in nervous system tissues for human exposure to non-uniform electric fields at power frequency". *Physics in Medicine and Biology*. 2016, 61(12). 4438-4451. <https://doi.org/10.1088/0031-9155/61/12/4438>

Johansson, Jarkko et al. "Comparison of manual and automatic techniques for substriatal segmentation in 11C-raclopride high-resolution PET studies". *Nuclear Medicine Communications*. 2016. 37(10). <https://doi.org/10.1097/MNM.0000000000000559>

Korpinen, Leena et al. "Possible influences of spark discharges on cardiac pacemakers". *Health Physics*. 2016, 110(1). 1-10. <https://doi.org/10.1097/HP.0000000000000373>

Shrestha, Mithila et al. "Pituitary tumor risk in relation to mobile phone use: A case-control study". *Acta Oncologica*. 2015, 54(8). 1159-1165. <https://doi.org/10.3109/0284186X.2015.1045624>

Skyttä, Tanja et al. "Troponin T-release associates with cardiac radiation doses during adjuvant left-sided breast cancer radiotherapy". *RADIATION ONCOLOGY*. 2015. 10(1). <https://doi.org/10.1186/s13014-015-0436-2>

Kapanen, Mika et al. "Effects of remedies made in patient setup process on residual setup errors and margins in head and neck cancer radiotherapy based on 2D image guidance". *Reports of Practical Oncology and Radiotherapy*. 2015, 20(4). 292-298. <https://doi.org/10.1016/j.rpor.2015.03.002>

Sikiö, Minna et al. "MRI Texture Analysis and Diffusion Tensor Imaging in Chronic Right Hemisphere Ischemic Stroke". *Journal of Neuroimaging*. 2015, 25(4). 614-619. <https://doi.org/10.1111/jon.12185>

Laaksomaa, Marko et al. "Determination of the optimal matching position for setup images and minimal setup margins in adjuvant radiotherapy of breast and lymph nodes treated in voluntary deep inhalation breath-hold". *RADIATION ONCOLOGY*. 2015. 10(1). <https://doi.org/10.1186/s13014-015-0383-y>

Farah, J. et al. "Application of the ELDO approach to assess cumulative eye lens doses for interventional cardiologists". *Radiation Protection Dosimetry*. 2015, 164(1-2). 84-88. <https://doi.org/10.1093/rpd/ncu315>

Kolasa, Marcin et al. "Longitudinal assessment of clinically isolated syndrome with diffusion tensor imaging and volumetric MRI". *Clinical Imaging*. 2015, 39(2). 207-212. <https://doi.org/10.1016/j.clinimag.2014.10.014>

Möttönen, T. et al. "Defining the anterior nucleus of the thalamus (ANT) as a deep brain stimulation target in refractory epilepsy: Delineation using 3 T MRI and intraoperative microelectrode recording". *NeuroImage: Clinical*. 2015, 7. 823-829. <https://doi.org/10.1016/j.nicl.2015.03.001>

Leroy, Henri Arthur et al. "Interstitial photodynamic therapy and glioblastoma: Light fractionation study on a preclinical model: Preliminary results". *Optical Techniques in Neurosurgery, Neurophotonics, and Optogenetics II*. SPIE. 2015. <https://doi.org/10.1117/12.2079347>

Sikiö, Minna et al. "MR image texture in Parkinson's disease: A longitudinal study". *Acta Radiologica*. 2015, 56(1). 97-104. <https://doi.org/10.1177/0284185113519775>

Azaïs, Henri et al. "FRα: une cible pour la thérapie photodynamique prophylactique des métastases péritonéales ovariennes?". *BULLETIN DU CANCER*. 2014, 101(12). 1109-1113. <https://doi.org/10.1684/bdc.2014.1977>

- Walsh, L. et al. "A framework for estimating radiation-related cancer risks in Japan from the 2011 Fukushima nuclear accident". *RADIATION RESEARCH*. 2014, 182(5). 556-572. <https://doi.org/10.1667/RR13779.1>
- Laaksomaa, Marko et al. "Estimation of optimal matching position for orthogonal kV setup images and minimal setup margins in radiotherapy of whole breast and lymph node areas". *Reports of Practical Oncology and Radiotherapy*. 2014, 19(6). 369-375. <https://doi.org/10.1016/j.rpor.2014.05.001>
- Sormaala, Markus J. et al. "MDCT findings after elbow dislocation: A retrospective study of 140 patients". *Skeletal Radiology*. 2014, 43(4). 507-512. <https://doi.org/10.1007/s00256-014-1819-4>
- Bechet, Denise et al. "Photodynamic therapy of malignant brain tumours: A complementary approach to conventional therapies". *CANCER TREATMENT REVIEWS*. 2014, 40(2). 229-241. <https://doi.org/10.1016/j.ctrv.2012.07.004>
- Brander, Antti et al. "Diffusion tensor imaging of the cervical spinal cord in healthy adult population: Normative values and measurement reproducibility at 3t mri". *Acta Radiologica*. 2014, 55(4). 478-485. <https://doi.org/10.1177/0284185113499752>
- Laaksomaa, Marko et al. "Evaluation of overall setup accuracy and adequate setup margins in pelvic image-guided radiotherapy: Comparison of the male and female patients". *MEDICAL DOSIMETRY*. 2014, 39(1). 74-78. <https://doi.org/10.1016/j.meddos.2013.09.009>
- Joensuu, Heikki et al. "Outcome of patients with HER2-positive breast cancer treated with or without adjuvant trastuzumab in the Finland Capecitabine Trial (FinXX)". *Acta Oncologica*. 2014, 53(2). 186-194. <https://doi.org/10.3109/0284186X.2013.820840>
- Farah, J. et al. "A correlation study of eye lens dose and personal dose equivalent for interventional cardiologists". *Radiation Protection Dosimetry*. 2013, 157(4). 561-569. <https://doi.org/10.1093/rpd/nct180>
- Kapanen, Mika et al. "Estimation of adequate setup margins and threshold for position errors requiring immediate attention in head and neck cancer radiotherapy based on 2D image guidance". *RADIATION ONCOLOGY*. 2013, 8(1). <https://doi.org/10.1186/1748-717X-8-212>
- Ernst, O. et al. "Iron overload of hematological origin: validation of a screening procedure for cardiac overload by MRI in routine clinical practice.". *Diagnostic and interventional imaging*. 2013, 94(6). 601-608.
- Verscheure, L. et al. "Three-dimensional skeletonization and symbolic description in vascular imaging: Preliminary results". *INTERNATIONAL JOURNAL OF COMPUTER ASSISTED RADIOLOGY AND SURGERY*. 2013, 8(2). 233-246. <https://doi.org/10.1007/s11548-012-0784-4>
- Betrouni, N. et al. "An anatomically realistic and adaptable prostate phantom for laser thermotherapy treatment planning". *Medical Physics*. 2013, 40(2). <https://doi.org/10.1118/1.4788673>
- Boulouis, G. et al. "CT and MRI imaging at the acute phase of inaugural non-traumatic hepatic haemorrhages". *JOURNAL DE RADIOLOGIE DIAGNOSTIQUE ET INTERVENTIONNELLE*. 2013, 94(3). 292-299. <https://doi.org/10.1016/j.diii.2012.09.004>
- Vasarainen, Hanna et al. "Effects of prostate cancer screening on health-related quality of life: Results of the Finnish arm of the European randomized screening trial (ERSPC)". *Acta Oncologica*. 2013, 52(8). 1615-1621. <https://doi.org/10.3109/0284186X.2013.802837>
- Patcas, R. et al. "Accuracy of linear intraoral measurements using cone beam CT and multidetector CT: A tale of two CTs". *Dentomaxillofacial Radiology*. 2012, 41(8). 637-644. <https://doi.org/10.1259/dmfr/21152480>

Sormaala, Markus J. et al. "Feasibility of abdominal plain film images in evaluation suspected drug smuggler". *European Journal of Radiology*. 2012, 81(9). 2118-2121. <https://doi.org/10.1016/j.ejrad.2011.08.016>

Betrouni, N. et al. "ProstAtlas: A digital morphologic atlas of the prostate". *European Journal of Radiology*. 2012, 81(9). 1969-1975. <https://doi.org/10.1016/j.ejrad.2011.05.001>

Paci, Michelangelo et al. "Mathematical modelling of the action potential of human embryonic stem cell derived cardiomyocytes". *BioMedical Engineering Online*. 2012. 11. <https://doi.org/10.1186/1475-925X-11-61>

Kauppi, Juha T. et al. "Locally advanced esophageal adenocarcinoma: Response to neoadjuvant chemotherapy and survival predicted by [¹⁸F]FDG-PET/CT". *Acta Oncologica*. 2012, 51(5). 636-644. <https://doi.org/10.3109/0284186X.2011.643822>

Repacholi, Michael H. et al. "Systematic review of wireless phone use and brain cancer and other head tumors". *Bioelectromagnetics*. 2012, 33(3). 187-206. <https://doi.org/10.1002/bem.20716>

Marinho, P. et al. "Recent advances in cerebrovascular simulation and neuronavigation for the optimization of intracranial aneurysm clipping". *COMPUTER AIDED SURGERY*. 2012, 17(2). 47-55. <https://doi.org/10.3109/10929088.2011.653403>

Pursiainen, S., F. Lucka ja C. H. Wolters. "Complete electrode model in EEG: Relationship and differences to the point electrode model". *Physics in Medicine and Biology*. 2012, 57(4). 999-1017. <https://doi.org/10.1088/0031-9155/57/4/999>

Marmin, C. et al. "Computed tomography of the parathyroids: The value of density measurements to distinguish between parathyroid adenomas of the lymph nodes and the thyroid parenchyma". *Diagnostic and interventional imaging*. 2012, 93(7-8). 597-603. <https://doi.org/10.1016/j.diii.2012.05.008>

Makni, N. et al. "Zonal segmentation of prostate using multispectral magnetic resonance images". *Medical Physics*. 2011, 38(11). 6093-6105. <https://doi.org/10.1118/1.3651610>

Betrouni, Nacim et al. "A model to estimate the outcome of prostate cancer photodynamic therapy with TOOKAD soluble WST11". *Physics in Medicine and Biology*. 2011, 56(15). 4771-4783. <https://doi.org/10.1088/0031-9155/56/15/009>

Colin, Pierre et al. "Thérapie photodynamique et carcinomes urothéliaux". *BULLETIN DU CANCER*. 2011, 98(7). 769-778. <https://doi.org/10.1684/bdc.2011.1389>

Marqa, Mohamad Feras et al. "Focal Laser Ablation of Prostate Cancer: Numerical Simulation of Temperature and Damage Distribution". *BioMedical Engineering Online*. 2011. 10. <https://doi.org/10.1186/1475-925X-10-45>

Pyysalo, Liisa M. et al. "Long-term MRI findings of patients with embolized cerebral aneurysms". *Acta Radiologica*. 2011, 52(2). 204-210. <https://doi.org/10.1258/ar.2010.100127>

Lopes, R. et al. "Prostate cancer characterization on MR images using fractal features". *Medical Physics*. 2011, 38(1). 83-95. <https://doi.org/10.1118/1.3521470>