

Ukkonen L, Sydänheimo L, Ma S, Björninen T. **Backscattering-based wireless communication and power transfer to small biomedical implants.** julkaisussa Gray BL, Becker H, toimittajat, Microfluidics, BioMEMS, and Medical Microsystems XVIII. SPIE. 2020. 112350A. (Progress in Biomedical Optics and Imaging - Proceedings of SPIE). <https://doi.org/10.1117/12.2552183>

Rezaei A, Koulouri A, Pursiainen S. **Randomized Multiresolution Scanning in Focal and Fast E/MEG Sensing of Brain Activity with a Variable Depth.** Brain Topography. 2020;33(2):161-175. <https://doi.org/10.1007/s10548-020-00755-8>

Pertuz S, Sassi A, Holli-Helenius K, Kämäräinen J, Rinta-Kiikka I, Lääperi AL et al. **Clinical evaluation of a fully-automated parenchymal analysis software for breast cancer risk assessment: A pilot study in a Finnish sample.** European Journal of Radiology. 2019 joulou 1;121. 108710. <https://doi.org/10.1016/j.ejrad.2019.108710>

Borges LR, Barufaldi B, Caron RF, Bakic PR, Foi A, Maidment ADA et al. **Technical Note: Noise models for virtual clinical trials of digital breast tomosynthesis.** Medical Physics. 2019 kesä 1;46(6):2683-2689. <https://doi.org/10.1002/mp.13534>

Kahle H, Phung H-M, Penttinen J-P, Rajala P, Tukiainen A, Ranta S et al. **Double-side pumped membrane external-cavity surface-emitting laser (MECSEL) with increased efficiency emitting > 3 W in the 780 nm region.** julkaisussa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. 2019 <https://doi.org/10.23919/CLEO.2019.8749958>

Abdallah Z, Stefszky M, Ulvila V, Silberhorn C, Vainio M. **Frequency Comb Generation in a Continuous-Wave Pumped Second-Order Nonlinear Waveguide Resonator.** julkaisussa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. 2019 <https://doi.org/10.23919/CLEO.2019.8750403>

Saad-Bin-Alam M, Reshef O, Huttunen MJ, Carlow G, Sullivan B, Menard JM et al. **High-Q resonance train in a plasmonic metasurface.** julkaisussa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. 2019 <https://doi.org/10.23919/CLEO.2019.8750206>

Pertuz S, Torres GF, Tamimi R, Kämäräinen J. **Open framework for mammography-based breast cancer risk assessment.** julkaisussa 2019 IEEE EMBS International Conference on Biomedical and Health Informatics, BHI 2019 - Proceedings. IEEE. 2019 <https://doi.org/10.1109/BHI.2019.8834599>

Sadiek I, Mikkonen T, Vainio M, Toivonen J, Foltynowicz A. **Optical Frequency Comb Photoacoustic Spectroscopy.** julkaisussa 2019 Conference on Lasers and Electro-Optics, CLEO 2019 - Proceedings. IEEE. 2019 <https://doi.org/10.23919/CLEO.2019.8749688>

Vimieiro RB, Borges LR, Caron RF, Barufaldi B, Bakic PR, Maidment ADA et al. **Noise measurements from reconstructed digital breast tomosynthesis.** julkaisussa Schmidt TG, Chen G-H, Bosmans H, toimittajat, Medical Imaging 2019: Physics of Medical Imaging. SPIE, IEEE. 2019. 109480C. (Progress in Biomedical Optics and Imaging - Proceedings of SPIE). <https://doi.org/10.1117/12.2512977>

Koljonen V, Koskela O, Montonen T, Rezaei A, Belay B, Figueiras E et al. **A mathematical model and iterative inversion for fluorescent optical projection tomography.** Physics in Medicine and Biology. 2019 helmi 18;64(4). 045017. <https://doi.org/10.1088/1361-6560/aafd63>

Habib M, Ozbay E, Caglayan H. **Tuning plasmon induced reflectance with hybrid metasurfaces.** Photonics. 2019;6(1). 29. <https://doi.org/10.3390/photonics6010029>

Jäntti V, Ylinen T, Subramaniam NP, Kamata K, Yli-Hankala A, Kauppinen P et al. **Electroencephalographic signals during anesthesia recorded from surface and depth electrodes.** International Journal of Radiation Biology. 2018 loka 3;94(10):934-943. <https://doi.org/10.1080/09553002.2018.1478159>

Abu Khamidakh AE, Rodriguez-Martinez A, Kaarniranta K, Kallioniemi A, Skottman H, Hyttinen J et al. **Wound healing of human embryonic stem cell-derived retinal pigment epithelial cells is affected by maturation stage.** BioMedical Engineering Online. 2018 heinä 31;17(1). 102. <https://doi.org/10.1186/s12938-018-0535-z>

Tran DT, Waris MA, Gabbouj M, Iosifidis A. **Sample-based regularization for support vector machine classification.** julkaisussa Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017. IEEE. 2018. s. 1-6 <https://doi.org/10.1109/IPTA.2017.8310103>

Schiopu I, Gabbouj M, Iosifidis A, Zeng B, Liu S. **Subaperture image segmentation for lossless compression.** julkaisussa Proceedings of the 7th International Conference on Image Processing Theory, Tools and Applications, IPTA 2017. IEEE. 2018. s. 1-6 <https://doi.org/10.1109/IPTA.2017.8310083>

Wirdatmadja S, Johari P, Balasubramaniam S, Bae Y, Stachowiak MK, Jornet JM. **Light propagation analysis in nervous tissue for wireless optogenetic nanonetworks.** julkaisussa Optogenetics and Optical Manipulation 2018. SPIE. 2018. 104820R <https://doi.org/10.1117/12.2288786>

Böttrich M, Tanskanen JMA, Hyttinen JAK. **Lead field theory provides a powerful tool for designing microelectrode array impedance measurements for biological cell detection and observation.** BioMedical Engineering Online. 2017 kesä 26;16(1). 85. <https://doi.org/10.1186/s12938-017-0372-5>

Azzari L, Foi A. **Variance stabilization in Poisson image deblurring.** julkaisussa 2017 IEEE 14th International Symposium on Biomedical Imaging, ISBI 2017. IEEE. 2017. s. 728-731 <https://doi.org/10.1109/ISBI.2017.7950622>

Kauppi J-P, Pajula J, Niemi J, Hari R, Tohka J. **Functional brain segmentation using inter-subject correlation in fMRI.** Human Brain Mapping. 2017 touko 1;38(5):2643-2665. <https://doi.org/10.1002/hbm.23549>

Kara PA, Kovacs PT, Vagharshakyan S, Martini MG, Barsi A, Balogh T et al. **The Effect of Light Field Reconstruction and Angular Resolution Reduction on the Quality of Experience.** julkaisussa 2016 12th International Conference on Signal-Image Technology & Internet-Based Systems (SITIS). IEEE. 2017. s. 781-786 <https://doi.org/10.1109/SITIS.2016.128>

Anwar S, Izhar-Ul-Haq I, Qadir MU, Ali I, Razzaq S, Ahmad B et al. **Computer aided diagnosis of acoustic neuroma: A neural network perspective.** JOURNAL OF MEDICAL IMAGING AND HEALTH INFORMATICS. 2017 huhti 1;7(2):371-377. <https://doi.org/10.1166/jmihi.2017.2057>

Chaudhary S, Berki E, Nykänen P, Zolotavkin Y, Helenius M, Kela J. **Towards a conceptual framework for privacy protection in the use of interactive 360° video surveillance.** julkaisussa 2016 22nd International Conference on Virtual System & Multimedia (VSMM). IEEE. 2017 <https://doi.org/10.1109/VSMM.2016.7863179>

Borges LR, Bakic PR, Foi A, Maidment ADA, Vieira MAC. **Pipeline for effective denoising of digital mammography and digital breast tomosynthesis.** julkaisussa Medical Imaging 2017: Physics of Medical Imaging. SPIE. 2017. 1013206. (Progress in biomedical optics and imaging). <https://doi.org/10.1117/12.2255058>

Ilvesmäki T, Koskinen E, Brander A, Luoto T, Öhman J, Eskola H. **Spinal cord injury induces widespread chronic changes in cerebral white matter.** Human Brain Mapping. 2017;38(7):3637-3647. <https://doi.org/10.1002/hbm.23619>

Wu X, Bhattarai A, Korkola P, Pertovaara H, Eskola H, Kellokumpu-Lehtinen PL. **The Association Between Liver and Tumor [¹⁸F]FDG Uptake in Patients with Diffuse Large B Cell Lymphoma During Chemotherapy.** Molecular Imaging and Biology. 2017;19(5):787-794. <https://doi.org/10.1007/s11307-017-1044-3>

Korpinen L, Kuisti H, Elovaara J. **Current densities and total contact currents during forest clearing tasks under 400kV power lines.** Bioelectromagnetics. 2016 syys 1;37(6):423-428. <https://doi.org/10.1002/bem.21980>

Lenk K, Priwitzer B, Ylä-Outinen L, Tietz LHB, Narkilahti S, Hyttinen JAK. **Simulation of developing human neuronal cell networks.** BioMedical Engineering Online. 2016 elo 30;15(1). 105. <https://doi.org/10.1186/s12938-016-0226-6>

- Naumenko A, Krivenko S, Lukin V, Egiazarian K. **Texture region detection by trained neural network.** julkaisussa 9th International Kharkiv Symposium on Physics and Engineering of Microwaves, Millimeter and Submillimeter Waves, MSMW 2016. IEEE. 2016 <https://doi.org/10.1109/MSMW.2016.7538174>
- Liimatainen K, Ruusuvoori P, Latonen L, Huttunen H. **Supervised method for cell counting from bright field focus stacks.** julkaisussa 2016 IEEE 13th International Symposium on Biomedical Imaging (ISBI) . IEEE. 2016. s. 391-394 <https://doi.org/10.1109/ISBI.2016.7493290>
- Wu X, Sikiö M, Pertovaara H, Järvenpää R, Eskola H, Dastidar P et al. **Differentiation of Diffuse Large B-cell Lymphoma From Follicular Lymphoma Using Texture Analysis on Conventional MR Images at 3.0 Tesla.** Academic Radiology. 2016 kesä;23(6):696–703. <https://doi.org/10.1016/j.acra.2016.01.012>
- Tarao H, Miyamoto H, Korpinen L, Hayashi N, Isaka K. **Simple estimation of induced electric fields in nervous system tissues for human exposure to non-uniform electric fields at power frequency.** Physics in Medicine and Biology. 2016 touko 25;61(12):4438-4451. <https://doi.org/10.1088/0031-9155/61/12/4438>
- Johansson J, Alakurtti K, Joutsa J, Tohka J, Ruotsalainen U, Rinne JO. **Comparison of manual and automatic techniques for substriatal segmentation in 11C-raclopride high-resolution PET studies.** Nuclear Medicine Communications. 2016;37(10). <https://doi.org/10.1097/MNM.0000000000000559>
- Korpinen L, Kuisti H, Tarao H, Virtanen V, Paakkönen R, Dovan T et al. **Possible influences of spark discharges on cardiac pacemakers.** Health Physics. 2016;110(1):1-10. <https://doi.org/10.1097/HP.0000000000000373>
- Shrestha M, Raitanen J, Salminen T, Lahkola A, Auvinen A. **Pituitary tumor risk in relation to mobile phone use: A case-control study.** Acta Oncologica. 2015 syys 14;54(8):1159-1165. <https://doi.org/10.3109/0284186X.2015.1045624>
- Skyttä T, Tuohinen S, Boman E, Virtanen V, Raatikainen P, Kellokumpu-Lehtinen PL. **Troponin T-release associates with cardiac radiation doses during adjuvant left-sided breast cancer radiotherapy.** RADIATION ONCOLOGY. 2015 heinä 10;10(1). 141. <https://doi.org/10.1186/s13014-015-0436-2>
- Kapanen M, Laaksomaa M, Tulijoki T, Kellokumpu-Lehtinen PL, Hyödynmaa S. **Effects of remedies made in patient setup process on residual setup errors and margins in head and neck cancer radiotherapy based on 2D image guidance.** Reports of Practical Oncology and Radiotherapy. 2015 heinä 1;20(4):292-298. <https://doi.org/10.1016/j.rpor.2015.03.002>
- Sikiö M, Kõlhi P, Ryymin P, Eskola HJ, Dastidar P. **MRI Texture Analysis and Diffusion Tensor Imaging in Chronic Right Hemisphere Ischemic Stroke.** Journal of Neuroimaging. 2015 heinä 1;25(4):614-619. <https://doi.org/10.1111/jon.12185>
- Laaksomaa M, Kapanen M, Haltamo M, Skyttä T, Peltola S, Hyödynmaa S et al. **Determination of the optimal matching position for setup images and minimal setup margins in adjuvant radiotherapy of breast and lymph nodes treated in voluntary deep inhalation breath-hold.** RADIATION ONCOLOGY. 2015 huhti 3;10(1). 76. <https://doi.org/10.1186/s13014-015-0383-y>
- Farah J, Struelens L, Auvinen A, Jacob S, Koukorava C, Schnelzer M et al. **Application of the ELDO approach to assess cumulative eye lens doses for interventional cardiologists.** Radiation Protection Dosimetry. 2015 huhti 1;164(1-2):84-88. ncu315. <https://doi.org/10.1093/rpd/ncu315>
- Kolasa M, Hakulinen U, Helminen M, Hagman S, Raunio M, Rossi M et al. **Longitudinal assessment of clinically isolated syndrome with diffusion tensor imaging and volumetric MRI.** Clinical Imaging. 2015 maaliskuu 1;39(2):207-212. <https://doi.org/10.1016/j.clinimag.2014.10.014>
- Möttönen T, Katisko J, Haapasalo J, Tähtinen T, Kiekara T, Kähärä V et al. **Defining the anterior nucleus of the thalamus (ANT) as a deep brain stimulation target in refractory epilepsy: Delineation using 3 T MRI and intraoperative microelectrode recording.** NeuroImage: Clinical. 2015;7:823-829. <https://doi.org/10.1016/j.nicl.2015.03.001>

Leroy HA, Vermandel M, Tétard MC, Lejeune JP, Mordon S, Reyns N. **Interstitial photodynamic therapy and glioblastoma: Light fractionation study on a preclinical model: Preliminary results.** julkaisussa *Optical Techniques in Neurosurgery, Neurophotonics, and Optogenetics II*. Vuosikerta 9305. SPIE. 2015. 93050D <https://doi.org/10.1117/12.2079347>

Sikiö M, Holli-Helenius KK, Harrison LCV, Ryymin P, Ruottinen H, Saunamäki T et al. **MR image texture in Parkinson's disease: A longitudinal study.** *Acta Radiologica*. 2015;56(1):97-104. <https://doi.org/10.1177/0284185113519775>

Azaïs H, Moussaron A, Bach SK, Bassil A, Betrouni N, Frochot C et al. **FRα: une cible pour la thérapie photodynamique prophylactique des métastases péritonéales ovariennes?** *BULLETIN DU CANCER*. 2014 joulu 1;101(12):1109-1113. <https://doi.org/10.1684/bdc.2014.1977>

Walsh L, Zhang W, Shore RE, Auvinen A, Laurier D, Wakeford R et al. **A framework for estimating radiation-related cancer risks in Japan from the 2011 Fukushima nuclear accident.** *RADIATION RESEARCH*. 2014 marras 1;182(5):556-572. <https://doi.org/10.1667/RR13779.1>

Laaksomaa M, Kapanen M, Skyttä T, Peltola S, Hyödynmaa S, Kellokumpu-Lehtinen PL. **Estimation of optimal matching position for orthogonal kV setup images and minimal setup margins in radiotherapy of whole breast and lymph node areas.** *Reports of Practical Oncology and Radiotherapy*. 2014 marras 1;19(6):369-375. <https://doi.org/10.1016/j.rpor.2014.05.001>

Sormaala MJ, Sormaala A, Mattila VM, Koskinen SK. **MDCT findings after elbow dislocation: A retrospective study of 140 patients.** *Skeletal Radiology*. 2014 huhti;43(4):507-512. <https://doi.org/10.1007/s00256-014-1819-4>

Bechet D, Mordon SR, Guillemain F, Barberi-Heyob MA. **Photodynamic therapy of malignant brain tumours: A complementary approach to conventional therapies.** *CANCER TREATMENT REVIEWS*. 2014 maalisk;40(2):229-241. <https://doi.org/10.1016/j.ctrv.2012.07.004>

Brander A, Koskinen E, Luoto TM, Hakulinen U, Helminen M, Savilahti S et al. **Diffusion tensor imaging of the cervical spinal cord in healthy adult population: Normative values and measurement reproducibility at 3t mri.** *Acta Radiologica*. 2014;55(4):478-485. <https://doi.org/10.1177/0284185113499752>

Laaksomaa M, Kapanen M, Tulijoki T, Peltola S, Hyödynmaa S, Kellokumpu-Lehtinen PL. **Evaluation of overall setup accuracy and adequate setup margins in pelvic image-guided radiotherapy: Comparison of the male and female patients.** *MEDICAL DOSIMETRY*. 2014;39(1):74-78. <https://doi.org/10.1016/j.meddos.2013.09.009>

Joensuu H, Kellokumpu-Lehtinen PL, Huovinen R, Jukkola-Vuorinen A, Tanner M, Kokko R et al. **Outcome of patients with HER2-positive breast cancer treated with or without adjuvant trastuzumab in the Finland Capecitabine Trial (FinXX).** *Acta Oncologica*. 2014;53(2):186-194. <https://doi.org/10.3109/0284186X.2013.820840>

Farah J, Struelens L, Dabin J, Koukorava C, Donadille L, Jacob S et al. **A correlation study of eye lens dose and personal dose equivalent for interventional cardiologists.** *Radiation Protection Dosimetry*. 2013 joulu;157(4):561-569. nct180. <https://doi.org/10.1093/rpd/nct180>

Kapanen M, Laaksomaa M, Tulijoki T, Peltola S, Wigren T, Hyödynmaa S et al. **Estimation of adequate setup margins and threshold for position errors requiring immediate attention in head and neck cancer radiotherapy based on 2D image guidance.** *RADIATION ONCOLOGY*. 2013 syys 10;8(1). 212. <https://doi.org/10.1186/1748-717X-8-212>

Ernst O, Thuret I, Petit P, Ameer F, Loundou AD, de Kerviler E et al. **Iron overload of hematological origin: validation of a screening procedure for cardiac overload by MRI in routine clinical practice.** *Diagnostic and interventional imaging*. 2013 kesä;94(6):601-608.

Verscheure L, Peyrodie L, Dewalle AS, Reyns N, Betrouni N, Mordon S et al. **Three-dimensional skeletonization and symbolic description in vascular imaging: Preliminary results.** *INTERNATIONAL JOURNAL OF COMPUTER ASSISTED RADIOLOGY AND SURGERY*. 2013 maalisk;8(2):233-246. <https://doi.org/10.1007/s11548-012-0784-4>

Betrouni N, Nevoux P, Leroux B, Colin P, Puech P, Mordon S. **An anatomically realistic and adaptable prostate phantom for laser thermotherapy treatment planning.** Medical Physics. 2013 helmi;40(2). 022701. <https://doi.org/10.1118/1.4788673>

Boulouis G, Marmin C, Lemaire S, Boury S, Sergent G, Mordon S et al. **CT and MRI imaging at the acute phase of inaugural non-traumatic hepatic haemorrhages.** JOURNAL DE RADIOLOGIE DIAGNOSTIQUE ET INTERVENTIONNELLE. 2013;94(3):292-299. <https://doi.org/10.1016/j.diii.2012.09.004>

Vasarainen H, Malmi H, Määttänen L, Ruutu M, Tammela T, Taari K et al. **Effects of prostate cancer screening on health-related quality of life: Results of the Finnish arm of the European randomized screening trial (ERSPC).** Acta Oncologica. 2013;52(8):1615-1621. <https://doi.org/10.3109/0284186X.2013.802837>

Patcas R, Markic G, Müller L, Ullrich O, Peltomäki T, Kellenberger CJ et al. **Accuracy of linear intraoral measurements using cone beam CT and multidetector CT: A tale of two CTs.** Dentomaxillofacial Radiology. 2012 joulu 1;41(8):637-644. <https://doi.org/10.1259/dmfr/21152480>

Sormaala MJ, Salonen HM, Mattila VM, Kivisaari A, Autti T. **Feasibility of abdominal plain film images in evaluation suspected drug smuggler.** European Journal of Radiology. 2012 syys;81(9):2118-2121. <https://doi.org/10.1016/j.ejrad.2011.08.016>

Betrouni N, Iancu A, Puech P, Mordon S, Makni N. **ProstAtlas: A digital morphologic atlas of the prostate.** European Journal of Radiology. 2012 syys;81(9):1969-1975. <https://doi.org/10.1016/j.ejrad.2011.05.001>

Paci M, Sartiani L, Del Lungo M, Jaconi M, Mugelli A, Cerbai E et al. **Mathematical modelling of the action potential of human embryonic stem cell derived cardiomyocytes.** BioMedical Engineering Online. 2012 elo 28;11. 61. <https://doi.org/10.1186/1475-925X-11-61>

Kauppi JT, Oksala N, Salo JA, Helin H, Karhumäki L, Kempainen J et al. **Locally advanced esophageal adenocarcinoma: Response to neoadjuvant chemotherapy and survival predicted by [18F]FDG-PET/CT.** Acta Oncologica. 2012 touko;51(5):636-644. <https://doi.org/10.3109/0284186X.2011.643822>

Repacholi MH, Lerchl A, Rössli M, Sienkiewicz Z, Auvinen A, Breckenkamp J et al. **Systematic review of wireless phone use and brain cancer and other head tumors.** Bioelectromagnetics. 2012 huhti;33(3):187-206. <https://doi.org/10.1002/bem.20716>

Marinho P, Thines L, Verscheure L, Mordon S, Lejeune JP, Vermandel M. **Recent advances in cerebrovascular simulation and neuronavigation for the optimization of intracranial aneurysm clipping.** COMPUTER AIDED SURGERY. 2012 maalis;17(2):47-55. <https://doi.org/10.3109/10929088.2011.653403>

Pursiainen S, Lucka F, Wolters CH. **Complete electrode model in EEG: Relationship and differences to the point electrode model.** Physics in Medicine and Biology. 2012 helmi 21;57(4):999-1017. <https://doi.org/10.1088/0031-9155/57/4/999>

Marmin C, Toledano M, Lemaire S, Boury S, Mordon S, Ernst O. **Computed tomography of the parathyroids: The value of density measurements to distinguish between parathyroid adenomas of the lymph nodes and the thyroid parenchyma.** Diagnostic and interventional imaging. 2012;93(7-8):597-603. <https://doi.org/10.1016/j.diii.2012.05.008>

Makni N, Iancu A, Colot O, Puech P, Mordon S, Betrouni N. **Zonal segmentation of prostate using multispectral magnetic resonance images.** Medical Physics. 2011 marras;38(11):6093-6105. <https://doi.org/10.1118/1.3651610>

Betrouni N, Lopes R, Puech P, Colin P, Mordon S. **A model to estimate the outcome of prostate cancer photodynamic therapy with TOOKAD soluble WST11.** Physics in Medicine and Biology. 2011 elo 7;56(15):4771-4783. <https://doi.org/10.1088/0031-9155/56/15/009>

Colin P, Estevez JP, Betrouni N, Nevoux P, Puech P, Leroy X et al. **Thérapie photodynamique et carcinomes urothéliaux.** BULLETIN DU CANCER. 2011 heinä;98(7):769-778. <https://doi.org/10.1684/bdc.2011.1389>

Marqa MF, Colin P, Nevoux P, Mordon SR, Betrouni N. **Focal Laser Ablation of Prostate Cancer: Numerical Simulation of Temperature and Damage Distribution.** BioMedical Engineering Online. 2011 kesä 2;10. 45. <https://doi.org/10.1186/1475-925X-10-45>

Pyysalo LM, Keski-Nisula LH, Niskakangas TT, Kähärä VJ, Öhman JE. **Long-term MRI findings of patients with embolized cerebral aneurysms.** Acta Radiologica. 2011 maalisk;52(2):204-210. <https://doi.org/10.1258/ar.2010.100127>

Lopes R, Ayache A, Makni N, Puech P, Villers A, Mordon S et al. **Prostate cancer characterization on MR images using fractal features.** Medical Physics. 2011 tammi;38(1):83-95. <https://doi.org/10.1118/1.3521470>